











- investigations on single-lip deep hole drilling of superalloy Inconel 718 with small diameters. *Journal of Manufacturing Processes*, 20: 332-339. <http://dx.doi.org/10.1016/j.jmapro.2015.06.001>
- [5] Puneet, C., Valleti, K., Gopal, A.V. (2017). Influence of surface preparation on the tool life of cathodic arc PVD coated twist drills. *Journal of Manufacturing Processes*, 27: 233-240. <https://doi.org/10.1016/j.jmapro.2017.05.011>
- [6] Chen, T. (2013). A systematic cycle time reduction procedure for enhancing the competitiveness and sustainability of a semiconductor manufacturer. *Sustainability*, 5(11): 4637-4652. <http://dx.doi.org/10.3390/su5114637>
- [7] Koltai, T., Kalló, N., Györkös, R. (2015). Calculation of the throughput-time in simple assembly lines with learning effect. *IFAC-PapersOnLine*, 48(3): 314-319. <http://dx.doi.org/10.1016/j.ifacol.2015.06.100>
- [8] Koltai, T., Kalló, N. (2017). Analysis of the effect of learning on the throughput-time in simple assembly lines. *Computers & Industrial Engineering*, 111: 507-515. <http://dx.doi.org/10.1016/j.cie.2017.03.034>
- [9] Mansouri, S.A., Golmohammadi, D., Miller, J. (2019). The moderating role of master production scheduling method on throughput in job shop systems. *International Journal of Production Economics*, 216: 67-80. <http://dx.doi.org/10.1016/j.ijpe.2019.04.018>
- [10] Turpin, L. (2018). A note on understanding cycle time. *Journal of Production Economics*, 205: 113-117. <http://dx.doi.org/10.1016/j.ijpe.2018.09.004>
- [11] Mohan, R.R., Kumar, S. (2013). A throughput time study on gemba through ABC analysis for high demand product among varieties of products. *IOSR Journal of Mechanical and Civil Engineering*, 5(1): 57-59. <http://dx.doi.org/10.9790/1684-0515759>
- [12] Johnson, D.J. (2003). A framework for reducing manufacturing throughput time. *Journal of Manufacturing Systems*, 22(4): 283-298. [http://dx.doi.org/10.1016/S0278-6125\(03\)80009-2](http://dx.doi.org/10.1016/S0278-6125(03)80009-2)
- [13] Far, H., Haleh, H., Saghaei, A. (2018). A flexible cell scheduling problem with automated guided vehicles and robots under energy-conscious policy. *Scientia Iranica*, 25: 339-358. <http://dx.doi.org/10.24200/sci.2017.4399>
- [14] Chincholkar, M., Herrmann, J.W. (2008). Estimating manufacturing cycle time and throughput in flow shops with process drift and inspection. *International Journal of Production Research*, 46(24): 7057-7072. <http://dx.doi.org/10.1080/00207540701513893>
- [15] Herrmann, J.W., Chincholkar, M.M. (2002). Reducing throughput time during product design. *Journal of Manufacturing Systems*, 20(6): 416-428. [http://dx.doi.org/10.1016/S0278-6125\(01\)80061-3](http://dx.doi.org/10.1016/S0278-6125(01)80061-3)