

Three loop QCD corrections to the heavy-light form factors in the color-planar limit

Sudeepan Datta,^a Narayan Rana,^b V. Ravindran^c and Ratan Sarkar^c

^a*Centre for High Energy Physics, Indian Institute of Science,
Bangalore 560012, India*

^b*School of Physical Sciences, National Institute of Science Education and Research,
An OCC of Homi Bhabha National Institute,
Jatni 752050, India*

^c*The Institute of Mathematical Sciences, A CI of Homi Bhabha National Institute,
Taramani, Chennai 600113, India*

E-mail: sudeepand@iisc.ac.in, narayan.rana@niser.ac.in,
ravindra@imsc.res.in, ratansarkar@imsc.res.in

ABSTRACT: We present the analytic expressions for the color-planar contributions to the heavy-light form factors at three loops in perturbative QCD. These form factors play an important role in the precision predictions of various observables in top quark and flavour physics. We compute the master integrals using the method of differential equations. We perform the ultraviolet renormalization for all the appearing fields and parameters. The analytic results for the renormalized form factors are expressed in terms of generalized harmonic polylogarithms. We also study the Sudakov behaviour of these form factors in the asymptotic limit, which enables us to obtain the complete logarithmic three-loop and partial four-loop contributions.

KEYWORDS: Higher-Order Perturbative Calculations, Factorization, Renormalization Group, Semi-Leptonic Decays, Top Quark

ARXIV EPRINT: [2308.12169](https://arxiv.org/abs/2308.12169)

Contents

1	Introduction	1
2	The heavy-light form factors	3
2.1	Ultraviolet renormalization	4
2.2	Ward identity	5
2.3	Universal infrared behaviour	5
3	Computational details	6
3.1	Integral families and reduction to master integrals	7
3.2	Computation of the master integrals	8
3.2.1	A comment on the boundary conditions	9
4	Results	10
4.1	Checks	19
5	Asymptotic behaviour of the heavy-light form factors	19
6	Conclusions	23
A	One-loop form factors	24
B	Two-loop form factors	26
C	Three-loop form factors	43
D	Four-loop form factors in the asymptotic limit	57

1 Introduction

Form factors encode the kinematical behaviour of scattering amplitudes in quantum field theories, and as such could be considered as the basic building blocks of the amplitudes. Form factors not only provide important insights about the analytic structure of the scattering amplitudes, but also play a central role in obtaining precise theoretical predictions for the physical observables by contributing to their virtual corrections, and thus, in enhancing our ability to probe for new physics at large.

The form factors for various local composite operators between massless physical states (such as a pair of gluons or quarks), have been computed up to the fourth order in perturbative quantum chromodynamics (QCD) [1–15], and have played a key role in precision studies of the Standard Model (SM) parameters. The heavy quark form

factors (HQFF) are the cases when the physical states are massive (such as a pair of top quarks), and are of critical importance in the study of physical observables — such as the forward-backward asymmetry of heavy quark pair production at lepton colliders, the study of anomalous magnetic moment of a heavy quark, and more importantly, the study of top-quark properties at the High-Luminosity Large Hadron Collider (HL-LHC). The current state-of-the-art computations in this frontier involve third order QCD ($\mathcal{O}(\alpha_s^3)$) corrections [16–31] to the HQFF.

The heavy-light form factors (HLFF) play an important role in analysing the properties of heavy quarks, particularly the flavour-changing decays of such quarks. With appropriate analytic continuation, these form factors constitute the virtual corrections for a heavy quark decaying into a light quark and a charged (W) boson. Few examples of such decays are $t \rightarrow bW^*$, $b \rightarrow cW^*$ and $b \rightarrow uW^*$. The virtual corrections to the $t \rightarrow bW^*$ decay are very important to obtain a precise top-quark decay width Γ_t , one of the most important parameters in the studies of fundamental interactions. This is particularly relevant for top-quark studies to obtain an understanding of its scope in opening up a portal to beyond the SM (BSM) physics, and as such, both the production and decay modes of the top are still subjected to active theoretical and experimental scrutiny, particularly from a precision point of view. The other two processes contribute to the hard functions that are required for calculations in the Soft Collinear Effective Theory (SCET), to evaluate the differential distribution of the inclusive semi-leptonic B meson decays in the shape-function region. This allows a precise determination of the Cabibbo-Kobayashi-Maskawa (CKM) matrix elements $|V_{cb}|$ and $|V_{ub}|$, which are relevant for the study of flavour and CP-violation in the quark sector. The top-quark decay, due to its high importance, has already been studied up to next-to-next-to leading order (NNLO) in QCD [32–35]. Within the regime of SCET, the semi-leptonic B decays have been studied up to NNLO QCD as well [36–42]. The explicit two-loop QCD corrections to the HLFF have been presented in refs. [43–45]. Recently, the top-quark decay width has been analytically computed at NNLO [46] and next-to-next-to-next-to leading order [47, 48] in QCD. To keep up with the increasing volume of precision measurements at the collider experiments, it is essential to improve the precision predictions from the theory side. At the same time, it is imperative that a uniform precision is achieved for both the production and decay processes, which in turn necessitates the inclusion of third order QCD corrections. To this end, the three-loop master integrals (MIs) relevant to obtain the color-planar limit of the HLFF have been computed in [49].

In this work, we provide for the first time, the analytic results for three-loop QCD corrections to the HLFF in the color-planar limit. We use the method of integration-by-parts (IBP) reduction technique [50, 51] to obtain a basis of MIs for the process under consideration. These MIs are analytically evaluated through the method of differential equations [52–56]. We perform the ultraviolet (UV) renormalization in a mixed scheme, and eventually show that the UV renormalized form factors satisfy the universal infrared (IR) behaviour [57] — which provides an important consistency check of the UV renormalized results. In addition, we also perform a rigorous study on the Sudakov behaviour of the HLFF in the asymptotic limit. Due to the universality of IR behaviour and factorizations of the QCD scattering amplitudes, we can predict the high-energy logarithms by studying

the integro-differential Sudakov equation and the renormalization group equations (RGE). The study of Sudakov behaviour has been performed in case of massless form factors in refs. [58–64] and of HQFF in refs. [65–67]. We present the first such study for the HLF in this paper.

This paper is organized as follows. In section 2, we discuss the theoretical basics of the process under consideration i.e. the definition of the form factors, the relevant projectors, the procedure of UV renormalization and the universal IR structure. In section 3, we briefly describe the details of the computational procedure, in particular, the exact computation of the MIs. In section 4, we present the primary result of this paper i.e. the three-loop color-planar finite remainders after performing appropriate IR subtraction. Next, we report a concise theoretical formulation for the study of Sudakov behaviour along with the three-loop results in section 5. Finally we conclude in section 6. In the appendices A–C, we present the one, two and three-loop UV renormalized form factors. In appendix D, we also present partial four-loop results in the asymptotic limit.

2 The heavy-light form factors

We consider the decay process

$$t(P) \rightarrow b(p) + W^*(q). \tag{2.1}$$

The top quark, carrying momentum P , decays into a massless bottom quark and a off-shell W boson. The bottom quark carries a momentum p and the W boson carries a momentum $q = P - p$. The on-shell conditions are given by

$$P^2 = m_t^2, \quad p^2 = 0. \tag{2.2}$$

m_t denotes the mass of the top quark. We also define the dimensionless variable x as

$$x = \frac{q^2}{m_t^2}. \tag{2.3}$$

The general form of the amplitude is given by

$$\bar{b}_c(p) \Gamma_{cd}^\mu t_d(P) \tag{2.4}$$

where $\bar{b}_c(p)$ and $t_d(P)$ are the bi-spinors of the b -quark and t -quark, respectively. The generic structure of the vertex with one massive and one massless quark can be described in terms of three independent form factors¹ as

$$\Gamma_{cd}^\mu = -i\delta_{cd} \left[G_1 \gamma^\mu (1 - \gamma_5) + \frac{G_2}{2m_t} (1 + \gamma_5) (P^\mu + p^\mu) + \frac{G_3}{2m_t} (1 + \gamma_5) (P^\mu - p^\mu) \right]. \tag{2.5}$$

Each form factor (G_i) can be obtained by applying appropriate projector on the amplitudes and performing trace over the spinor and color indices. We find the projectors (\mathcal{P}_i) to be applied on Γ_{cd}^μ for the corresponding form factor (G_i) as

$$\mathcal{P}_i = -\frac{i}{N_C} \delta_{cd} (\not{P} + m_t) \left[g_{i,1} \gamma^\mu (1 - \gamma_5) - \frac{g_{i,2}}{2m_t} (1 - \gamma_5) (P^\mu + p^\mu) - \frac{g_{i,3}}{2m_t} (1 - \gamma_5) (P^\mu - p^\mu) \right] \not{p} \tag{2.6}$$

¹The definitions of our G_2 and G_3 have been swapped, as compared to the ones presented in [43].

where

$$\begin{aligned}
 g_{1,1} &= \frac{1}{4m_t^2(d-2)(1-x)}, g_{1,2} = \frac{1}{2m_t^2(d-2)(1-x)^2}, g_{1,3} = -\frac{1}{2m_t^2(d-2)(1-x)^2}, \\
 g_{2,1} &= -\frac{1}{2m_t^2(d-2)(1-x)^2}, g_{2,2} = -\frac{1+(d-2)x}{m_t^2(d-2)(1-x)^3}, g_{2,3} = \frac{d-1}{m_t^2(d-2)(1-x)^3}, \\
 g_{3,1} &= \frac{1}{2m_t^2(d-2)(1-x)^2}, g_{3,2} = \frac{d-1}{m_t^2(d-2)(1-x)^3}, g_{3,3} = -\frac{(2d-3)-(d-2)x}{m_t^2(d-2)(1-x)^3}. \quad (2.7)
 \end{aligned}$$

N_C denotes the number of colors. We also mention here the Casimir operators $C_A = N_C$, $C_F = \frac{N_C^2-1}{2N_C}$ and $T_F = \frac{1}{2}$ for $SU(N_C)$. We denote the number of light and heavy quarks by n_l and n_h , respectively. The form factors (G_i) can be expanded in powers of the strong coupling constant (α_s) as

$$G_i = \frac{ig_w}{2\sqrt{2}} \sum_{n=0}^{\infty} \left(\frac{\alpha_s}{4\pi}\right)^n G_i^{(n)} \quad (2.8)$$

where $g_w = \frac{e}{s_w}$ is the weak interaction coupling constant. e is the electric charge and s_w is the sine of the weak mixing angle. Accordingly the leading order form factors are

$$G_1^{(0)} = 1, \quad G_2^{(0)} = 0, \quad G_3^{(0)} = 0. \quad (2.9)$$

2.1 Ultraviolet renormalization

We use dimensional regularization in $d = 4 - 2\epsilon$ space-time dimensions to regularize the bare form factors. As the vertex is chiral, it becomes necessary to establish the treatment of γ_5 within this regularization scheme. However, both the γ_5 from the vertex and the projectors, are connected to the open fermion lines. Hence, we use the prescription presented in [68, 69] i.e. the anti-commutation of γ_5 with other γ -matrices ($\{\gamma_\mu, \gamma_5\} = 0$), followed by $\gamma_5^2 = 1$.

We follow a mixed scheme to perform the UV renormalization of the form factors. The mass and wave function of the heavy quark (t), and the wave function of the light quark (b) have been renormalized in the on-shell (OS) renormalization scheme. On the other hand, the strong coupling constant has been renormalized in the modified minimal subtraction ($\overline{\text{MS}}$) scheme [70, 71]. We denote the corresponding renormalization constants by $Z_m, Z_{2,t}, Z_{2,b}$ and Z_{α_s} , respectively. All the renormalization constants follow a series expansion in α_s as

$$Z_i = \sum_{n=0}^{\infty} \left(\frac{\alpha_s}{4\pi}\right)^n Z_i^{(n)}. \quad (2.10)$$

The required three-loop results are available for Z_m in refs. [72–76], for $Z_{2,t}$ in refs. [72–74, 77] and for Z_{α_s} in refs. [78–84]. The $Z_{2,b}$ was presented in ref. [43] up to two-loop and $\mathcal{O}(\epsilon^0)$. The closed-form solution of $Z_{2,b}^{(2)}$ in ϵ was given in refs. [41, 42]. To obtain the two-loop results up to $\mathcal{O}(\epsilon^2)$, we also re-compute $Z_{2,b}^{(2)}$ and present up to $\mathcal{O}(\epsilon^2)$ in the following

$$Z_{2,b}^{(2)} = C_F n_h T_F \left[\frac{1}{\epsilon} - \frac{5}{6} + \epsilon \left(\frac{89}{36} + \zeta_2 \right) + \epsilon^2 \left(-\frac{869}{216} - \frac{5}{6} \zeta_2 - \frac{2}{3} \zeta_3 \right) + \mathcal{O}(\epsilon^3) \right]. \quad (2.11)$$

The mass renormalization of the heavy quark requires explicit computation of the Feynman diagrams after counter-term insertion. The other renormalizations are multiplicative i.e. the renormalized form factors (G_i) are related to the bare form factors (\hat{G}_i) as follows

$$G_i = Z_{2,t}^{\frac{1}{2}} Z_{2,b}^{\frac{1}{2}} (\hat{G}_i + \hat{G}_{ct,i}). \quad (2.12)$$

$\hat{G}_{ct,i}$ denotes the appropriate mass renormalization counter-term contributions from lower orders in α_s . We also note that the strong coupling constant renormalization needs to be performed considering full QCD i.e. the corresponding β -functions are given by

$$\begin{aligned} \beta_0 &= \frac{11}{3} C_A - \frac{4}{3} T_F (n_h + n_l), \\ \beta_1 &= \frac{34}{3} C_A^2 - \frac{20}{3} C_A T_F (n_h + n_l) - 4 C_F T_F (n_h + n_l). \end{aligned} \quad (2.13)$$

2.2 Ward identity

The UV renormalized form factors satisfy the on-shell Ward identity

$$q_\mu \Gamma^\mu - m_W \Gamma_{\text{PS}} = 0. \quad (2.14)$$

The pseudo-scalar vertex appears for the process where a top quark decays into a bottom quark and a charged pseudo-Goldstone boson. The generic structure of this vertex can be described as follows with the form factor S

$$\Gamma_{\text{PS}} = \frac{m_t}{m_W} S (1 + \gamma_5). \quad (2.15)$$

In order to satisfy the Ward identity, it is necessary to renormalize the pseudo-scalar vertex as well. Apart from the usual quantities i.e. the mass and the wave function of the heavy quark, the wave function of the light quark and the strong coupling constant, an additional renormalization is needed for the heavy quark mass (m_t) appearing in the vertex. This overall mass renormalization has been performed also in OS scheme. The UV renormalized form factor S also can be expanded in α_s as

$$S = \frac{ig_w}{2\sqrt{2}} \sum_{n=0}^{\infty} \left(\frac{\alpha_s}{4\pi} \right)^n S^{(n)}. \quad (2.16)$$

In terms of the form factors, the Ward identity takes the following form

$$2G_1^{(n)} + G_2^{(n)} + xG_3^{(n)} - 2S^{(n)} = 0. \quad (2.17)$$

2.3 Universal infrared behaviour

The UV renormalized form factors still contain divergences of IR origin, arising from soft gluons and collinear partons. However, they follow a universal structure. In case of massless scattering amplitudes, a plethora of seminal works [63, 85–88] has already provided a good understanding on the universal IR structure generated through the soft and collinear dynamics. A first step was taken in ref. [65] to achieve the universal IR structure for the two-loop scattering amplitudes with massive partons in the high energy limit. Later, it has

been studied also at the three-loop level in refs. [66, 67]. Following a SCET approach, the universal IR structures for a generic two-loop amplitude with both massless and massive partons, have been presented in ref. [57], which can easily be generalized to three loops for the form factors.

Following ref. [57], the IR singularities of the form factors can be factorized as a multiplicative renormalization factor, as follows

$$G_i = Z(\bar{\mu})G_i^{\text{fin}}(\bar{\mu}). \quad (2.18)$$

$G_i^{\text{fin}}(\bar{\mu})$ is finite as $\epsilon \rightarrow 0$. $\bar{\mu}$ is the scale introduced for this particular factorization of IR singularities. The structure of $Z(\bar{\mu})$ is controlled by the RGE which is characterized by the corresponding anomalous dimension. However, before we proceed further, we note, as also mentioned in [27], that the anomalous dimensions have been computed considering only the massless QCD corrections with n_l light quark flavours. On the other hand, the form factors are defined considering full-QCD i.e. n_l light and n_h heavy quark flavours. Hence, to describe the IR structure of the form factors, we solve the RGE for \bar{Z} , the equivalent of Z in the massless QCD with n_l light quark only and then use the decoupling relation for the strong coupling constant i.e. the relation between $\bar{\alpha}_s$ and α_s , which are defined in the massless and the full QCD, respectively. The RGE for \bar{Z} is

$$\frac{d}{d \ln \bar{\mu}} \ln \bar{Z}(\epsilon, q^2, m_t, \bar{\mu}) = -\Gamma(q^2, m_t, \bar{\mu}). \quad (2.19)$$

Γ is the corresponding anomalous dimension. In case of heavy quark form factors, Γ is purely the massive cusp anomalous dimension [89–93]. For the case of HLFF, Γ is a combination of massive and massless cusp anomalous dimensions. To solve the RGE, we expand both \bar{Z} and Γ in a perturbative series in α_s as follows

$$\bar{Z} = \sum_{n=0}^{\infty} \left(\frac{\bar{\alpha}_s}{4\pi}\right)^n \bar{Z}^{(n)}, \quad \Gamma = \sum_{n=0}^{\infty} \left(\frac{\bar{\alpha}_s}{4\pi}\right)^{n+1} \Gamma_n. \quad (2.20)$$

The solution can then be found as

$$\begin{aligned} \ln \bar{Z} = & \left(\frac{\bar{\alpha}_s}{4\pi}\right) \left[\frac{\Gamma'_0}{4\epsilon^2} + \frac{\Gamma_0}{2\epsilon} \right] + \left(\frac{\bar{\alpha}_s}{4\pi}\right)^2 \left[-\frac{3\bar{\beta}_0\Gamma'_0}{16\epsilon^3} + \frac{\Gamma'_1 - 4\bar{\beta}_0\Gamma_0}{16\epsilon^2} + \frac{\Gamma_1}{4\epsilon} \right] \\ & + \left(\frac{\bar{\alpha}_s}{4\pi}\right)^3 \left[\frac{11\bar{\beta}_0^2\Gamma'_0}{72\epsilon^4} - \frac{5\bar{\beta}_0\Gamma'_1 + 8\bar{\beta}_1\Gamma'_0 - 12\bar{\beta}_0^2\Gamma_0}{72\epsilon^3} + \frac{\Gamma'_2 - 6\bar{\beta}_0\Gamma_1 - 6\bar{\beta}_1\Gamma_0}{36\epsilon^2} + \frac{\Gamma_2}{6\epsilon} \right] \\ & + \mathcal{O}(\alpha_s^4), \end{aligned} \quad (2.21)$$

where,

$$\Gamma'_n = \frac{\partial}{\partial \ln \bar{\mu}} \Gamma_n. \quad (2.22)$$

$\bar{\beta}$ is the β -function in the massless QCD with n_l light quarks. To obtain Z from \bar{Z} , we use the decoupling relation obtained using background field method in refs. [94–96].

3 Computational details

We follow the conventional procedure to compute the HLFF starting with the generation of the corresponding Feynman diagrams using QGRAF [97]. Considering only the QCD

corrections we obtain 13 diagrams at two-loop and 263 diagrams at three-loop. We note that we have considered only one additional light quark to generate the diagrams, which is sufficient to compute the diagrams for all flavours. We use in-house FORM [98] routines to translate the QGRAF output into Feynman amplitudes and for further manipulations of Dirac, Lorentz and color algebra and also to project out the form factors using the projectors. The color algebra has also been performed using COLOR [99]. We also use another independent approach based on FEYNARTS [100], FEYNCALC [101] and MATHEMATICA to generate the Feynman diagrams and perform the algebraic manipulations to compute the form factors up to two-loop, finding perfect agreements.

After these first manipulations, the expressions contain a large number of scalar Feynman integrals. Following standard procedure, we reduce them to a much smaller set of scalar integrals, the MIs using IBP [50, 51] identities. We have performed the reduction with two independent in-house programs based on the public codes KIRA [102] and LITERED [103]. In the next section, we present the details of the reduction.

3.1 Integral families and reduction to master integrals

All the Feynman diagrams contributing to the three-loop color-planar corrections of the HLFF can be mapped to a single integral family. We note that 13 sectors in this integral family completely span all the appearing scalar integrals. To set our convention, we present a generic three-loop integral as follows:

$$I_\nu(d, x) = \int \prod_{i=1}^3 \frac{d^d k_i}{(2\pi)^d} \prod_{j=1}^{12} \frac{1}{D_j^{\nu_j}} \quad (3.1)$$

where, $\nu = \nu_1 \nu_2 \dots \nu_{12}$. We put $S_\epsilon = \exp(-\epsilon(\gamma_E - \ln(4\pi)))$ equals to one for each loop order. We choose the following combination of the propagators as our color-planar integral family

$$\{\mathcal{D}_1 - m_t^2, \mathcal{D}_2 - m_t^2, \mathcal{D}_3 - m_t^2, \mathcal{D}_{12}, \mathcal{D}_{23}, \mathcal{D}_{13}, \mathcal{D}_{1;1}, \mathcal{D}_{2;1}, \mathcal{D}_{3;1}, \mathcal{D}_{1;12}, \mathcal{D}_{2;12}, \mathcal{D}_{3;12}\} \quad (3.2)$$

where,

$$\mathcal{D}_i = k_i^2, \quad \mathcal{D}_{ij} = (k_i - k_j)^2, \quad \mathcal{D}_{i;1} = (k_i - P)^2, \quad \mathcal{D}_{i;12} = (k_i - P + p)^2. \quad (3.3)$$

Using KIRA, we have obtained 70 MIs for this integral family, as listed in table 1, classified as per the number of propagators appearing in the denominator. We note that the number of MIs presented in ref. [49] is 71. Hence, we reduce all the 71 MIs to our MIs and solve the complete system to find the following additional relation among the MIs of ref. [49]

$$F_{69} = \left(-\frac{2F_2}{3} + \frac{F_3}{6} + \frac{5F_4}{36} + \frac{7F_6}{6} - \frac{F_7}{12} - \frac{F_8}{2} + \frac{F_9}{4} - \frac{F_{12}}{3} + F_{17} - \frac{F_{22}}{2} - \frac{F_{26}}{2} + \frac{F_{27}}{4} + \frac{F_{38}}{2} + \frac{F_{42}}{2} - \frac{F_{44}}{2} - \frac{F_{45}}{2} - \frac{F_{46}}{2} + \frac{F_{48}}{2} + F_{50} - F_{52} + F_{54} + F_{59} - F_{60} - F_{62} + F_{64} + F_{66} \right). \quad (3.4)$$

The F_i s are defined in eq. (4) of ref. [49]. Also, we have explicitly checked this relation by using the available results for F_i s.

#	sector	master integrals	#	sector	master integrals																					
3	7	$I_{111000000000}$	6	655	$I_{111100010100}, I_{111100(-1)0100}$																					
4	29	$I_{101110000000}$	669	669	$I_{101110010100}, I_{1(-1)1110010100},$ $I_{10111(-1)010100}, I_{101110(-1)0100},$ $I_{1011100101(-1)0}$																					
	78	$I_{011100100000}$																								
	92	$I_{001110100000}$																								
	519	$I_{111000000100}$																								
	526	$I_{011100000100}, I_{(-1)11100000100}$																								
	540	$I_{001110000100}, I_{(-1)01110000100}$																								
5	110	$I_{011101100000}$	686	686	$I_{011101010100}, I_{(-1)11101010100},$ $I_{0111(-1)010100}, I_{011101(-1)0100}$																					
	244	$I_{001011110000}$																								
	247	$I_{111011110000}$																								
	541	$I_{101110000100}$																								
	558	$I_{011101000100}, I_{(-1)11101000100}$																								
	653	$I_{101100010100}$																								
	661	$I_{101010010100}$																								
	668	$I_{001110010100}$																								
	684	$I_{001101010100}, I_{(-1)01101010100}$																								
	689	$I_{100011010100}$																								
	692	$I_{001011010100}, I_{(-1)01011010100}$																								
	1543	$I_{111000000110}$																								
	1557	$I_{101010000110}, I_{1(-1)010000110}$																								
	1588	$I_{001011000110}, I_{(-1)01011000110}$																								
	8					691	691	$I_{110011010100}, I_{11(-1)011010100}$																		
9	1918	$I_{011111101110}, I_{(-1)11111101110}$	693	693	$I_{101011010100}, I_{1(-1)011010100}$																					
					694			694	$I_{011011010100}, I_{(-1)11011010100}$																	
									700	700	$I_{00111010100}, I_{(-1)01111010100}$															
											937	937	$I_{100101011100}$													
													1587	1587	$I_{110011000110}$											
						1811	1811								$I_{110010001110}$											
															1841	1841	$I_{100011001110}$									
																	3591	3591	$I_{111000000111}$							
																			7	695	695	$I_{111011010100}, I_{111(-1)11010100},$ $I_{111011(-1)0100}, I_{1110110101(-1)0}$				
																						939	939	$I_{110101011100}, I_{11(-1)01011100}$		
																								1591	1591	$I_{111011000110}, I_{111(-1)11000110}$
																										1654
1815	1815	$I_{111010001110}, I_{11101(-1)001110}$																								
		1821	1821	$I_{101110001110}, I_{10111(-1)001110}$																						
				1845	1845			$I_{101011001110}, I_{1(-1)011001110}$																		

Table 1. List of the master integrals. # indicates the number of propagators.

3.2 Computation of the master integrals

In this section, we summarize the computational details of the MIs. We follow the generic method of differential equations [52–56]. To set up the system of differential equations of the MIs, we differentiate them with respect to the variable x , followed by IBP reductions on the differentiated output to obtain a linear combination of MIs for each differentiated integral. We obtain a 70×70 system of coupled linear differential equations, which can be symbolically presented as

$$\frac{d}{dx} \mathcal{I} = \mathcal{M} \mathcal{I}. \quad (3.5)$$

Here the 70×70 matrix \mathcal{M} contains rational functions in x and d . To proceed, we first rearrange the system of differential equations in an upper block-triangular form. In such an arrangement, the integrals in the last block are homogeneously coupled. Hence, we compute the MIs block-by-block starting from the last one. Also while solving for each block, we perform series expansion of the whole subsystem in ϵ and solve it order by order in ϵ successively, starting with the highest pole in ϵ . At each order in ϵ , we decouple the

containing all the results in MATHEMATICA format. We use the mass of the top quark as the renormalization scale i.e. $\mu_R^2 = m_t^2$. To make the presentation more compact, we introduce the following abbreviations for some of the rational functions that appear in the expressions:

$$\bar{x} = \frac{1}{1-x}, \quad f_n = \frac{1}{x} - n, \quad f_{m,n} = \frac{m}{x} - n. \quad (4.2)$$

In the following, we present all the $\mathcal{G}_i^{(3)}$ s and $\mathcal{S}^{(3)}$ in the color-planar limit.

$$\begin{aligned} \mathcal{G}_1^{(3)} = & N_C^3 \left[-\frac{135089341}{419904} + \bar{x} \left(\frac{1}{2592} (104131 + 266652x^{-1} - 3456x^{-2} + 855449x) H_{1,1}(x) \right. \right. \\ & + \frac{1}{54} (5980 - 2190x^{-1} + 27x^{-2} + 11654x) H_{1,1,1}(x) - \frac{2}{9} (140 + 303x^{-1} \\ & + 691x) H_{1,1,1,1}(x) \left. \right) + \bar{x}^2 \left(\frac{1}{5184} (-763589 + 271464x^{-1} - 772430x \right. \\ & - 1180997x^2) H_{0,1}(x) + \frac{1}{216} (35722 + 5124x^{-1} + 59653x - 16097x^2) H_{0,0,1}(x) \\ & + \frac{1}{36} (13209 - 621x^{-1} - 18x^{-2} + 12577x - 4897x^2) H_{0,1,1}(x) + \frac{1}{216} (-56780 \\ & + 11820x^{-1} + 108x^{-2} + 571x - 37205x^2) H_{1,0,1}(x) + \frac{1}{18} (4121 - 768x^{-1} + 7019x \\ & + 2210x^2) H_{0,1,1,1}(x) + \frac{1}{36} (2741 + 273x^{-1} + 6020x - 970x^2) H_{1,0,0,1}(x) \\ & + \frac{1}{6} (199 - 113x^{-1} + 473x + 311x^2) H_{1,0,1,1}(x) + \frac{1}{36} (-1954 + 474x^{-1} - 229x \\ & - 1333x^2) H_{1,1,0,1}(x) + \frac{4}{3} (-106 + 9x^{-1} - 346x + 65x^2) H_{0,1,1,1,1}(x) \\ & + (68 + 8x^{-1} - 219x + 101x^2) H_{1,0,1,1,1}(x) - \frac{1}{3} (35 + 3x^{-1} + 98x - 10x^2) H_{1,1,0,0,1}(x) \\ & + \frac{2}{3} (166 + 3x^{-1} - 164x + 121x^2) H_{1,1,0,0,1,1}(x) + \frac{1}{3} (302 - 73x + 149x^2) H_{1,1,1,0,0,1}(x) \\ & + \left(\frac{1}{186624} (-90563101 - 93312x^{-1} - 100911910x - 40078717x^2) \right. \\ & + \frac{1}{2592} (-1547099 + 139725x^{-1} + 1296x^{-2} - 1148717x - 363149x^2) H_1(x) \\ & + \frac{1}{72} (-9787 + 867x^{-1} - 20647x - 349x^2) H_{1,1}(x) + \frac{1}{12} (2563 + 117x^{-1} + 895x \\ & + 961x^2) H_{1,1,1}(x) \left. \right) \zeta_2 + \left(\frac{1}{972} (73427 - 215542x + 61925x^2) \right. \\ & + \frac{1}{108} (12671 - 57x^{-1} - 16009x + 8093x^2) H_1(x) + 2(1 + 3x) H_{0,0,1}(x) \left. \right) \zeta_3 \\ & + \bar{x}^3 \left(((1+2x)(4+3x)) (-24H_{0,0,1,1,1,1}(x) - 12H_{1,0,0,1,1,1}(x) - 4H_{1,1,0,0,1,1}(x)) \right. \\ & + (3+14x+3x^2+x^3) (6H_{0,1,1,1,0,0,1}(x) - 4H_{1,0,1,0,0,1,1}(x) + 2H_{1,1,0,1,0,0,1}(x)) \\ & + (2+17x+2x^3) (-2H_{0,1,1,0,0,0,1}(x) + 4H_{0,1,1,0,0,1,1}(x) - 2H_{1,0,0,0,0,0,1}(x) \\ & \left. - 12H_{1,0,0,0,1,1}(x) - 2H_{1,1,0,0,0,1}(x) + 6H_{1,0,0,1}(x) \zeta_2) + \frac{1}{36} (3197 + 228x^{-1} \right. \end{aligned}$$

$$\begin{aligned}
& +9772x - 9093x^2 + 1521x^3)H_{0,0,0,1}(x) + \frac{1}{18}(2850 - 375x^{-1} + 7888x - 4212x^2 \\
& - 526x^3)H_{0,0,1,1}(x) + \frac{1}{36}(1235 + 783x^{-1} - 358x - 7653x^2 + 368x^3)H_{0,1,0,1}(x) \\
& + \left(\frac{191}{6} + x^{-1} + \frac{466x}{3} - 46x^2 + \frac{52x^3}{3}\right)H_{0,0,0,0,1}(x) + \frac{1}{3}(-199 - 30x^{-1} - 130x \\
& + 270x^2 + 26x^3)H_{0,0,0,1,1}(x) + \left(63 + \frac{11x^{-1}}{2} + \frac{1349x}{6} - 18x^2 + \frac{62x^3}{3}\right)H_{0,0,1,0,1}(x) \\
& + \left(-\frac{374}{3} - 2x^{-1} + \frac{623x}{3} + 410x^2 - 2x^3\right)H_{0,0,1,1,1}(x) + \frac{1}{6}(236 + 3x^{-1} + 1317x \\
& - 84x^2 + 124x^3)H_{0,1,0,0,1}(x) + \left(-\frac{85}{3} - 4x^{-1} - \frac{302x}{3} + 123x^2 - 13x^3\right)H_{0,1,0,1,1}(x) \\
& + \left(\frac{379}{6} + 4x^{-1} - \frac{385x}{3} - 3x^2 - \frac{61x^3}{3}\right)H_{0,1,1,0,1}(x) + \frac{1}{6}(-44 - 81x \\
& - 192x^2 + 2x^3)H_{1,0,0,0,1}(x) + \left(\frac{212}{3} - 3x^{-1} - 206x + 92x^2 - \frac{176x^3}{3}\right)H_{1,0,0,1,1}(x) \\
& + \frac{1}{2}(42 + x^{-1} + 57x + 2x^2 + 3x^3)H_{1,0,1,0,1}(x) + 4(1 + 15x + 3x^2 + 2x^3)H_{0,0,0,0,0,1}(x) \\
& - 2(14 + 93x - 12x^2 + 10x^3)H_{0,0,0,0,1,1}(x) + 2(5 + 23x - 9x^2 + 2x^3)H_{0,0,0,1,0,1}(x) \\
& - 4(23 + 92x + 27x^2 + 5x^3)H_{0,0,0,1,1,1}(x) + 2(1 + 15x + 3x^2 + 2x^3)H_{0,0,1,0,0,1}(x) \\
& - 2(8 + 55x - 6x^2 + 6x^3)H_{0,0,1,0,1,1}(x) + 2(14 + 37x + 12x^2)H_{0,0,1,1,0,1}(x) \\
& + x(13 + 6x + 2x^2)H_{0,1,0,0,0,1}(x) + 12(1 + 3x + 3x^2)H_{0,1,0,0,1,1}(x) \\
& + (5 + 18x - 3x^2 + x^3)H_{0,1,0,1,0,1}(x) + 2(-11 + 10x - 27x^2 + 7x^3)H_{0,1,0,1,1,1}(x) \\
& + 2(8 + 45x + 6x^2 + 4x^3)H_{1,0,1,1,0,1}(x) + (23 + 207x - 3x^2 + 25x^3)\left(\frac{3}{2}H_{0,1,1,1}(x) \right. \\
& \left. + \frac{1}{2}H_{1,1,0,1}(x)\right)\zeta_2 + \left(\frac{1}{48}(-680 + 1613x^{-1} - 20012x - 2112x^2 - 1309x^3)H_{0,1}(x) \right. \\
& \left. + \frac{1}{24}(2416 + 249x^{-1} + 6353x - 1452x^2 + 342x^3)H_{0,0,1}(x) + \frac{1}{12}(665 + 99x^{-1} - 5748x \right. \\
& \left. - 1299x^2 - 719x^3)H_{0,1,1}(x) + \frac{1}{24}(1598 + 84x^{-1} + 2391x - 426x^2 + 133x^3)H_{1,0,1}(x) \right. \\
& \left. + \frac{1}{4}(118 + 535x - 216x^2 + 46x^3)H_{0,0,0,1}(x) + \frac{3}{2}(36 + 139x + 6x^2 + 8x^3)H_{0,0,1,1}(x) \right. \\
& \left. + \frac{1}{4}(59 + 334x - 69x^2 + 33x^3)H_{0,1,0,1}(x) + (19 + 173x - 3x^2 + 21x^3)H_{1,0,1,1}(x) \right. \\
& \left. + \left(\frac{1}{72}(5015 + 31803x - 1551x^2 + 5701x^3) + \frac{1}{12}(-335 - 99x - 717x^2 \right. \right. \\
& \left. \left. + 143x^3)H_1(x)\right)\zeta_3\right)\zeta_2 + \left(\frac{1}{2160}(392363 + 925887x - 485139x^2 + 78139x^3) \right. \\
& \left. + \frac{1}{320}(26594 + 741x^{-1} - 47404x - 9874x^2 - 15417x^3)H_1(x) + \frac{1}{160}(2691 + 23855x \right.
\end{aligned}$$

$$\begin{aligned}
& +3801x^2+2749x^3)H_{0,1}(x)+\frac{1}{80}(-3053-777x-6567x^2+1325x^3)H_{1,1}(x)\zeta_2^2 \\
& +\frac{1}{120960}(-7514867-16330935x-10179897x^2+692147x^3)\zeta_3^2+\left(\frac{1}{18}(685+63x^{-1}\right. \\
& \left.+927x+1515x^2-139x^3)H_{0,1}(x)+(7+117x-15x^2+17x^3)H_{1,0,1}(x)\right)\zeta_3 \\
& +\frac{1}{9}(10+1167x-240x^2+197x^3)\zeta_3^2+\left(\frac{1}{12}(-1139-5578x-1578x^2-414x^3)\right. \\
& \left.+(-72-37x-150x^2+28x^3)H_1(x)\right)\zeta_5)-\frac{1}{93312}(24023071-10834389x^{-1})H_1(x) \\
& +\frac{10}{3}(61+9x^{-1})H_{1,1,1,1,1}(x)-60H_{0,1,1,1,1,1}(x)-48H_{1,0,1,1,1,1}(x)-36H_{1,1,0,1,1,1}(x) \\
& -24H_{1,1,1,0,1,1}(x)-12H_{1,1,1,1,0,1}(x)-120H_{1,1,1,1,1,1}(x)-51H_{1,1,1,1}(x)\zeta_2 \\
& +\left(\frac{1}{9}(352+45x^{-1})H_{1,1}(x)-10H_{0,1,1}(x)-30H_{1,1,1}(x)\right)\zeta_3\Big]. \tag{4.3}
\end{aligned}$$

$$\begin{aligned}
\mathcal{G}_2^{(3)} = & N_C^3 \left[\bar{x} \left(-\frac{316}{3} - \frac{5}{5184}(-6889+346585x^{-1})H_1(x) \right) + \bar{x}^2 \left(\frac{1}{36}(-61616-8197x^{-1}\right. \right. \\
& \left. \left. +114x^{-2}-32199x)H_{1,1}(x) + \frac{1}{9}(-12860+799x^{-1}-9x^{-2}-3401x)H_{1,1,1}(x) \right. \right. \\
& \left. \left. + \frac{4}{3}(680+101x^{-1}+353x)H_{1,1,1,1}(x) \right) \right. \\
& \left. + \bar{x}^3 \left((1+37x+84x^2+4x^3)(2x^{-1}H_{1,1,0,0,1}(x)-4x^{-1}H_{1,1,0,1,1}(x)) \right. \right. \\
& \left. \left. + \frac{1}{108}(-46728-16327x^{-1}+268119x+100630x^2)H_{0,1}(x) \right. \right. \\
& \left. \left. + \left(-\frac{9206}{9} - \frac{541x^{-1}}{9} - \frac{5345x}{4} + \frac{299x^2}{4} \right) H_{0,0,1}(x) + \frac{1}{18}(-31631+783x^{-1}\right. \right. \\
& \left. \left. +18x^{-2}-31605x+1685x^2)H_{0,1,1}(x) + \frac{1}{36}(6290-4708x^{-1}-36x^{-2}+65493x \right. \right. \\
& \left. \left. +14447x^2)H_{1,0,1}(x) + \left(-\frac{2086}{3} + \frac{256x^{-1}}{3} -3111x-473x^2 \right) H_{0,1,1,1}(x) \right. \right. \\
& \left. \left. + \frac{1}{6}(-2859-103x^{-1}-5070x-32x^2)H_{1,0,0,1}(x) + \left(\frac{307}{3} + \frac{137x^{-1}}{3} -923x \right. \right. \right. \\
& \left. \left. -95x^2 \right) H_{1,0,1,1}(x) + \frac{1}{6}(658-134x^{-1}+2619x-101x^2)H_{1,1,0,1}(x) \right. \\
& \left. -24(-43+x^{-1}-78x-6x^2)H_{0,1,1,1,1}(x) + 2(64-8x^{-1}+57x+13x^2)H_{1,0,1,1,1}(x) \right. \\
& \left. -6(40+81x+5x^2)H_{1,1,1,0,1}(x) + \left(x^{-1} + \frac{1}{36}(39895+182385x+45794x^2) \right. \right. \\
& \left. \left. + \frac{1}{48}(67243-7041x^{-1}-48x^{-2}+237721x+26341x^2)H_1(x) + \frac{1}{12}(6561-313x^{-1}\right. \right. \\
& \left. \left. +24057x-389x^2)H_{1,1}(x) - \frac{3}{2}(441+13x^{-1}+1011x+47x^2)H_{1,1,1}(x) \right) \zeta_2
\end{aligned}$$

$$\begin{aligned}
& + \left(-\frac{161}{6} + 521x + \frac{5x^2}{6} + \frac{1}{18}(-2331 + 37x^{-1} - 879x - 1525x^2)H_1(x) \right. \\
& \left. - 4(3+x)H_{0,0,1}(x) \right) \zeta_3 + \bar{x}^4 \left((24 + 107x + 58x^2)(4H_{0,0,1,0,1,1}(x) - 4H_{0,0,1,1,0,1}(x)) \right. \\
& + (1 + 13x + 7x^2)(-24H_{0,0,0,0,0,1}(x) - 12H_{0,0,1,0,0,1}(x) - 24H_{0,1,0,0,1,1}(x)) \\
& + (6 + 37x + 20x^2) \left(56H_{0,0,0,1,1,1}(x) + 48H_{0,0,1,1,1,1}(x) + 4H_{0,1,0,1,1,1}(x) \right. \\
& + 4H_{0,1,1,0,0,1}(x) - 8H_{0,1,1,0,1,1}(x) - 12H_{0,1,1,1,0,1}(x) + 4H_{1,0,0,0,0,1}(x) \\
& + 24H_{1,0,0,0,1,1}(x) + 24H_{1,0,0,1,1,1}(x) + 8H_{1,0,1,0,1,1}(x) - 12H_{1,0,1,1,0,1}(x) \\
& + 4H_{1,1,0,0,0,1}(x) + 8H_{1,1,0,0,1,1}(x) - 4H_{1,1,0,1,0,1}(x) + (-36H_{0,1,1,1}(x) - 12H_{1,0,0,1}(x) \\
& - 20H_{1,0,1,1}(x) - 12H_{1,1,0,1}(x) + 8H_1(x)\zeta_3) \zeta_2 + \frac{54}{5}H_{1,1}(x)\zeta_2^2 - 12H_{1,0,1}(x)\zeta_3 \\
& \left. + 22H_1(x)\zeta_5 \right) + \frac{1}{18}(-9282 - 264x^{-1} - 20345x + 12776x^2 + 240x^3)H_{0,0,0,1}(x) \\
& + \frac{1}{9}(-3738 + 465x^{-1} - 25754x + 11066x^2 + 1086x^3)H_{0,0,1,1}(x) \\
& + \frac{1}{18}(-10206 - 855x^{-1} + 4961x + 22666x^2 + 309x^3)H_{0,1,0,1}(x) + \left(-164 - 2x^{-1} \right. \\
& \left. - \frac{2359x}{3} - \frac{158x^2}{3} + 48x^3 \right) H_{0,0,0,0,1}(x) + \frac{2}{3}(552 + 30x^{-1} + 185x - 746x^2 \\
& + 168x^3)H_{0,0,0,1,1}(x) + \left(-354 - 11x^{-1} - \frac{3199x}{3} - \frac{1016x^2}{3} - 6x^3 \right) H_{0,0,1,0,1}(x) \\
& + \left(588 + 4x^{-1} - \frac{2978x}{3} - \frac{7336x^2}{3} - 88x^3 \right) H_{0,0,1,1,1}(x) + (-206 - x^{-1} - 1015x \\
& - 380x^2 + 6x^3)H_{0,1,0,0,1}(x) + \frac{2}{3}(420 + 12x^{-1} + 331x - 616x^2 + 60x^3)H_{0,1,0,1,1}(x) \\
& + \left(-152 - 8x^{-1} + \frac{907x}{3} + \frac{1046x^2}{3} + 16x^3 \right) H_{0,1,1,0,1}(x) + (26 + 41x \\
& + 214x^2 + 34x^3)H_{1,0,0,0,1}(x) + (-52 + 6x^{-1} + 36x + 556x^2 + 84x^3)H_{1,0,0,1,1}(x) \\
& - (102 + x^{-1} + 129x + 58x^2 + 25x^3)H_{1,0,1,0,1}(x) + 12(14 + 59x + 32x^2)H_{0,0,0,0,1,1}(x) \\
& - 4(15 + 31x + 17x^2)H_{0,0,0,1,0,1}(x) - 2x(41 + 22x)H_{0,1,0,0,0,1}(x) \\
& - 6(1 + 2x)(4 + 3x)H_{0,1,0,1,0,1}(x) + \left(\frac{1}{24}(-14390 - 1919x^{-1} + 57138x + 25558x^2 \right. \\
& + 1113x^3)H_{0,1}(x) + \left(-675 - \frac{83x^{-1}}{4} - \frac{13699x}{12} - \frac{92x^2}{3} - 109x^3 \right) H_{0,0,1}(x) \\
& \left. + \left(-178 - \frac{33x^{-1}}{2} + \frac{3705x}{2} + 1850x^2 - 7x^3 \right) H_{0,1,1}(x) \right)
\end{aligned}$$

$$\begin{aligned}
& + \left(-340 - 7x^{-1} - \frac{1849x}{4} - 63x^2 - \frac{291x^3}{4} \right) H_{1,0,1}(x) \\
& + \frac{1}{2}(-354 - 707x - 388x^2)H_{0,0,0,1}(x) - 3(78 + 317x + 172x^2)H_{0,0,1,1}(x) \\
& + \frac{1}{2}(-174 - 581x - 316x^2)H_{0,1,0,1}(x) - \frac{2}{3}(570 + 2689x + 1850x^2 + 12x^3)\zeta_3 \Big) \zeta_2 \\
& + \left(\frac{1}{20}(-11258 - 44760x + 114x^2 + 5279x^3) + \frac{1}{160}(-31564 - 741x^{-1} - 33638x \right. \\
& \left. + 182356x^2 + 19667x^3)H_1(x) + \frac{1}{10}(-858 - 7505x - 4048x^2)H_{0,1}(x) \right) \zeta_2^2 \\
& + \frac{1}{420}(76002 + 401275x + 217172x^2)\zeta_2^3 + \left(-7x^{-1} \right. \\
& \left. - \frac{2}{3}(108 + 661x + 692x^2 + 54x^3) \right) H_{0,1}(x)\zeta_3 - 2(33 + 224x + 121x^2)\zeta_3^2 \\
& + \left(424 + \frac{12353x}{6} + \frac{5321x^2}{3} + 98x^3 \right) \zeta_5 - 10x^{-1}(6H_{1,1,1,1,1}(x) + H_{1,1}(x)\zeta_3) \Big]. \quad (4.4)
\end{aligned}$$

$$\begin{aligned}
\mathcal{G}_3^{(3)} = & N_C^3 \left[\bar{x} \left(\frac{1}{2592}(-930797 + 1203821x^{-1}) + \frac{1}{5184}(-2684967 + 6002161x^{-1} \right. \right. \\
& \left. \left. - 1618714x^{-2})H_1(x) \right) + \bar{x}^2 \left(\frac{1}{36}(8346 + 101467x^{-1} - 25968x^{-2} + 3056x^{-3} \right. \right. \\
& \left. \left. + 14997x)H_{1,1}(x) + \frac{1}{9} \left(9482 + 8999x^{-1} - 3451x^{-2} + 1254x^{-3} - \frac{108}{x^4} - 705x \right) H_{1,1,1}(x) \right. \right. \\
& \left. \left. - \frac{4}{3}(-214 + 1373x^{-1} - 346x^{-2} + 36x^{-3} + 285x)H_{1,1,1,1}(x) \right) \right. \\
& + \bar{x}^3 \left(\frac{1}{108}(-321078 + 149193x^{-1} - 11006x^{-2} - 90877x - 31926x^2)H_{0,1}(x) \right. \\
& + \frac{1}{36}(52834 + 26184x^{-1} - 2504x^{-2} + 10309x - 2421x^2)H_{0,0,1}(x) \\
& + \frac{1}{18}(56467 + 11349x^{-1} - 2280x^{-2} + 348x^{-3} - 6655x + 1521x^2)H_{0,1,1}(x) \\
& + \frac{1}{36}(-100012 + 34320x^{-1} - 3944x^{-2} - 156x^{-3} - 4509x - 7185x^2)H_{1,0,1}(x) \\
& + \frac{1}{3}(13016 - 2796x^{-1} + 740x^{-2} - 48x^{-3} + 761x + 909x^2)H_{0,1,1,1}(x) + \left(\frac{1751}{2} \right. \\
& \left. + \frac{601x^{-1}}{2} - \frac{91x^{-2}}{3} + 2x^{-3} + \frac{613x}{3} - 8x^2 \right) H_{1,0,0,1}(x) + \frac{1}{3}(3613 - 1473x^{-1} + 190x^{-2} \\
& - 83x + 363x^2)H_{1,0,1,1}(x) + \frac{1}{6}(-3008 + 474x^{-1} - 172x^{-2} - 279x - 57x^2)H_{1,1,0,1}(x) \\
& - 24(113 + 3x^{-1} + 2x^{-2} + 2x + 6x^2)H_{0,1,1,1,1}(x) - 2(218 - 60x^{-1} + 16x^{-2} \\
& - 75x + 27x^2)H_{1,0,1,1,1}(x) + (-166 - 42x^{-1} + 4x^{-2} - 48x)H_{1,1,0,0,1}(x) \\
& \left. + (332 + 84x^{-1} - 8x^{-2} + 96x)H_{1,1,0,1,1}(x) + 6(98 + 12x^{-1} + 13x + 3x^2)H_{1,1,1,0,1}(x) \right]
\end{aligned}$$

$$\begin{aligned}
& + \left(\frac{1}{72} (-383433 + 12405x^{-1} + 768x^{-2} - 155467x - 10493x^2) \right. \\
& + \frac{1}{48} (-316071 + 35745x^{-1} - 2450x^{-2} - 320x^{-3} - 30729x - 10391x^2) H_1(x) \\
& + \frac{1}{12} (-26277 + 321x^{-1} - 230x^{-2} - 60x^{-3} - 3373x - 297x^2) H_{1,1}(x) - \frac{3}{2} (-981 \\
& - 261x^{-1} + 26x^{-2} - 299x + 3x^2) H_{1,1,1}(x) \Big) \zeta_2 + \left(-\frac{615}{2} - \frac{217x^{-1}}{9} + 4x^{-2} - 126x \right. \\
& \left. - \frac{745x^2}{18} + \frac{1}{18} (5931 - 1737x^{-1} + 722x^{-2} - 72x^{-3} - 617x + 471x^2) H_1(x) \right) \zeta_3 \\
& + f_{2,3} (-60x^{-1} H_{1,1,1,1,1}(x) - 10x^{-1} H_{1,1}(x) \zeta_3) + \bar{x}^4 \left((2+x)(5+2x)(24H_{0,0,0,0,0,1}(x) \right. \\
& + 12H_{0,0,1,0,0,1}(x) + 24H_{0,1,0,0,1,1}(x)) + (32+27x+4x^2) \left(-56H_{0,0,0,1,1,1}(x) \right. \\
& - 48H_{0,0,1,1,1,1}(x) - 4H_{0,1,0,1,1,1}(x) - 4H_{0,1,1,0,0,1}(x) + 8H_{0,1,1,0,1,1}(x) \\
& + 12H_{0,1,1,1,0,1}(x) - 4H_{1,0,0,0,1}(x) - 24H_{1,0,0,1,1}(x) - 24H_{1,0,0,1,1,1}(x) \\
& - 8H_{1,0,1,0,1,1}(x) + 12H_{1,0,1,1,0,1}(x) - 4H_{1,1,0,0,0,1}(x) - 8H_{1,1,0,0,1,1}(x) + 4H_{1,1,0,1,0,1}(x) \\
& + (36H_{0,1,1,1}(x) + 12H_{1,0,0,1}(x) + 20H_{1,0,1,1}(x) + 12H_{1,1,0,1}(x) - 8H_1(x) \zeta_3) \zeta_2 \\
& \left. - \frac{54}{5} H_{1,1}(x) \zeta_2^2 + 12H_{1,0,1}(x) \zeta_3 - 22H_1(x) \zeta_5 \right) \\
& + \frac{1}{18} (21748 + 4344x^{-1} - 384x^{-2} - 3873x - 4888x^2 - 72x^3) H_{0,0,0,1}(x) \\
& + \frac{1}{9} (29830 - 3675x^{-1} + 102x^{-2} + 72x^{-3} - 6222x - 2242x^2 - 990x^3) H_{0,0,1,1}(x) \\
& + \frac{1}{18} (2420 + 10305x^{-1} - 666x^{-2} - 36x^{-3} - 26079x - 2576x^2 - 243x^3) H_{0,1,0,1}(x) \\
& + \left(\frac{2180}{3} + 46x^{-1} - 4x^{-2} + 231x - \frac{128x^2}{3} \right) H_{0,0,0,0,1}(x) + \frac{2}{3} (-82 - 582x^{-1} \\
& + 78x^{-2} + 225x + 208x^2 - 36x^3) H_{0,0,0,1,1}(x) + \left(\frac{3062}{3} + 145x^{-1} - 16x^{-2} + 579x \right. \\
& \left. + \frac{124x^2}{3} + 6x^3 \right) H_{0,0,1,0,1}(x) + \frac{2}{3} (-100 - 606x^{-1} + 66x^{-2} + 4335x + 634x^2 \\
& + 72x^3) H_{0,0,1,1,1}(x) + (938 + 11x^{-1} + 4x^{-2} + 569x + 80x^2 - 6x^3) H_{0,1,0,0,1}(x) \\
& + \frac{2}{3} (-488 - 276x^{-1} + 24x^{-2} + 423x + 110x^2) H_{0,1,0,1,1}(x) + \left(-\frac{368}{3} + 160x^{-1} \right. \\
& \left. - 28x^{-2} - 419x - \frac{292x^2}{3} \right) H_{0,1,1,0,1}(x) + (-36 - 12x^{-1} + 6x^{-2} - 191x - 76x^2 \\
& - 6x^3) H_{1,0,0,0,1}(x) + (-66x^{-1} + 24x^{-2} - 4(-61 + 177x + 22x^2 + 9x^3)) H_{1,0,0,1,1}(x) \\
& + (184 + 47x^{-1} - 8x^{-2} + 47x + 42x^2 + 3x^3) H_{1,0,1,0,1}(x)
\end{aligned}$$

$$\begin{aligned}
& -12(56+45x+4x^2)H_{0,0,0,0,1,1}(x)-4(-38-27x+2x^2)H_{0,0,0,1,0,1}(x) \\
& -4(100+81x+8x^2)H_{0,0,1,0,1,1}(x)+4(100+81x+8x^2)H_{0,0,1,1,0,1}(x) \\
& +2(28+27x+8x^2)H_{0,1,0,0,0,1}(x)+18(4+3x)H_{0,1,0,1,0,1}(x) \\
& +\left(\frac{1}{24}(-45458+25681x^{-1}-1654x^{-2}-96x^{-3}-45282x-928x^2+237x^3)H_{0,1}(x)\right. \\
& +\frac{1}{12}(14846+4575x^{-1}-498x^{-2}+3873x+784x^2+144x^3)H_{0,0,1}(x) \\
& +\left(-1343+\frac{879x^{-1}}{2}-69x^{-2}-\frac{4259x}{2}-414x^2+15x^3\right)H_{0,1,1}(x)+\frac{1}{4}(2254+800x^{-1} \\
& -128x^{-2}+555x+230x^2+69x^3)H_{1,0,1}(x)+\frac{1}{2}(880+621x-52x^2)H_{0,0,0,1}(x) \\
& +3(304+243x+20x^2)H_{0,0,1,1}(x)+\frac{1}{2}(592+459x+20x^2)H_{0,1,0,1}(x) \\
& +\left(\frac{5068}{3}+1514x+\frac{416x^2}{3}+72x^3\right)\zeta_3\Big)\zeta_2+\left(-\frac{3}{80}(-56332+185x^{-1}-30090x \right. \\
& +19196x^2-459x^3)+\frac{1}{160}(65048+16695x^{-1}+1110x^{-2}-160486x-54646x^2 \\
& -3801x^3)H_1(x)+\frac{1}{10}(6088+5319x+1004x^2)H_{0,1}(x)\Big)\zeta_2^2+\frac{1}{420}(-359312 \\
& -297621x-37516x^2)\zeta_2^3+\left(\frac{670}{3}+65x^{-1}-14x^{-2}+674x+\frac{170x^2}{3}+12x^3\right)H_{0,1}(x)\zeta_3 \\
& +4(95+81x+13x^2)\zeta_3^2+\left(-\frac{5450}{3}-\frac{4217x}{2}-\frac{1198x^2}{3}-30x^3\right)\zeta_5\Big) \\
& +8f_{-1}\bar{x}^3xH_{0,0,1}(x)\zeta_3\Big]. \tag{4.5}
\end{aligned}$$

$$\begin{aligned}
\mathcal{S}^{(3)} = N_C^3 & \left[-\frac{932731}{6561} + f_{-1}\bar{x}^2(48xH_{0,0,1,1,1,1}(x)+24xH_{1,0,0,1,1,1}(x)+8xH_{1,1,0,0,1,1}(x)) \right. \\
& +\bar{x}\left(\frac{1}{5184}(655051-384528x^{-1}+414773x)H_{0,1}(x)+\frac{1}{108}(-9541-4440x^{-1} \right. \\
& +4417x)H_{0,0,1}(x)+\frac{1}{18}(-4804-702x^{-1}+174x^{-2}+3209x)H_{0,1,1}(x) \\
& +\frac{1}{108}(11669-7590x^{-1}-234x^{-2}+7825x)H_{1,0,1}(x)+\frac{1}{18}(-5749+1932x^{-1} \\
& -144x^{-2}+517x)H_{0,1,1,1}(x)+\left(-\frac{439}{9}-\frac{85x^{-1}}{6}+x^{-2}+\frac{413x}{18}\right)H_{1,0,0,1}(x) \\
& +\left(-71+\frac{107x^{-1}}{3}+\frac{26x}{3}\right)H_{1,0,1,1}(x)+\frac{1}{18}(40-222x^{-1}+581x)H_{1,1,0,1}(x) \\
& -\frac{4}{3}(-209+18x^{-1}+119x)H_{0,1,1,1,1}(x)-8(-19+2x^{-1}+16x)H_{1,0,1,1,1}(x) \\
& \left. +\frac{2}{3}(14+3x^{-1}-5x)H_{1,1,0,0,1}(x)-\frac{2}{3}(-103+6x^{-1}+121x)H_{1,1,0,1,1}(x) \right]
\end{aligned}$$

$$\begin{aligned}
& + \frac{2}{3}(25 - 61x)H_{1,1,1,0,1}(x) + \left(\frac{1}{186624}(31005587 + 995328x^{-1} + 26479789x) \right. \\
& + \frac{1}{648}(208069 - 33777x^{-1} - 2160x^{-2} + 20648x)H_1(x) + \frac{1}{36}(3964 - 561x^{-1} - 90x^{-2} \\
& - 271x)H_{1,1}(x) + \left. \frac{1}{6}(179 - 117x^{-1} - 494x)H_{1,1,1}(x) \right) \zeta_2 \\
& + \left(\frac{1}{243}(13139 + 486x^{-1} - 20510x) + \frac{1}{27}(1079 + 447x^{-1} - 54x^{-2} - 1670x)H_1(x) \right) \zeta_3 \\
& + \bar{x}^2 \left((3 + x^2)(-6H_{0,1,1,1,0,1}(x) + 4H_{1,0,1,0,1,1}(x) - 2H_{1,1,0,1,0,1}(x)) \right. \\
& + (2 - x + x^2)(4H_{0,1,1,0,0,1}(x) - 8H_{0,1,1,0,1,1}(x) + 4H_{1,0,0,0,0,1}(x) + 24H_{1,0,0,0,1,1}(x) \\
& + 4H_{1,1,0,0,0,1}(x) - 12H_{1,0,0,1}(x)\zeta_2) - \frac{1}{36}(2809 + 420x^{-1} - 2780x + 1593x^2)H_{0,0,0,1}(x) \\
& + \left(-\frac{598}{3} + \frac{56x^{-1}}{3} + 4x^{-2} + 89x - \frac{232x^2}{9} \right) H_{0,0,1,1}(x) + \frac{1}{36}(-1033 - 810x^{-1} \\
& - 36x^{-2} + 4532x - 611x^2)H_{0,1,0,1}(x) + \left(-\frac{193}{6} - 2x^{-1} + \frac{94x}{3} - \frac{52x^2}{3} \right) H_{0,0,0,0,1}(x) \\
& + \frac{1}{3}(-43 + 78x^{-1} + 8x - 62x^2)H_{0,0,0,1,1}(x) - \left(63 + 8x^{-1} - 21x + \frac{53x^2}{3} \right) H_{0,0,1,0,1}(x) \\
& + \frac{2}{3}(20 + 33x^{-1} - 289x + 39x^2)H_{0,0,1,1,1}(x) + \frac{1}{3}(-164 + 6x^{-1} + 91x \\
& - 71x^2)H_{0,1,0,0,1}(x) + \left(\frac{119}{3} + 8x^{-1} - \frac{160x}{3} + 13x^2 \right) H_{0,1,0,1,1}(x) + \frac{1}{6}(211 - 84x^{-1} \\
& - 104x + 122x^2)H_{0,1,1,0,1}(x) + \frac{1}{3}(17 + 9x^{-1} + 14x - 10x^2)H_{1,0,0,0,1}(x) \\
& + \frac{2}{3}(58 + 18x^{-1} - 107x + 61x^2)H_{1,0,0,1,1}(x) + (-15 - 4x^{-1} + 9x)H_{1,0,1,0,1}(x) \\
& - 4(2 - x + 2x^2)H_{0,0,0,0,0,1}(x) + 4(14 - 7x + 5x^2)H_{0,0,0,0,1,1}(x) \\
& - 2(10 - 5x + 2x^2)H_{0,0,0,1,0,1}(x) + 4(19 + 4x + 5x^2)H_{0,0,0,1,1,1}(x) \\
& - 2(2 - x + 2x^2)H_{0,0,1,0,0,1}(x) + 4(8 - 4x + 3x^2)H_{0,0,1,0,1,1}(x) \\
& - 4(5 + 2x)H_{0,0,1,1,0,1}(x) - 2x^2H_{0,1,0,0,0,1}(x) - 12xH_{0,1,0,0,1,1}(x) \\
& + (-7 + 2x - x^2)H_{0,1,0,1,0,1}(x) - 2(5 - 16x + 7x^2)H_{0,1,0,1,1,1}(x) \\
& + 4(-5 + x - 2x^2)H_{1,0,1,1,0,1}(x) + \left(\left(\frac{2395}{24} - \frac{269x^{-1}}{6} - 2x^{-2} + 85x \right. \right. \\
& + \left. \left. \frac{773x^2}{24} \right) H_{0,1}(x) + \frac{1}{12}(-1177 - 249x^{-1} + 437x - 99x^2)H_{0,0,1}(x) + \frac{1}{12}(1307 \right. \\
& - 414x^{-1} - 328x + 809x^2)H_{0,1,1}(x) + \frac{1}{12}(-467 - 192x^{-1} + 262x + 37x^2)H_{1,0,1}(x) \\
& \left. + \frac{1}{2}(-118 + 59x - 23x^2)H_{0,0,0,1}(x) - 3(21 - 3x + 4x^2)H_{0,0,1,1}(x) \right)
\end{aligned}$$

$$\begin{aligned}
 & + \frac{1}{4}(-115 + 56x - 33x^2)H_{0,1,0,1}(x) - \frac{3}{2}(49 - 26x + 25x^2)H_{0,1,1,1}(x) \\
 & + (-41 + 22x - 21x^2)H_{1,0,1,1}(x) + \frac{1}{2}(-49 + 26x - 25x^2)H_{1,1,0,1}(x) \\
 & + \left(\frac{1}{72}(-8665 + 5738x - 3109x^2) + \frac{1}{12}(-47 + 382x - 143x^2)H_1(x) \right) \zeta_3 \zeta_2 \\
 & + \left(\frac{1}{4320}(-446123 - 96386x - 119099x^2) + \frac{1}{160}(6602 + 555x^{-1} - 8645x \right. \\
 & + 5808x^2)H_1(x) + \frac{1}{160}(-4173 + 1482x - 2749x^2)H_{0,1}(x) + \frac{1}{80}(-461 + 3514x \\
 & - 1325x^2)H_{1,1}(x) \left. \right) \zeta_2^2 + \frac{1}{120960}(3429421 + 4085446x - 692147x^2)\zeta_2^3 \\
 & + \left(\frac{1}{18}(307 - 126x^{-1} - 974x + 247x^2)H_{0,1}(x) + 2(-2 + x)H_{0,0,1}(x) + (-29 + 22x \right. \\
 & - 17x^2)H_{1,0,1}(x) \left. \right) \zeta_3 + \frac{1}{9}(-287 + 277x - 197x^2)\zeta_3^2 + \left(\frac{1}{12}(1405 - 176x + 234x^2) \right. \\
 & - 2(3 - 39x + 14x^2)H_1(x) \left. \right) \zeta_5 + \frac{1}{46656}(70816 - 9665181x^{-1})H_1(x) \\
 & + \frac{1}{2592}(-315557 - 738504x^{-1} + 110664x^{-2})H_{1,1}(x) + \frac{1}{54}(-13769 - 3621x^{-1} \\
 & + 3114x^{-2} - 324x^{-3})H_{1,1,1}(x) - \frac{4}{9}(82 - 411x^{-1} + 54x^{-2})H_{1,1,1,1}(x) \\
 & - \frac{20}{3}(-44 + 9x^{-1})H_{1,1,1,1,1}(x) - 60H_{0,1,1,1,1,1}(x) - 48H_{1,0,1,1,1,1}(x) - 36H_{1,1,0,1,1,1}(x) \\
 & - 24H_{1,1,1,0,1,1}(x) - 12H_{1,1,1,1,0,1}(x) - 120H_{1,1,1,1,1,1}(x) - 51H_{1,1,1,1}(x)\zeta_2 \\
 & + \left. \left(\frac{1}{9}(487 - 90x^{-1})H_{1,1}(x) - 10H_{0,1,1}(x) - 30H_{1,1,1}(x) \right) \zeta_3 \right]. \tag{4.6}
 \end{aligned}$$

4.1 Checks

We have performed several checks on our results. Firstly, we have cross-checked all our one- and two-loop results with the ones available in literature, finding perfect agreement. Specifically, we have cross-checked all one- and two-loop results, both for time-like and space-like virtualities of the boson, with the results in the ancillary file `SemilepFF.txt` included in the arXiv submission of ref. [43]. As mentioned earlier, we have cross-checked the computation of the relevant three-loop MIs numerically against FIESTA and AMFLOW. The second and most important check of the UV renormalized three-loop form factors is that they satisfy the universal IR structure. The Ward identity also acts as a non-trivial check of our computation. It can easily be checked that the three-loop form factors satisfy eq. (2.17).

5 Asymptotic behaviour of the heavy-light form factors

Scattering amplitudes in massless QCD provide good understanding of the underlying fundamental principles such as the factorization or the IR behaviour of the QCD amplitudes. The massless form factors exponentiate and demonstrate the Sudakov behaviour, which in turn has allowed for a rigorous study to predict all the universal contributions of the

form factors. The massive form factors generally do not exponentiate. However, in the asymptotic limit, when the mass scale is much smaller than the center of mass energy, they do exponentiate and present a rich structure in terms of IR singularities and high-energy logarithms. A first study was performed in ref. [65] to comprehend this structure at the two-loop level. In refs. [66, 67], detailed studies have been performed to find the structures at three loops and beyond. The Sudakov behaviour is universal, and hence it is expected that the HLFF will exhibit a combined behaviour of the massless and massive form factors. We explicitly study the corresponding RGE and briefly present our findings in this section.

We begin with the observation in refs. [65–67] that the massive form factors factorize into two contributions \hat{F}_I and \mathcal{C}_I , as described in the following. I denotes the corresponding vertex i.e. $I = G_1$ and S for the corresponding form factors. The function \hat{F}_I , which contains the contributions from the universal logarithms and IR structures, satisfies the following integro-differential equation

$$\mu^2 \frac{\partial}{\partial \mu^2} \ln \hat{F}_I \left(\frac{Q^2}{\mu^2}, \frac{m_t^2}{\mu^2}, \frac{\mu_R^2}{\mu^2}, \alpha_s, \epsilon \right) = \frac{1}{2} \left[K_I \left(\frac{m_t^2}{\mu^2}, \frac{\mu_R^2}{\mu^2}, \alpha_s, \epsilon \right) + G_I \left(\frac{Q^2}{\mu^2}, \frac{\mu_R^2}{\mu^2}, \alpha_s, \epsilon \right) \right] \quad (5.1)$$

where μ^2 is the scale introduced for the Sudakov factorization. The key factor is that the mass dependence is contained in the function K_I , while the process dependence through the hard scale Q^2 is contained in the G_I function. The function \hat{F}_I is related to \tilde{F}_I , the asymptotic limit of the actual form factors F_I , through the matching coefficient \mathcal{C}_I , as follows

$$\tilde{F}_I \left(\frac{Q^2}{\mu^2}, \frac{m_t^2}{\mu^2}, \frac{\mu_R^2}{\mu^2}, \alpha_s, \epsilon \right) = \mathcal{C}_I \hat{F}_I \left(\frac{Q^2}{\mu^2}, \frac{m_t^2}{\mu^2}, \frac{\mu_R^2}{\mu^2}, \alpha_s, \epsilon \right) \quad (5.2)$$

The K_I and G_I functions also satisfy the RGE which is controlled by the light-like cusp anomalous dimension. The solutions of the RGE which involve the respective boundary conditions $K_I(\alpha_s(m_t^2), 1, \epsilon) \equiv \mathcal{K}_I$ and $G_I(\alpha_s(Q^2), 1, \epsilon) \equiv \mathcal{G}_I$, and eq. (5.2) provide the \hat{F}_I in terms of these finite functions ($\mathcal{K}_I, \mathcal{G}_I$) and the light-like cusp anomalous dimension (A_q in the present scenario). The solutions of \hat{F}_I in terms of $\mathcal{K}_I, \mathcal{G}_I$ and A_I up to four-loop are presented in ref. [67] for the HQFF. We note that these solutions do not contain the contributions from massive internal quark loops. The corresponding solutions for the HLFF are same except the fact that the \mathcal{K}_I have to be interpreted differently as described in the following, and the Sudakov logarithm is defined as followed

$$L = \ln \left(-\frac{q^2}{m_t^2} \right) \quad (5.3)$$

\mathcal{K}_I encapsulate the universality of the IR structures, and hence we anticipate that \mathcal{K}_I in the present case will show a combined behaviour of the respective functions $\mathcal{K}_{I,0}$ and $\mathcal{K}_{I,m}$ in the massless and massive form factors. Indeed, we find

$$\mathcal{K}_I = \frac{1}{2} (\mathcal{K}_{I,0} + \mathcal{K}_{I,m}). \quad (5.4)$$

Eqs. (10)-(13) in ref. [67] along with eq. (5.4) provide the \hat{F}_I for the HLFF. All the appearing anomalous dimensions admit series expansion in α_s . The light-like cusp anomalous dimension

is now known up to four-loop order [121–124]. $\mathcal{K}_{I,0}$ has been computed in terms of the light-like cusp anomalous dimension and presented up to four loops in [62]. In [67], $\mathcal{K}_{I,m}$ has been conjectured to be a combined contributions from the collinear (B_I), soft (f_I), quark mass (γ_m) and heavy quark (γ_Q) anomalous dimensions. $\gamma_q = B_q + \frac{f_q}{2}$ is available up to four-loop level [121–124]. γ_m is also available up to five-loop level [72–74, 125–127] whereas γ_Q is known up to three-loop level [57, 67].

In summary, all the constituents in the generic structure of \hat{F}_I are known except for the other finite function \mathcal{G}_I . At this point, we consider our exact computation of the HLFF up to two-loop in the asymptotic limit, and compare order by order in ϵ and L . We find perfect agreement for the poles in ϵ except for the single pole. In the next, by demanding the equality again order by order in ϵ and L , we find the finite function \mathcal{G}_I and the matching coefficient \mathcal{C}_I . The finite function \mathcal{G}_I captures the Q^2 dependence of the form factors, not the mass dependence, and hence we find them the same as in the case of massless form factors, as expected. We also find that the matching coefficients of HLFF and HQFF ($\mathcal{C}_{I,m}$) also are related. In case of the vector form factor,

$$\mathcal{C}_V = \mathcal{C}_{V,m}^{\frac{1}{2}}. \tag{5.5}$$

The square-root is also expected as each massive leg contributes equally to the matching coefficient, and in case of the HLFF, there is single massive leg present. However in case of the scalar form factors, the overall renormalization of the Yukawa coupling are the same in both the HLFF and the HQFF. Hence, \mathcal{C}_S contains an additional $Z_m^{\frac{1}{2}}$.

Next, we extend our study to the higher orders in α_s . Now, we use all the available quantities, and predict the three- and four-loop HLFF in the asymptotic limit. For the three-loop form factors, we predict all the poles and also the complete logarithmic contributions to the finite part ($\tilde{G}_1^{(3,0)}$ and $\tilde{S}^{(3,0)}$: the ϵ^0 coefficient of the three-loop form factors $G_1^{(3)}$ and $S^{(3)}$ in the asymptotic limit). The three-loop matching coefficient is known partially i.e. the complete light-quark and the color-planar contributions. Hence, the non-logarithmic contributions to $\tilde{G}_1^{(3,0)}$ and $\tilde{S}^{(3,0)}$ have been obtained for these color configurations. We take the color-planar contributions of the predicted results and compare those with our computed ones after performing appropriate Taylor series expansion in the large- x limit, finding complete agreement. This provides strong checks on both the computations. On one hand, it ensures that the three-loop computation is correct and on the other hand, it showcases the richness of the universal structure of the QCD amplitudes.

In the following, we present $\tilde{G}_1^{(3,0)}$ and $\tilde{S}^{(3,0)}$. We define the following two constants

$$c_1 = 12\zeta_2 \log^2(2) + \log^4(2) + 24\text{Li}_4\left(\frac{1}{2}\right), \tag{5.6}$$

$$c_2 = 26\zeta_2^2 \log(2) - 20\zeta_2 \log^3(2) - \log^5(2) + 120\text{Li}_5\left(\frac{1}{2}\right). \tag{5.7}$$

We present all the logarithmic contributions and the partial non-logarithmic contributions originating from the complete light-quark and color-planar corrections.

$$\begin{aligned} \tilde{G}_1^{(3,0)} = & C_F^3 \left[-\frac{169}{144} L^6 + \frac{2473}{240} L^5 + L^4 \left(-\frac{6379}{96} + \frac{97\zeta_2}{16} \right) + L^3 \left(\frac{12689}{48} + \frac{75\zeta_2}{8} - \frac{715\zeta_3}{6} \right) \right. \\ & \left. + L^2 \left(-\frac{5643}{8} - \frac{2331}{16} \zeta_2 + \frac{6211}{80} \zeta_2^2 + \frac{1907}{4} \zeta_3 + 24\zeta_2 \log(2) \right) + L \left(\frac{8361}{8} \right) \right] \end{aligned}$$

$$\begin{aligned}
& + \left. \frac{10057}{16} \zeta_2 - \frac{24107}{80} \zeta_2^2 - \frac{5161}{4} \zeta_3 + \frac{209}{2} \zeta_2 \zeta_3 - \frac{1623}{5} \zeta_5 - 96 \zeta_2 \log(2) + 8c_1 \right] \\
& + C_A C_F^2 \left[-\frac{451}{144} L^5 + L^4 \left(\frac{39395}{864} - \frac{145 \zeta_2}{24} \right) + L^3 \left(-\frac{61127}{216} - \frac{709 \zeta_2}{72} + \frac{583 \zeta_3}{6} \right) \right. \\
& + L^2 \left(\frac{709445}{648} + \frac{6589}{48} \zeta_2 - \frac{1033}{20} \zeta_2^2 - 524 \zeta_3 - 12 \zeta_2 \log(2) \right) + L \left(-\frac{482273}{216} \right. \\
& \left. - \frac{5117}{8} \zeta_2 + \frac{60547}{240} \zeta_2^2 + \frac{22417}{12} \zeta_3 - \frac{261}{2} \zeta_2 \zeta_3 + 116 \zeta_5 + 48 \zeta_2 \log(2) - 4c_1 \right) \left. \right] \\
& + C_A^2 C_F \left[-\frac{121}{54} L^4 + L^3 \left(\frac{2869}{81} - \frac{44}{9} \zeta_2 \right) + L^2 \left(-\frac{18682}{81} + \frac{26}{9} \zeta_2 - \frac{44}{5} \zeta_2^2 + 88 \zeta_3 \right) \right. \\
& + L \left(\frac{1045955}{1458} + \frac{17366}{81} \zeta_2 - \frac{94}{3} \zeta_2^2 - \frac{17464}{27} \zeta_3 + \frac{88}{3} \zeta_2 \zeta_3 + 136 \zeta_5 \right) \left. \right] \\
& + C_F n_l^2 T_F^2 \left[\frac{304}{81} L^3 - \frac{8}{27} L^4 + L^2 \left(-\frac{1624}{81} - \frac{32 \zeta_2}{9} \right) + L \left(\frac{39352}{729} + \frac{608 \zeta_2}{27} + \frac{64 \zeta_3}{27} \right) \right. \\
& \left. - \frac{322979}{6561} - \frac{712}{27} \zeta_2 + \frac{1016}{135} \zeta_2^2 + \frac{2624}{243} \zeta_3 \right] \\
& + C_F^2 n_l T_F \left[\frac{41}{36} L^5 - \frac{3265}{216} L^4 + L^3 \left(\frac{4987}{54} + \frac{149 \zeta_2}{18} \right) + L^2 \left(-\frac{53683}{162} - \frac{599 \zeta_2}{12} + 29 \zeta_3 \right) \right. \\
& + L \left(\frac{32273}{54} + \frac{345}{2} \zeta_2 - \frac{389}{60} \zeta_2^2 - \frac{2153}{9} \zeta_3 \right) - \frac{1132067}{2916} - \frac{16211}{54} \zeta_2 + \frac{349843 \zeta_2^2}{2160} \\
& + \frac{72127}{162} \zeta_3 + \frac{25}{18} \zeta_2 \zeta_3 + \frac{229}{9} \zeta_5 + \frac{224}{3} \zeta_2 \log(2) - \frac{32c_1}{9} \left. \right] \\
& + C_F C_A n_l T_F \left[\frac{44}{27} L^4 + L^3 \left(-\frac{1948}{81} + \frac{16 \zeta_2}{9} \right) + L^2 \left(\frac{11752}{81} + \frac{32 \zeta_2}{3} - 16 \zeta_3 \right) \right. \\
& + L \left(-\frac{309838}{729} - \frac{11728}{81} \zeta_2 + \frac{88}{15} \zeta_2^2 + \frac{1448}{9} \zeta_3 \right) + \frac{2866346}{6561} + \frac{129091}{729} \zeta_2 \\
& \left. - \frac{10922}{135} \zeta_2^2 - \frac{28424}{81} \zeta_3 + \frac{8}{3} \zeta_2 \zeta_3 + 98 \zeta_5 - \frac{112}{3} \zeta_2 \log(2) + \frac{16c_1}{9} \right] \\
& + N_C^3 \left[-\frac{1599187}{104976} - \frac{550147}{46656} \zeta_2 - \frac{3286613}{69120} \zeta_2^2 + \frac{5780057}{241920} \zeta_3 + \frac{2842675}{31104} \zeta_3 \right. \\
& \left. + \frac{8099}{576} \zeta_2 \zeta_3 - \frac{7}{288} \zeta_3^2 - \frac{6281}{32} \zeta_5 \right] + X_{G_1}^{(3,0)}. \tag{5.8}
\end{aligned}$$

$$\begin{aligned}
\tilde{S}^{(3,0)} & = C_F^3 \left[-\frac{169}{144} L^6 + \frac{31}{24} L^5 + L^4 \left(-\frac{1309}{96} + \frac{97}{16} \zeta_2 \right) + L^3 \left(\frac{1177}{24} + \frac{165}{4} \zeta_2 - \frac{715}{6} \zeta_3 \right) \right. \\
& + L^2 \left(-\frac{2817}{16} - \frac{1549}{16} \zeta_2 + \frac{6211}{80} \zeta_2^2 + \frac{655}{2} \zeta_3 - 24 \zeta_2 \log(2) \right) + L \left(\frac{3577}{16} + \frac{321}{8} \zeta_2 \right. \\
& \left. - \frac{1531}{40} \zeta_2^2 - \frac{3655}{4} \zeta_3 + \frac{209}{2} \zeta_2 \zeta_3 - \frac{1623}{5} \zeta_5 + 552 \zeta_2 \log(2) - 8c_1 \right) \left. \right] \\
& + C_A C_F^2 \left[-\frac{451}{144} L^5 + L^4 \left(\frac{2635}{108} - \frac{145}{24} \zeta_2 \right) + L^3 \left(-\frac{12737}{216} - \frac{1375}{72} \zeta_2 + \frac{583}{6} \zeta_3 \right) \right. \\
& + L^2 \left(\frac{235093}{1296} + \frac{613}{12} \zeta_2 - \frac{1033}{20} \zeta_2^2 - \frac{1271}{4} \zeta_3 + 12 \zeta_2 \log(2) \right) + L \left(-\frac{155401}{432} \right.
\end{aligned}$$

$$\begin{aligned}
& -\frac{6121}{24}\zeta_2 + \frac{23503}{240}\zeta_2^2 + \frac{2507}{2}\zeta_3 - \frac{261}{2}\zeta_2\zeta_3 + 116\zeta_5 - 276\zeta_2\log(2) + 4c_1 \Big] \\
& + C_A^2 C_F \left[-\frac{121}{54}L^4 + L^3 \left(\frac{1780}{81} - \frac{44}{9}\zeta_2 \right) + L^2 \left(-\frac{11939}{162} + \frac{26}{9}\zeta_2 - \frac{44}{5}\zeta_2^2 + 88\zeta_3 \right) \right. \\
& + L \left(\frac{10289}{1458} + \frac{9644}{81}\zeta_2 - \frac{94}{3}\zeta_2^2 - \frac{13900}{27}\zeta_3 + \frac{88}{3}\zeta_2\zeta_3 + 136\zeta_5 \right) \Big] \\
& + C_F n_l^2 T_F^2 \left[-\frac{8}{27}L^4 + \frac{160}{81}L^3 + L^2 \left(-\frac{400}{81} - \frac{32}{9}\zeta_2 \right) + L \left(\frac{3712}{729} + \frac{320}{27}\zeta_2 + \frac{64}{27}\zeta_3 \right) \right. \\
& - \left. \frac{59891}{6561} - \frac{1144}{27}\zeta_2 + \frac{1016}{135}\zeta_2^2 - \frac{2560}{243}\zeta_3 \right] \\
& + C_F^2 n_l T_F \left[\frac{41}{36}L^5 - \frac{200}{27}L^4 + L^3 \left(\frac{1213}{54} + \frac{149}{18}\zeta_2 \right) + L^2 \left(-\frac{19625}{324} - \frac{83}{3}\zeta_2 + 29\zeta_3 \right) \right. \\
& + L \left(\frac{13309}{108} + \frac{809}{6}\zeta_2 - \frac{389}{60}\zeta_2^2 - \frac{1994}{9}\zeta_3 \right) - \frac{195257}{2916} - \frac{343}{27}\zeta_2 + \frac{6547}{2160}\zeta_2^2 \\
& + \left. \frac{64171}{162}\zeta_3 + \frac{25}{18}\zeta_2\zeta_3 + \frac{229}{9}\zeta_5 - \frac{1184}{3}\zeta_2\log(2) + \frac{32c_1}{9} \right] \\
& + C_A C_F n_l T_F \left[\frac{44}{27}L^4 + L^3 \left(-\frac{1156}{81} + \frac{16}{9}\zeta_2 \right) + L^2 \left(\frac{3454}{81} + \frac{32}{3}\zeta_2 - 16\zeta_3 \right) \right. \\
& + L \left(-\frac{14998}{729} - \frac{6544}{81}\zeta_2 + \frac{88}{15}\zeta_2^2 + \frac{1448}{9}\zeta_3 \right) + \frac{854630}{6561} + \frac{77899}{729}\zeta_2 \\
& - \left. \frac{9158}{135}\zeta_2^2 - \frac{16652}{81}\zeta_3 + \frac{8}{3}\zeta_2\zeta_3 + 98\zeta_5 + \frac{592}{3}\zeta_2\log(2) - \frac{16c_1}{9} \right] \\
& + N_C^3 \left[\frac{4233773}{419904} - \frac{1901551}{46656}\zeta_2 - \frac{125401}{13824}\zeta_2^2 + \frac{5780057}{241920}\zeta_2^3 + \frac{397231}{31104}\zeta_3 + \frac{22571}{576}\zeta_2\zeta_3 \right. \\
& - \left. \frac{7}{288}\zeta_3^2 - \frac{4829}{32}\zeta_5 \right] + X_S^{(3,0)}. \tag{5.9}
\end{aligned}$$

The $X_{G_1}^{(3,0)}$ and $X_S^{(3,0)}$ denote the color-non-planar contributions to the non-logarithmic part of $\tilde{G}_1^{(3,0)}$ and $\tilde{S}^{(3,0)}$, respectively. In the appendix D, we also present the four-loop form factors ($\tilde{G}_1^{(4)}$ and $\tilde{S}^{(4)}$) in the asymptotic limit. The available ingredients allow us to compute up to the $\frac{1}{\epsilon^3}$ pole with complete color dependence. For the complete light-quark contributions, we obtain complete result for the $\frac{1}{\epsilon^2}$ pole, complete logarithmic result for the $\frac{1}{\epsilon}$ pole and up to $\mathcal{O}(L^2)$ for the finite part. For the rest of the contributions, we obtain one less order in L compared to the light-quark contributions for each ϵ order.

6 Conclusions

In this paper, we have presented the three-loop QCD corrections to the heavy-light form factors in the color-planar limit. We have used the generic techniques of IBP reduction and the method of differential equations to compute the bare form factors. Following the appropriate ultraviolet renormalization procedure through a mixed scheme, we obtain the renormalized form factors which satisfy the universal infrared behaviour. The form factors are expressed in terms of harmonic polylogarithms and generalized harmonic polylogarithms.

The results presented in this paper are the first steps to obtain a precise third-order QCD corrections to the heavy-to-light quark transition. The results will be very important in the precise determination of the properties of the top quark decay at third order in the strong coupling constant. The results can also be combined with the jet and soft function in the SCET framework to obtain a precise phenomenological determination of the CKM matrix element $|V_{ub}|$. Hence, they are also very important for the study of flavour and CP violation within and beyond the SM of particle physics.

We have also studied the asymptotic behaviour of the HLFF by solving the integro-differential Sudakov equation and the corresponding RGE. The systematic study has allowed us to find a connection among all types of form factors and also enabled us to obtain complete logarithmic corrections at three-loop level. We also compute partial four-loop results, which can be fully determined by performing an explicit four-loop calculation of one of these massive form factors.

Acknowledgments

We would like to thank B. Ananthanarayan, J. Blümlein, R. Bonciani, P. Marquard and A. Vicini for fruitful discussions and their comments on the manuscript. We specially thank S. Banik for being part of the initial collaboration and for his support with the package MBCONICHELLS. We also thank A. Sankar for providing the necessary ingredients from massless form factors.

A One-loop form factors

In this appendix, we present the one-loop form factors up to $\mathcal{O}(\epsilon^3)$.

$$\begin{aligned}
 G_1^{(1)} = & C_F \left[\frac{1}{\epsilon^2} \left\{ -1 \right\} + \frac{1}{\epsilon} \left\{ -\frac{5}{2} - 2H_1(x) \right\} + \left\{ -6 + f_3 H_1(x) - 2H_{0,1}(x) - 4H_{1,1}(x) \right. \right. \\
 & \left. \left. - \frac{1}{2}\zeta_2 \right\} + \epsilon \left\{ -12 + f_3 (H_{0,1}(x) + 2H_{1,1}(x)) + 4f_2 H_1(x) - 2H_{0,0,1}(x) - 4H_{0,1,1}(x) \right. \right. \\
 & \left. \left. - 4H_{1,0,1}(x) - 8H_{1,1,1}(x) - \frac{5}{4}\zeta_2 - H_1(x)\zeta_2 + \frac{1}{3}\zeta_3 \right\} + \epsilon^2 \left\{ -24 + f_2 (8H_1(x) \right. \right. \\
 & \left. \left. + 4H_{0,1}(x) + 8H_{1,1}(x)) + f_3 \left(2H_{0,1,1}(x) + 2H_{1,0,1}(x) + 4H_{1,1,1}(x) + \frac{1}{2}H_1(x)\zeta_2 \right. \right. \\
 & \left. \left. + H_{0,0,1}(x) \right) - 2H_{0,0,0,1}(x) - 4H_{0,0,1,1}(x) - 4H_{0,1,0,1}(x) - 8H_{0,1,1,1}(x) - 4H_{1,0,0,1}(x) \right. \\
 & \left. - 8H_{1,0,1,1}(x) - 8H_{1,1,0,1}(x) - 16H_{1,1,1,1}(x) - 3\zeta_2 - H_{0,1}(x)\zeta_2 - 2H_{1,1}(x)\zeta_2 - \frac{9}{40}\zeta_2^2 \right. \\
 & \left. + \frac{5}{6}\zeta_3 + \frac{2}{3}H_1(x)\zeta_3 \right\} + \epsilon^3 \left\{ -48 + f_2 (16H_1(x) + 8H_{0,1}(x) + 16H_{1,1}(x) + 4H_{0,0,1}(x) \right. \\
 & \left. + 8H_{0,1,1}(x) + 8H_{1,0,1}(x) + 16H_{1,1,1}(x) + 2H_1(x)\zeta_2) + f_3 \left(2H_{0,0,1,1}(x) + 2H_{0,1,0,1}(x) \right. \right. \\
 & \left. \left. + 4H_{0,1,1,1}(x) + 2H_{1,0,0,1}(x) + 4H_{1,0,1,1}(x) + 4H_{1,1,0,1}(x) + 8H_{1,1,1,1}(x) \right. \right. \\
 & \left. \left. + \left(\frac{1}{2}H_{0,1}(x) + H_{1,1}(x) \right) \zeta_2 - \frac{1}{3}H_1(x)\zeta_3 + H_{0,0,0,1}(x) \right) - 2H_{0,0,0,0,1}(x) - 4H_{0,0,0,1,1}(x) \right\}
 \end{aligned}$$

$$\begin{aligned}
 & -4H_{0,0,1,0,1}(x) - 8H_{0,0,1,1,1}(x) - 4H_{0,1,0,0,1}(x) - 8H_{0,1,0,1,1}(x) - 8H_{0,1,1,0,1}(x) \\
 & -16H_{0,1,1,1,1}(x) - 4H_{1,0,0,0,1}(x) - 8H_{1,0,0,1,1}(x) - 8H_{1,0,1,0,1}(x) - 16H_{1,0,1,1,1}(x) \\
 & -8H_{1,1,0,0,1}(x) - 16H_{1,1,0,1,1}(x) - 16H_{1,1,1,0,1}(x) - 32H_{1,1,1,1,1}(x) + \left(-6 - H_{0,0,1}(x)\right. \\
 & \left. - 2H_{0,1,1}(x) - 2H_{1,0,1}(x) - 4H_{1,1,1}(x) + \frac{1}{6}\zeta_3\right)\zeta_2 + \left(2 + \frac{2}{3}H_{0,1}(x) + \frac{4}{3}H_{1,1}(x)\right)\zeta_3 \\
 & \left. + \frac{1}{5}\zeta_5 - \frac{9}{80}\zeta_2^2(5 + 4H_1(x))\right\}. \tag{A.1}
 \end{aligned}$$

$$\begin{aligned}
 G_2^{(1)} = C_F & \left[\left\{ -\frac{2H_1(x)}{x} \right\} - \epsilon \left\{ \frac{2}{x} (4H_1(x) + 2H_{1,1}(x) + H_{0,1}(x)) \right\} + \epsilon^2 \left\{ -\frac{1}{x} (2(4H_{0,1}(x) \right. \right. \\
 & \left. \left. + 8H_{1,1}(x) + 2H_{0,1,1}(x) + 2H_{1,0,1}(x) + 4H_{1,1,1}(x) + H_{0,0,1}(x)) + (16 + \zeta_2)H_1(x) \right\} \right. \\
 & \left. + \epsilon^3 \left\{ -\frac{1}{3x} (6((16 + \zeta_2)H_{1,1}(x) + 4H_{0,0,1}(x) + 8H_{0,1,1}(x) + 8H_{1,0,1}(x) + 16H_{1,1,1}(x) \right. \right. \\
 & \left. \left. + 2H_{0,0,1,1}(x) + 2H_{0,1,0,1}(x) + 4H_{0,1,1,1}(x) + 2H_{1,0,0,1}(x) + 4H_{1,0,1,1}(x) + 4H_{1,1,0,1}(x) \right. \right. \\
 & \left. \left. + 8H_{1,1,1,1}(x) + H_{0,0,0,1}(x)) + 2(48 + 6\zeta_2 - \zeta_3)H_1(x) + 3(16 + \zeta_2)H_{0,1}(x) \right\} \right]. \tag{A.2}
 \end{aligned}$$

$$\begin{aligned}
 G_3^{(1)} = C_F & \left[\left\{ \frac{4 - 2f_{2,3}}{x} H_1(x) \right\} + \frac{\epsilon}{x} \left\{ 8 + f_{2,3} (-2H_{0,1}(x) - 4H_{1,1}(x)) - 4f_3 H_1(x) \right\} \right. \\
 & \left. + \frac{\epsilon^2}{x} \left\{ 16 + f_3 (-8H_1(x) - 4H_{0,1}(x) - 8H_{1,1}(x)) + f_{2,3} (-2H_{0,0,1}(x) - 4H_{0,1,1}(x) \right. \right. \\
 & \left. \left. - 4H_{1,0,1}(x) - 8H_{1,1,1}(x) - H_1(x)\zeta_2) + 2\zeta_2 \right\} + \frac{\epsilon^3}{x} \left\{ 32 + f_3 (-16H_1(x) - 8H_{0,1}(x) \right. \right. \\
 & \left. \left. - 16H_{1,1}(x) - 4H_{0,0,1}(x) - 8H_{0,1,1}(x) - 8H_{1,0,1}(x) - 16H_{1,1,1}(x) - 2H_1(x)\zeta_2) \right. \right. \\
 & \left. \left. + f_{2,3} \left(-2H_{0,0,0,1}(x) - 4H_{0,0,1,1}(x) - 4H_{0,1,0,1}(x) - 8H_{0,1,1,1}(x) - 4H_{1,0,0,1}(x) \right. \right. \right. \\
 & \left. \left. - 8H_{1,0,1,1}(x) - 8H_{1,1,0,1}(x) - 16H_{1,1,1,1}(x) + (-H_{0,1}(x) - 2H_{1,1}(x))\zeta_2 \right. \right. \\
 & \left. \left. + \frac{2}{3}H_1(x)\zeta_3 \right) + 4\zeta_2 - \frac{4}{3}\zeta_3 \right\}. \tag{A.3}
 \end{aligned}$$

$$\begin{aligned}
 S^{(1)} = C_F & \left[\frac{1}{\epsilon^2} \left\{ -1 \right\} + \frac{1}{\epsilon} \left\{ -\frac{5}{2} - 2H_1(x) \right\} + \left\{ -4 - 2x^{-1}H_1(x) - 2H_{0,1}(x) - 4H_{1,1}(x) \right. \right. \\
 & \left. \left. - \frac{1}{2}\zeta_2 \right\} + \epsilon \left\{ -8 - 2f_{-1} H_1(x) - 2x^{-1}H_{0,1}(x) - 4x^{-1}H_{1,1}(x) - 2H_{0,0,1}(x) \right. \right. \\
 & \left. \left. - 4H_{0,1,1}(x) - 4H_{1,0,1}(x) - 8H_{1,1,1}(x) + \frac{1}{3}\zeta_3 - \frac{1}{4}\zeta_2(5 + 4H_1(x)) \right\} \right. \\
 & \left. + \epsilon^2 \left\{ -16 + f_{-1} (-4H_1(x) - 2H_{0,1}(x) - 4H_{1,1}(x)) - 2x^{-1}H_{0,0,1}(x) \right. \right. \\
 & \left. \left. - 4x^{-1}H_{0,1,1}(x) - 4x^{-1}H_{1,0,1}(x) - 8x^{-1}H_{1,1,1}(x) - 2H_{0,0,0,1}(x) - 4H_{0,0,1,1}(x) \right. \right.
 \end{aligned}$$

$$\begin{aligned}
 & -4H_{0,1,0,1}(x) - 8H_{0,1,1,1}(x) - 4H_{1,0,0,1}(x) - 8H_{1,0,1,1}(x) \\
 & -8H_{1,1,0,1}(x) - 16H_{1,1,1,1}(x) + (-2 - x^{-1}H_1(x) - H_{0,1}(x) - 2H_{1,1}(x))\zeta_2 - \frac{9}{40}\zeta_2^2 \\
 & + \frac{1}{6}\zeta_3(5 + 4H_1(x)) \Big\} + \epsilon^3 \Big\{ -32 + f_{-1}(-8H_1(x) - 4H_{0,1}(x) - 8H_{1,1}(x) \\
 & - 2H_{0,0,1}(x) - 4H_{0,1,1}(x) - 4H_{1,0,1}(x) - 8H_{1,1,1}(x)) - 2x^{-1}H_{0,0,0,1}(x) \\
 & - 4x^{-1}H_{0,0,1,1}(x) - 4x^{-1}H_{0,1,0,1}(x) - 8x^{-1}H_{0,1,1,1}(x) - 4x^{-1}H_{1,0,0,1}(x) \\
 & - 8x^{-1}H_{1,0,1,1}(x) - 8x^{-1}H_{1,1,0,1}(x) - 16x^{-1}H_{1,1,1,1}(x) - 2H_{0,0,0,0,1}(x) \\
 & - 4H_{0,0,0,1,1}(x) - 4H_{0,0,1,0,1}(x) - 8H_{0,0,1,1,1}(x) - 4H_{0,1,0,0,1}(x) - 8H_{0,1,0,1,1}(x) \\
 & - 8H_{0,1,1,0,1}(x) - 16H_{0,1,1,1,1}(x) - 4H_{1,0,0,0,1}(x) - 8H_{1,0,0,1,1}(x) - 8H_{1,0,1,0,1}(x) \\
 & - 16H_{1,0,1,1,1}(x) - 8H_{1,1,0,0,1}(x) - 16H_{1,1,0,1,1}(x) - 16H_{1,1,1,0,1}(x) - 32H_{1,1,1,1,1}(x) \\
 & + \left(-4 + (-1 - x^{-1})H_1(x) - x^{-1}H_{0,1}(x) - 2x^{-1}H_{1,1}(x) - H_{0,0,1}(x) - 2H_{0,1,1}(x) \right. \\
 & \left. - 2H_{1,0,1}(x) - 4H_{1,1,1}(x) + \frac{1}{6}\zeta_3 \right) \zeta_2 + \left(\frac{4}{3} + \frac{2}{3}x^{-1}H_1(x) + \frac{2}{3}H_{0,1}(x) + \frac{4}{3}H_{1,1}(x) \right) \zeta_3 \\
 & \left. + \frac{1}{5}\zeta_5 - \frac{9}{80}\zeta_2^2(5 + 4H_1(x)) \right\} \Big]. \tag{A.4}
 \end{aligned}$$

B Two-loop form factors

The two-loop form factors are presented up to $\mathcal{O}(\epsilon)$ in the following.

$$\begin{aligned}
 G_1^{(2)} = & C_F^2 \left[\frac{1}{\epsilon^4} \left\{ \frac{1}{2} \right\} + \frac{1}{\epsilon^3} \left\{ \frac{5}{2} + 2H_1(x) \right\} + \frac{1}{\epsilon^2} \left\{ \frac{73}{8} - f_s H_1(x) + 2H_{0,1}(x) + 8H_{1,1}(x) + \frac{1}{2}\zeta_2 \right\} \right. \\
 & + \frac{1}{\epsilon} \left\{ \frac{213}{8} + \frac{(-13 + 55x)H_1(x)}{2x} - f_s H_{0,1}(x) + \frac{2(-3 + 14x)H_{1,1}(x)}{x} + 2H_{0,0,1}(x) \right. \\
 & + 12H_{0,1,1}(x) + 8H_{1,0,1}(x) + 32H_{1,1,1}(x) - \frac{19}{3}\zeta_3 + \frac{1}{2}\zeta_2(11 + 4H_1(x)) \Big\} + \left\{ \frac{1327}{16} \right. \\
 & + f_{-1} \bar{x}^2(1 - 4x + 5x^2)(8H_{-1,0,1}(x) + 4H_{-1}(x)\zeta_2) + \bar{x}^2 \left(\frac{1}{2}(91 - 15x^{-1} - 157x \right. \\
 & \left. - 19x^2)H_{0,1}(x) - 4(-1 + x^{-1} + 21x - 7x^2)H_{1,0,1}(x) + \left(\frac{1}{8}(-399 - 642x + 97x^2) \right. \right. \\
 & \left. \left. - (70 - 5x^{-1} + 91x - 20x^2)H_1(x) \right) \zeta_2 \right) + \bar{x}^3 \left((-1 + 5x - 3x^2 + x^3)(16H_{0,-1,0,1}(x) \right. \\
 & + 8H_{0,-1}(x)\zeta_2) + (27 + x^{-1} - 9x - 25x^2 + 12x^3)H_{0,0,1}(x) - 2(-59 + 5x^{-1} + 83x \\
 & \left. - 56x^2 + 30x^3)H_{0,1,1}(x) - 2(-2 - 2x + x^2)H_{2,1,1}(x) + 2(3 + 11x - 5x^2 \right. \\
 & \left. + 3x^3)H_{0,0,0,1}(x) + 4(9 + 9x + 13x^2 - 3x^3)H_{0,0,1,1}(x) - 4x(18 - 7x + 3x^2)H_{0,1,0,1}(x) \right. \\
 & \left. + (6 \ln(2)(10 - 22x + 5x^2 + 4x^3) - 6(-2 - 2x + x^2)H_2(x) - 2(17 + 41x + 9x^2 \right. \\
 & \left. + x^3)H_{0,1}(x))\zeta_2 + \frac{1}{20}(199 + 2699x - 915x^2 + 449x^3)\zeta_2^2 + \frac{1}{6}(-166 + 246x - 75x^2 \right.
 \end{aligned}$$

$$\begin{aligned}
& -32x^3)\zeta_3) + \frac{1}{2}(153 - 49x^{-1})H_1(x) + \bar{x}(134 - 25x^{-1} - 59x)H_{1,1}(x) \\
& -4(-26 + 7x^{-1})H_{1,1,1}(x) + 56H_{0,1,1,1}(x) - 8H_{1,0,0,1}(x) + 48H_{1,0,1,1}(x) + 32H_{1,1,0,1}(x) \\
& + 128H_{1,1,1,1}(x) + 8H_{1,1}(x)\zeta_2 - \frac{28}{3}H_1(x)\zeta_3 \Big\} + \epsilon \left\{ \frac{4909}{32} + f_{-1} \bar{x}^2((7 - 17x \right. \\
& + 16x^2)(8H_{-1,0,1}(x) + 4H_{-1}(x)\zeta_2) + (1 - 4x + 5x^2)(16H_{1,-1,0,1}(x) + 32H_{-1,0,0,1}(x) \\
& + 16H_{-1,0,1,1}(x) + 16H_{-1,1,0,1}(x) - 32H_{-1,-1,0,1}(x) + (-24\ln(2)H_{-1}(x) + 8H_{1,-1}(x) \\
& - 16H_{-1,1}(x) - 16H_{-1,-1}(x))\zeta_2 + 6H_{-1}(x)\zeta_3) \Big) + \bar{x} \left(\left(410 - 87x^{-1} + \frac{2}{x^2} \right. \right. \\
& \left. \left. - 145x \right) H_{1,1}(x) + (532 - 98x^{-1} - 134x)H_{1,1,1}(x) \right) + \bar{x}^2 \left((207 - 55x^{-1} - 290x \right. \\
& - 42x^2)H_{0,1}(x) + (183 + x^{-1} - 295x + 27x^2)H_{1,0,1}(x) - 4(-9 + 5x^{-1} + 85x \\
& - 29x^2)H_{1,1,0,1}(x) + \left(\frac{1}{8}(-735 - 2794x + 489x^2) + \frac{1}{2}(-199 + 143x^{-1} - 423x \right. \\
& \left. + 167x^2)H_1(x) + (-300 + 18x^{-1} - 342x + 64x^2)H_{1,1}(x) \right) \zeta_2 \Big) \\
& + \bar{x}^3 \left(-16\text{Li}_4\left(\frac{1}{2}\right)(-4 + 3x)(-4 + 5x + 2x^2) - \frac{2}{3}\ln^4(2)(-4 + 3x)(-4 + 5x + 2x^2) \right. \\
& \left. + (-1 + 5x - 3x^2 + x^3)(32H_{0,0,-1,0,1}(x) + 32H_{0,1,-1,0,1}(x) + 64H_{0,-1,0,0,1}(x) \right. \\
& \left. + 32H_{0,-1,0,1,1}(x) + 32H_{0,-1,1,0,1}(x) - 64H_{0,-1,-1,0,1}(x) - 32H_{1,0,-1,0,1}(x) \right. \\
& \left. + (-48\ln(2)H_{0,-1}(x) + 16H_{0,0,-1}(x) + 16H_{0,1,-1}(x) - 32H_{0,-1,1}(x) - 32H_{0,-1,-1}(x) \right. \\
& \left. - 16H_{1,0,-1}(x))\zeta_2 + 12H_{0,-1}(x)\zeta_3 \right) + \left(73 - \frac{15x^{-1}}{2} - 114x - 21x^2 + \frac{147x^3}{2} \right) H_{0,0,1}(x) \\
& + (398 - 61x^{-1} - 660x + 320x^2 - x^3)H_{0,1,1}(x) + 2(-2 + 16x - 17x^2 + 5x^3)H_{2,1,1}(x) \\
& + (23 + 7x^{-1} - 43x - 369x^2 + 160x^3)H_{0,0,0,1}(x) - 2(-109 + 7x^{-1} + 245x + 37x^2 \\
& + 44x^3)H_{0,0,1,1}(x) - 2(-93 - 10x - 15x^2 + 6x^3)H_{0,1,0,1}(x) + (620 - 52x^{-1} - 780x \\
& + 472x^2 - 296x^3)H_{0,1,1,1}(x) + 8(-11 + 2x^{-1} + 9x + 17x^2 - 21x^3)H_{0,-1,0,1}(x) \\
& + 4(19 + x^{-1} - 12x - 20x^2 + 9x^3)H_{1,0,0,1}(x) - 4(-89 + 9x^{-1} + 145x - 116x^2 \\
& + 48x^3)H_{1,0,1,1}(x) + 4(4 - 2x^{-1} - 8x + 3x^2)H_{1,2,1,1}(x) - 4(-2 - 2x + x^2)H_{2,1,0,1}(x) \\
& - 12(-2 - 2x + x^2)H_{2,1,1,1}(x) + 2(9 + 77x - 29x^2 + 15x^3)H_{0,0,0,0,1}(x) \\
& + 4(23 + 47x + 13x^2 + x^3)H_{0,0,0,1,1}(x) + 4(10 + 48x - 5x^2 + 5x^3)H_{0,0,1,0,1}(x) \\
& + 8(25 + 33x + 33x^2 - 7x^3)H_{0,0,1,1,1}(x) + 4(4 + 26x - 9x^2 + 5x^3)H_{0,1,0,0,1}(x) \\
& - 8(-13 + 7x - 25x^2 + 7x^3)H_{0,1,0,1,1}(x) + 8(1 - 37x + 17x^2 - 7x^3)H_{0,1,1,0,1}(x) \\
& + 8(-17 + 41x - 44x^2 + 14x^3)H_{1,0,0,0,1}(x) - 16x(18 - 7x + 3x^2)H_{1,0,0,1,1}(x)
\end{aligned}$$

$$\begin{aligned}
& +8(2+12x-x^2+x^3)H_{1,0,1,0,1}(x) + \left(-4\ln^2(2)(38-58x+11x^2+12x^3)\right. \\
& +\ln(2)(6(40-106x+67x^2-3x^3)+12(1+2x)(4-8x+5x^2)H_1(x)-96xH_{0,1}(x)) \\
& +6(-2+16x-17x^2+5x^3)H_2(x)+(63+21x^{-1}+371x+311x^2-120x^3)H_{0,1}(x) \\
& +(-44+8x^{-1}+36x+68x^2-84x^3)H_{0,-1}(x)+12(4-2x^{-1}-8x+3x^2)H_{1,2}(x) \\
& -10(-2-2x+x^2)H_{2,1}(x)+2(-17+111x-65x^2+23x^3)H_{0,0,1}(x) \\
& -4(33+89x+15x^2+3x^3)H_{0,1,1}(x)+8(9+19x+6x^2)H_{1,0,1}(x)+\frac{1}{3}(329+3417x \\
& -945x^2+499x^3)\zeta_3\left.\right\}\zeta_2+\left(\frac{1}{20}(-45-10069x-4449x^2+2045x^3)+\frac{1}{5}(-561+35x\right. \\
& \left.-927x^2+237x^3)H_1(x)\right)\zeta_2^2+\left(\frac{1}{12}(-1129+903x+867x^2-677x^3)\right. \\
& \left.+\frac{1}{3}(-376+44x^{-1}+216x+313x^2-170x^3)H_1(x)-14(-2-2x+x^2)H_2(x)\right. \\
& \left.+\frac{4}{3}(-40+12x-57x^2+13x^3)H_{0,1}(x)\right)\zeta_3+\frac{1}{5}(-761+1513x-2003x^2+641x^3)\zeta_5\left.\right\} \\
& +\frac{1}{4}(815-331x^{-1})H_1(x)-40(-10+3x^{-1})H_{1,1,1,1}(x)+240H_{0,1,1,1,1}(x)+16H_{0,1,2,1,1}(x) \\
& +224H_{1,0,1,1,1}(x)-48H_{1,1,0,0,1}(x)+176H_{1,1,0,1,1}(x)+128H_{1,1,1,0,1}(x) \\
& +512H_{1,1,1,1,1}(x)+16H_{1,1,2,1,1}(x)+(-48\ln(2)H_{1,1}(x)+48H_{0,1,2}(x)+32H_{1,1,1}(x) \\
& +48H_{1,1,2}(x))\zeta_2-\frac{52}{3}H_{1,1}(x)\zeta_3\left.\right\} \\
& +C_F C_A \left[\frac{1}{\epsilon^3}\left\{\frac{11}{4}\right\}+\frac{1}{\epsilon^2}\left\{\frac{49}{18}+\frac{11}{3}H_1(x)+\frac{1}{2}\zeta_2\right\}+\frac{1}{\epsilon}\left\{-\frac{1549}{216}-\frac{67}{9}H_1(x)+\frac{11}{2}\zeta_3\right.\right. \\
& \left.\left.+\frac{1}{4}\zeta_2(-7+8H_1(x))\right\}+\left\{-\frac{89437}{1296}+f_{-1}\bar{x}^2(1-4x+5x^2)(-4H_{-1,0,1}(x)\right.\right. \\
& \left.\left.-2H_{-1}(x)\zeta_2\right)+\bar{x}^2\left(\frac{1}{9}(-227+33x^{-1}+157x-116x^2)H_{0,1}(x)+\frac{1}{3}(-47+49x\right.\right. \\
& \left.\left.-44x^2)H_{1,0,1}(x)+\left(\frac{1}{36}(-419-1178x-815x^2)+\frac{1}{3}(-65-12x^{-1}-41x\right.\right. \\
& \left.\left.-56x^2)H_1(x)\right)\zeta_2\right)+\bar{x}^3\left((-1+5x-3x^2+x^3)(-8H_{0,-1,0,1}(x)-4H_{0,-1}(x)\zeta_2)\right. \\
& \left.+\frac{1}{3}(8+36x-33x^2-20x^3)H_{0,0,1}(x)+\left(-\frac{2}{3}+56x-73x^2+\frac{62x^3}{3}\right)H_{0,1,1}(x)\right. \\
& \left.- (2+2x-x^2)H_{2,1,1}(x)+2(1+10x+4x^2)H_{0,0,0,1}(x)+4(1+2x+4x^2)H_{0,0,1,1}(x)\right. \\
& \left.-2(1+2x+4x^2)H_{0,1,0,1}(x)+(-3\ln(2)(10-22x+5x^2+4x^3)+3(-2-2x\right. \\
& \left.+x^2)H_2(x)-2(-1+26x+4x^3)H_{0,1}(x))\zeta_2+\frac{1}{10}(147-23x+495x^2-93x^3)\zeta_2^2\right. \\
& \left.+\frac{1}{36}(632-1140x+627x^2-38x^3)\zeta_3\right)+\frac{1}{54}(-2545+807x^{-1})H_1(x)+\frac{1}{9}\bar{x}(-235
\end{aligned}$$

$$\begin{aligned}
& +39x^{-1}+349x)H_{1,1}(x)-\frac{88}{3}H_{1,1,1}(x)+8H_{1,0,0,1}(x)+8H_{1,1}(x)\zeta_2+14H_1(x)\zeta_3\} \\
& +\epsilon\left\{-\frac{2009581}{7776}+f_{-1}\bar{x}^2((7-17x+16x^2)(-4H_{-1,0,1}(x)-2H_{-1}(x)\zeta_2)\right. \\
& + (1-4x+5x^2)(-8H_{1,-1,0,1}(x)-16H_{-1,0,0,1}(x)-8H_{-1,0,1,1}(x)-8H_{-1,1,0,1}(x) \\
& +16H_{-1,-1,0,1}(x)+(12\ln(2)H_{-1}(x)-4H_{1,-1}(x)+8H_{-1,1}(x)+8H_{-1,-1}(x))\zeta_2 \\
& -3H_{-1}(x)\zeta_3)\left.+\bar{x}\left(\frac{1}{54}(-12868+3327x^{-1}+10837x)H_{1,1}(x)+\frac{2}{9}(-437+117x^{-1}\right.\right. \\
& \left.+\left.779x)H_{1,1,1}(x)\right)+\bar{x}^2\left(\frac{1}{54}(-9002+2406x^{-1}+9463x-4163x^2)H_{0,1}(x)\right.\right. \\
& \left.+\frac{2}{9}(-385+72x^{-1}+824x-457x^2)H_{1,0,1}(x)-2(51-66x+47x^2)H_{1,1,0,1}(x)\right. \\
& \left.+\left(\frac{1}{216}(-10445+2638x-25025x^2)+\frac{1}{18}(509-261x^{-1}+1475x-1939x^2)H_1(x)\right.\right. \\
& \left.\left.-4(21+4x^{-1}+12x+19x^2)H_{1,1}(x)\right)\zeta_2\right)+\bar{x}^3\left(8\text{Li}_4\left(\frac{1}{2}\right)(-4+3x)(-4+5x+2x^2)\right. \\
& \left.+\frac{1}{3}\ln(2)^4(-4+3x)(-4+5x+2x^2)+(-1+5x-3x^2+x^3)(-16H_{0,0,-1,0,1}(x)\right. \\
& -16H_{0,1,-1,0,1}(x)-32H_{0,-1,0,0,1}(x)-16H_{0,-1,0,1,1}(x)-16H_{0,-1,1,0,1}(x) \\
& +32H_{0,-1,-1,0,1}(x)+16H_{1,0,-1,0,1}(x)+(24\ln(2)H_{0,-1}(x)-8H_{0,0,-1}(x)-8H_{0,1,-1}(x) \\
& +16H_{0,-1,1}(x)+16H_{0,-1,-1}(x)+8H_{1,0,-1}(x))\zeta_2-6H_{0,-1}(x)\zeta_3) \\
& +\frac{1}{9}(-430+99x^{-1}+822x-588x^2+79x^3)H_{0,0,1}(x)+\frac{1}{9}(-1184+144x^{-1}+1860x \\
& -1491x^2+689x^3)H_{0,1,1}(x)+(2-16x+17x^2-5x^3)H_{2,1,1}(x)+(6-18x-29x^2 \\
& -70x^3)H_{0,0,0,1}(x)+4x(7-70x+8x^2)H_{0,0,1,1}(x)+2(3+95x-54x^2 \\
& +11x^3)H_{0,1,0,1}(x)+2(-2+168x-219x^2+62x^3)H_{0,1,1,1}(x)+(44-8x^{-1}-36x \\
& -68x^2+84x^3)H_{0,-1,0,1}(x)+(-7+96x-79x^2-4x^3)H_{1,0,0,1}(x)+2(-26+128x \\
& -151x^2+46x^3)H_{1,0,1,1}(x)+(-8+4x^{-1}+16x-6x^2)H_{1,2,1,1}(x)+2(-2-2x \\
& +x^2)H_{2,1,0,1}(x)+6(-2-2x+x^2)H_{2,1,1,1}(x)+8(1+7x+4x^2)H_{0,0,0,0,1}(x) \\
& +8(2+11x+8x^2)H_{0,0,0,1,1}(x)+2(5+22x+20x^2)H_{0,0,1,0,1}(x)+24(1+2x \\
& +4x^2)H_{0,0,1,1,1}(x)+2(3+22x+12x^2)H_{0,1,0,0,1}(x)+8(1+2x)^2H_{0,1,0,1,1}(x) \\
& -8(1+3x+4x^2)H_{0,1,1,0,1}(x)-4(-13+52x-38x^2+14x^3)H_{1,0,0,0,1}(x) \\
& +8(2-11x+5x^2-3x^3)H_{1,0,0,1,1}(x)-4(-5+10x-16x^2+4x^3)H_{1,0,1,0,1}(x) \\
& +\left(2\ln^2(2)(38-58x+11x^2+12x^3)+\ln(2)(3(-40+106x-67x^2+3x^3)\right. \\
& \left.-6(1+2x)(4-8x+5x^2)H_1(x)+48xH_{0,1}(x)\right)-3(-2+16x-17x^2+5x^3)H_2(x)
\end{aligned}$$

$$\begin{aligned}
& + (51 - 8x^{-1} + 217x + 6x^2 + 77x^3)H_{0,1}(x) + (22 - 4x^{-1} - 18x - 34x^2 + 42x^3)H_{0,-1}(x) \\
& + 6(-4 + 2x^{-1} + 8x - 3x^2)H_{1,2}(x) + 5(-2 - 2x + x^2)H_{2,1}(x) - 2(-9 + 34x - 28x^2 \\
& + 8x^3)H_{0,0,1}(x) - 8(-1 + 25x + 4x^3)H_{0,1,1}(x) + 4(3 + 14x + 12x^2)H_{1,0,1}(x) \\
& + \frac{1}{6}(427 + 663x + 1557x^2 - 151x^3)\zeta_3 \Big) \zeta_2 + \left(\frac{1}{20}(-1681 - 763x - 2346x^2 - 939x^3) \right. \\
& - \frac{2}{5}(-94 + 491x - 255x^2 + 121x^3)H_1(x) \Big) \zeta_2^2 + \left(\frac{1}{108}(2558 - 12480x + 6891x^2 \right. \\
& + 3193x^3) + \left(\frac{83}{3} - 12x^{-1} - 80x + \frac{67x^2}{2} + \frac{79x^3}{3} \right) H_1(x) + 7(-2 - 2x + x^2)H_2(x) \\
& - 6(-3 + 20x - 8x^2 + 4x^3)H_{0,1}(x) \Big) \zeta_3 + \frac{1}{2}(207 - 651x + 613x^2 - 215x^3)\zeta_5 \Big) \\
& + \frac{1}{324}(-70165 + 33963x^{-1})H_1(x) - 176H_{1,1,1,1}(x) - 8H_{0,1,2,1,1}(x) + 40H_{1,1,0,0,1}(x) \\
& + 8H_{1,1,0,1,1}(x) - 8H_{1,1,2,1,1}(x) + (24\ln(2)H_{1,1}(x) - 24H_{0,1,2}(x) + 32H_{1,1,1}(x) \\
& - 24H_{1,1,2}(x))\zeta_2 + 46H_{1,1}(x)\zeta_3 \Big] \\
& + C_F n_l T_F \left[\frac{1}{\epsilon^3} \left\{ -1 \right\} + \frac{1}{\epsilon^2} \left\{ -\frac{10}{9} - \frac{4}{3}H_1(x) \right\} + \frac{1}{\epsilon} \left\{ \frac{125}{54} + \frac{20}{9}H_1(x) + \zeta_2 \right\} + \left\{ \frac{6629}{324} \right. \right. \\
& + \frac{38}{27}(11 - 3x^{-1})H_1(x) - \frac{4}{9}(-19 + 3x^{-1})H_{0,1}(x) + \frac{8}{9}(19 - 3x^{-1})H_{1,1}(x) + \frac{8}{3}H_{0,0,1}(x) \\
& + \frac{16}{3}H_{0,1,1}(x) + \frac{16}{3}H_{1,0,1}(x) + \frac{32}{3}H_{1,1,1}(x) + \frac{26}{9}\zeta_3 + \frac{1}{9}\zeta_2(85 + 48H_1(x)) \Big\} \\
& + \epsilon \left\{ \frac{171101}{1944} + (-9 + 47x) \left(\frac{4}{9}x^{-1}H_{0,0,1}(x) + \frac{8}{9}x^{-1}H_{0,1,1}(x) + \frac{8}{9}x^{-1}H_{1,0,1}(x) \right. \right. \\
& + \frac{16}{9}x^{-1}H_{1,1,1}(x) \Big) + \frac{1}{81}(5813 - 2325x^{-1})H_1(x) - \frac{4}{27}(-281 + 93x^{-1})H_{0,1}(x) \\
& - \frac{8}{27}(-281 + 93x^{-1})H_{1,1}(x) + 8H_{0,0,0,1}(x) + 16H_{0,0,1,1}(x) + 16H_{0,1,0,1}(x) \\
& + 32H_{0,1,1,1}(x) + 16H_{1,0,0,1}(x) + 32H_{1,0,1,1}(x) + 32H_{1,1,0,1}(x) + 64H_{1,1,1,1}(x) \\
& + \left(\frac{2569}{54} - \frac{2}{9}(-131 + 27x^{-1})H_1(x) + 12H_{0,1}(x) + 24H_{1,1}(x) \right) \zeta_2 + \frac{49}{5}\zeta_2^2 \\
& + \frac{2}{27}\zeta_3(235 + 144H_1(x)) \Big] \\
& + C_F n_h T_F \left[\frac{1}{\epsilon} \left\{ \frac{2}{3}\zeta_2 \right\} + \left\{ \bar{x}^2 \left(\frac{1}{162}(1111 - 6758x + 7951x^2) - \frac{2}{27}(89 + 57x^{-1} - 73x \right. \right. \right. \\
& - 265x^2)H_1(x) \Big) + \bar{x}^3 \left(-\frac{8}{3}(-1 - 3x - 3x^2 + x^3)H_{0,0,1}(x) + \frac{1}{9}(23 + 315x \right. \\
& - 507x^2 + 41x^3)\zeta_2 + \frac{4}{9}(-7 - 15x - 21x^2 + 7x^3)\zeta_3 \Big) + \frac{4}{9}f_{-1} \bar{x}^3(-3 - 5x + 5x^2 \\
& + 19x^3)H_{0,1}(x) + \frac{4}{3}H_1(x)\zeta_2 \Big\} + \epsilon \left\{ f_{-1} \bar{x}^3 \left((-3 - 5x + 5x^2 + 19x^3) \left(\frac{8}{9}H_{0,1,1}(x) \right. \right. \right.
\end{aligned}$$

$$\begin{aligned}
 & + \frac{8}{9}H_{1,0,1}(x) - \frac{16}{9}H_{-1,0,1}(x) - \frac{8}{9}H_{-1}(x)\zeta_2 \Big) + 4x(-1-4x+x^2)H_{0,1}(x)\zeta_2 \Big) \\
 & + \bar{x}^2 \left(\frac{1}{243}(15239-52348x+26741x^2) + \frac{1}{27}(305-775x^{-1}-1633x+1719x^2)H_1(x) \right. \\
 & - \frac{4}{27}(89+57x^{-1}-73x-265x^2)H_{1,1}(x) \Big) + \bar{x}^3 \left((-1-3x-3x^2+x^3) \left(-8H_{0,0,0,1}(x) \right. \right. \\
 & - \frac{16}{3}H_{0,0,1,1}(x) - \frac{16}{3}H_{0,1,0,1}(x) + \frac{32}{3}H_{0,-1,0,1}(x) + \frac{16}{3}H_{1,0,0,1}(x) + \frac{16}{3}H_{0,-1}(x)\zeta_2 \Big) \\
 & - \frac{4}{27}(52+93x^{-1}+51x-84x^2-16x^3)H_{0,1}(x) - \frac{4}{9}(-2+9x^{-1}+30x-150x^2 \\
 & - 105x^3)H_{0,0,1}(x) + \left(-\frac{16}{3}\ln(2)(1+45x-69x^2+7x^3) \right. \\
 & + \frac{16}{9}(-1+104x-111x^2+16x^3) + \frac{2}{9}(50+9x^{-1}-36x-66x^2-85x^3)H_1(x) \Big) \zeta_2 \\
 & + \frac{1}{30}(43+15x+129x^2-43x^3)\zeta_2^2 + \left(\frac{2}{9}(-43+705x-1137x^2+7x^3) \right. \\
 & \left. \left. - \frac{8}{9}(-5-21x-15x^2+5x^3)H_1(x) \right) \zeta_3 \right) + \frac{8}{3}H_{1,1}(x)\zeta_2 \Big] \Big]. \tag{B.1}
 \end{aligned}$$

$$\begin{aligned}
 G_2^{(2)} = & C_F^2 \left[\frac{1}{\epsilon^2} \left\{ 2x^{-1}H_1(x) \right\} + \frac{1}{\epsilon} \left\{ x^{-1}(2(H_{0,1}(x)+6H_{1,1}(x))+13H_1(x)) \right\} \right. \\
 & + \left\{ f_{-1} \bar{x}^3(1+4x+x^2)(-16H_{-1,0,1}(x)-8H_{-1}(x)\zeta_2) + \bar{x}^3((-61+11x^{-1} \right. \\
 & + 305x+45x^2)H_{0,1}(x) + 8(12+x^{-1}+32x-3x^2)H_{1,0,1}(x) + (12x(57+2x) + (358 \\
 & - 10x^{-1}+442x+26x^2)H_1(x))\zeta_2 + \bar{x}^4 \left(-2(36+x^{-1}+8x-24x^2-3x^3)H_{0,0,1}(x) \right. \\
 & + 4(-78+5x^{-1}+4x+70x^2+8x^3)H_{0,1,1}(x) + 4(-14+6x-2x^2+x^3)H_{2,1,1}(x) \\
 & - 16(2+3x+4x^2)H_{0,0,0,1}(x) - 16(2+15x+4x^2)(2H_{0,0,1,1}(x)-H_{0,1,0,1}(x)) \\
 & - 192xH_{0,-1,0,1}(x) + (-12\ln(2)(-22+30x-26x^2+9x^3) + 12(-14+6x-2x^2 \\
 & + x^3)H_2(x) + 48(2+11x+4x^2)H_{0,1}(x) - 96xH_{0,-1}(x))\zeta_2 - \frac{48}{5}(9+49x+18x^2)\zeta_2^2 \\
 & \left. \left. + (-22+90x-82x^2+41x^3)\zeta_3 \right) + \bar{x}(-55+51x^{-1})H_1(x) + \bar{x}^2(50x^{-1} \right. \\
 & - 2(174+x)H_{1,1}(x) + 56x^{-1}H_{1,1,1}(x) \Big\} + \epsilon \left\{ \bar{x} \left(10 + \frac{1}{2}(-377+397x^{-1})H_1(x) \right) \right. \\
 & + \bar{x}^2 \left(\left(-1044+210x^{-1} - \frac{4}{x^2} - 42x \right) H_{1,1}(x) + 4(-470+49x^{-1}-29x)H_{1,1,1}(x) \right) \\
 & + \bar{x}^3(2(-189+55x^{-1}+504x+70x^2)H_{0,1}(x) + 3(-23+x^{-1}+119x \\
 & + 55x^2)H_{0,0,1}(x) + 2(-379+57x^{-1}+607x+49x^2)H_{0,1,1}(x) + (-670-18x^{-1} \\
 & + 886x+82x^2)H_{1,0,1}(x) - 4(-2+x)(-10+3x)H_{2,1,1}(x) + 8(43+5x^{-1}+117x \\
 & - 9x^2)H_{1,1,0,1}(x) + (-540+2430x-82x^2+12\ln(2)(92-88x+51x^2)
 \end{aligned}$$

$$\begin{aligned}
& + (-135 - 175x^{-1} + 595x + 107x^2)H_1(x) - 12(-2+x)(-10+3x)H_2(x) \\
& + 4(359 - 9x^{-1} + 473x + 17x^2)H_{1,1}(x)\zeta_2 + (-424 + 1060x - 259x^2)\zeta_3 \\
& + f_{-1}(\bar{x}^3((1+4x+x^2)(-32H_{1,-1,0,1}(x) - 64H_{-1,0,0,1}(x) - 32H_{-1,0,1,1}(x) \\
& - 32H_{-1,1,0,1}(x) + 64H_{-1,-1,0,1}(x) + (48\ln(2)H_{-1}(x) - 16H_{1,-1}(x) \\
& + 32H_{-1,1}(x) + 32H_{-1,-1}(x))\zeta_2 - 12H_{-1}(x)\zeta_3) - 32(4-3x+6x^2)H_{-1,0,1}(x) \\
& - 16(4-3x+6x^2)H_{-1}(x)\zeta_2) + 96\bar{x}^4x(1+2x)H_{0,1}(x)\zeta_3 \\
& + \bar{x}^4\left(32\text{Li}_4\left(\frac{1}{2}\right)(-26+42x-38x^2+13x^3) + \frac{4}{3}\ln^4(2)(-26+42x-38x^2+13x^3) \right. \\
& + (2+15x+4x^2)(-192H_{0,0,1,1,1}(x) + 64H_{1,0,0,1,1}(x) - 32H_{1,0,1,0,1}(x)) \\
& - 2(52+7x^{-1}-314x-468x^2+9x^3)H_{0,0,0,1}(x) + 4(-144+7x^{-1}+374x+528x^2 \\
& + 19x^3)H_{0,0,1,1}(x) + 4(-176-235x+10x^2+9x^3)H_{0,1,0,1}(x) + 8(-226+13x^{-1} \\
& + 218x^2+22x^3)H_{0,1,1,1}(x) - 32(-1+x^{-1}+3x-13x^2)H_{0,-1,0,1}(x) - 8(27+x^{-1} \\
& + 15x-53x^2+x^3)H_{1,0,0,1}(x) + 8(-118+9x^{-1}+64x+14x^2+22x^3)H_{1,0,1,1}(x) \\
& + 8(6+2x^{-1}+6x-6x^2+x^3)H_{1,2,1,1}(x) + 8(-14+6x-2x^2+x^3)H_{2,1,0,1}(x) \\
& + 24(-14+6x-2x^2+x^3)H_{2,1,1,1}(x) - 32(4+15x+8x^2)H_{0,0,0,0,1}(x) \\
& - 32(8+39x+16x^2)H_{0,0,0,1,1}(x) - 16(10+57x+20x^2)H_{0,0,1,0,1}(x) \\
& - 384xH_{0,0,-1,0,1}(x) - 48(2+7x+4x^2)H_{0,1,0,0,1}(x) - 128(1+6x+2x^2)H_{0,1,0,1,1}(x) \\
& + 32(4+27x+8x^2)H_{0,1,1,0,1}(x) - 384xH_{0,1,-1,0,1}(x) - 768xH_{0,-1,0,0,1}(x) \\
& - 384xH_{0,-1,0,1,1}(x) - 384xH_{0,-1,1,0,1}(x) + 768xH_{0,-1,-1,0,1}(x) + 32(2+3x \\
& + 4x^2)H_{1,0,0,0,1}(x) + 384xH_{1,0,-1,0,1}(x) + (8\ln^2(2)(-10+66x-70x^2+23x^3) \\
& + \ln(2)(-24(-2+6x+2x^2+3x^3)H_1(x) + 576xH_{0,1}(x) + 576xH_{0,-1}(x)) \\
& - 2(280+21x^{-1}+1220x+692x^2-3x^3)H_{0,1}(x) - 16(-1+x^{-1}+3x-13x^2)H_{0,-1}(x) \\
& + 24(6+2x^{-1}+6x-6x^2+x^3)H_{1,2}(x) + 20(-14+6x-2x^2+x^3)H_{2,1}(x) \\
& - 16(2+33x+4x^2)H_{0,0,1}(x) - 192xH_{0,0,-1}(x) + 96(4+23x+8x^2)H_{0,1,1}(x) \\
& - 192xH_{0,1,-1}(x) + 384xH_{0,-1,1}(x) + 384xH_{0,-1,-1}(x) - 96(2+11x+4x^2)H_{1,0,1}(x) \\
& + 192xH_{1,0,-1}(x) - 8(92+549x+184x^2)\zeta_3)\zeta_2 + \left(\frac{4558}{5} + 1344x + 2166x^2 - \frac{899x^3}{5} \right. \\
& + \left.\frac{96}{5}(9+49x+18x^2)H_1(x)\right)\zeta_2^2 + \left(-\frac{2}{3}(-542+44x^{-1}+138x+406x^2+35x^3)H_1(x) \right. \\
& \left. + 28(-14+6x-2x^2+x^3)H_2(x) - 144xH_{0,-1}(x)\right)\zeta_3 + 4(16+135x+32x^2)\zeta_5)
\end{aligned}$$

$$\begin{aligned}
& +240x^{-1}H_{1,1,1,1}(x) \Big] + C_F C_A \Big[\left\{ f_{-1} \bar{x}^3(1+4x+x^2)(8H_{-1,0,1}(x) \right. \\
& +4H_{-1}(x)\zeta_2) + \bar{x} \left(-6 + \frac{1}{9}(173-335x^{-1})H_1(x) \right) + \bar{x}^3 \left(\left(-22 - \frac{22x^{-1}}{3} + 92x \right. \right. \\
& + \frac{118x^2}{3} \Big) H_{0,1}(x) + 2(2+x)(5+9x)H_{1,0,1}(x) + (112+210x+80x^2 + (52+8x^{-1} \\
& +274x+14x^2)H_1(x))\zeta_2 \Big) + \bar{x}^4 \left(2(-20-40x+66x^2+3x^3)H_{0,0,1}(x) \right. \\
& +2(-22-56x+62x^2+7x^3)H_{0,1,1}(x) -2(-14+6x-2x^2+x^3)H_{2,1,1}(x) \\
& -4(2+31x+12x^2)H_{0,0,0,1}(x) -8(2+7x+12x^2)H_{0,0,1,1}(x) +4(2+7x \\
& +12x^2)H_{0,1,0,1}(x) +96xH_{0,-1,0,1}(x) + (6\ln(2)(-22+30x-26x^2+9x^3) \\
& -6(-14+6x-2x^2+x^3)H_2(x) +12(2+15x+12x^2)H_{0,1}(x) +48xH_{0,-1}(x))\zeta_2 \\
& -\frac{6}{5}(18+137x+108x^2)\zeta_2^2 + \frac{1}{2}(22-90x+82x^2-41x^3)\zeta_3 \Big) -\frac{2}{3}\bar{x}^2(82+13x^{-1} \\
& +58x)H_{1,1}(x) \Big\} + \epsilon \left\{ \bar{x} \left(-39 - \frac{7}{54}(-1151+1961x^{-1})H_1(x) \right) \right. \\
& +\bar{x}^2 \left(\frac{1}{9}(1144-1319x^{-1}-509x)H_{1,1}(x) -4(82+13x^{-1}+58x)H_{1,1,1}(x) \right) \\
& +f_{-1} \left(\bar{x}^3((1+4x+x^2)(16H_{1,-1,0,1}(x) +32H_{-1,0,0,1}(x) +16H_{-1,0,1,1}(x) \right. \\
& +16H_{-1,1,0,1}(x) -32H_{-1,-1,0,1}(x) + (-24\ln(2)H_{-1}(x) +8H_{1,-1}(x) -16H_{-1,1}(x) \\
& -16H_{-1,-1}(x))\zeta_2 +6H_{-1}(x)\zeta_3) +16(4-3x+6x^2)H_{-1,0,1}(x) \\
& +8(4-3x+6x^2)H_{-1}(x)\zeta_2) +96\bar{x}^4x(1+6x)H_{0,1,1}(x)\zeta_2) +\bar{x}^3 \left(\frac{1}{9}(750-934x^{-1} \right. \\
& +609x+259x^2)H_{0,1}(x) + (-122-22x^{-1}+60x+96x^2)H_{0,0,1}(x) + (-52-32x^{-1} \\
& +428x+306x^2)H_{0,1,1}(x) -2(83+16x^{-1}+28x-63x^2)H_{1,0,1}(x) \\
& +2(-2+x)(-10+3x)H_{2,1,1}(x) +8(11+30x+7x^2)H_{1,1,0,1}(x) + (342+175x \\
& +127x^2-6\ln(2)(92-88x+51x^2) + (-281+37x^{-1}+101x-17x^2)H_1(x) \\
& +6(-2+x)(-10+3x)H_2(x) +8(25+4x^{-1}+130x+9x^2)H_{1,1}(x))\zeta_2 +\frac{1}{2}(632+68x \\
& +435x^2)\zeta_3 \Big) +\bar{x}^4 \left(16\text{Li}_4\left(\frac{1}{2}\right)(26-42x+38x^2-13x^3) -\frac{2}{3}\ln^4(2)(-26+42x-38x^2 \right. \\
& +13x^3) + (2+7x+12x^2)(-48H_{0,0,1,1,1}(x) +16H_{1,0,0,1,1}(x) -8H_{1,0,1,0,1}(x)) \\
& +2(-58+6x+408x^2+37x^3)H_{0,0,0,1}(x) +8(-20+9x+175x^2+15x^3)H_{0,0,1,1}(x) \\
& +4(-43-159x+23x^2)H_{0,1,0,1}(x) +12(-22-56x+62x^2+7x^3)H_{0,1,1,1}(x) \\
& +16(-1+x^{-1}+3x-13x^2)H_{0,-1,0,1}(x) +2(-58-105x+130x^2+15x^3)H_{1,0,0,1}(x)
\end{aligned}$$

$$\begin{aligned}
& -4(-2+92x-102x^2+3x^3)H_{1,0,1,1}(x)-4(6+2x^{-1}+6x-6x^2+x^3)H_{1,2,1,1}(x) \\
& -4(-14+6x-2x^2+x^3)H_{2,1,0,1}(x)-12(-14+6x-2x^2+x^3)H_{2,1,1,1}(x) \\
& -32(1+11x+6x^2)H_{0,0,0,0,1}(x)-16(4+3x)(1+8x)H_{0,0,0,1,1}(x)-4(10+71x \\
& +60x^2)H_{0,0,1,0,1}(x)+192xH_{0,0,-1,0,1}(x)-12(2+23x+12x^2)H_{0,1,0,0,1}(x) \\
& -16(2+13x+12x^2)H_{0,1,0,1,1}(x)+32(1+2x)(1+3x)H_{0,1,1,0,1}(x) \\
& +192xH_{0,1,-1,0,1}(x)+384xH_{0,-1,0,0,1}(x)+192xH_{0,-1,0,1,1}(x)+192xH_{0,-1,1,0,1}(x) \\
& -384xH_{0,-1,-1,0,1}(x)+8(2+31x+12x^2)H_{1,0,0,0,1}(x)-192xH_{1,0,-1,0,1}(x) \\
& +(-4\ln^2(2)(-10+66x-70x^2+23x^3)+\ln(2)(12(-2+6x+2x^2+3x^3)H_1(x) \\
& -288xH_{0,1}(x)-288xH_{0,-1}(x))+2(-76+8x^{-1}-490x-540x^2-47x^3)H_{0,1}(x) \\
& +8(-1+x^{-1}+3x-13x^2)H_{0,-1}(x)-12(6+2x^{-1}+6x-6x^2+x^3)H_{1,2}(x) \\
& -10(-14+6x-2x^2+x^3)H_{2,1}(x)-4(2-29x+12x^2)H_{0,0,1}(x)+96xH_{0,0,-1}(x) \\
& +96xH_{0,1,-1}(x)-192xH_{0,-1,1}(x)-192xH_{0,-1,-1}(x)-24(2+15x+12x^2)H_{1,0,1}(x) \\
& -96xH_{1,0,-1}(x)-8(23+151x+138x^2)\zeta_3\zeta_2+\left(\frac{1}{10}(-1210+12072x+6666x^2 \right. \\
& \left. +1763x^3)+\frac{12}{5}(18+137x+108x^2)H_1(x)\right)\zeta_2^2+\left((22+24x^{-1}+348x-358x^2 \right. \\
& \left. -9x^3)H_1(x)-14(-14+6x-2x^2+x^3)H_2(x)+12(2+x)(1+12x)H_{0,1}(x) \right. \\
& \left. +72xH_{0,-1}(x)\zeta_3+2(8+13x+48x^2)\zeta_5\right)\left.\right\} \\
& +C_{Fn_l}T_F\left[\left\{x^{-1}\left(\frac{100}{9}H_1(x)+\frac{8}{3}H_{0,1}(x)+\frac{16}{3}H_{1,1}(x)\right)\right\}+\epsilon\left\{x^{-1}\left(\frac{1922}{27}H_1(x) \right. \right. \\
& \left. \left. +\frac{296}{9}H_{0,1}(x)+\frac{592}{9}H_{1,1}(x)+8H_{0,0,1}(x)+16H_{0,1,1}(x)+16H_{1,0,1}(x)+32H_{1,1,1}(x) \right. \right. \\
& \left. \left. +12H_1(x)\zeta_2\right)\right\}+C_{Fn_h}T_F\left[\left\{\bar{x}^4(-96xH_{0,0,1}(x)+96x\zeta_3) \right. \right. \\
& \left. \left. +\bar{x}^2\left(\frac{8}{3}(54+17x)+\frac{4}{9}(322+25x^{-1}+25x)H_1(x)\right)+\frac{8}{3}f_{-1}\bar{x}^3(1+20x \right. \right. \\
& \left. \left. +x^2)H_{0,1}(x)+\frac{32}{3}\bar{x}^3(-9-12x+x^2)\zeta_2\right\}+\epsilon\left\{f_{-1}\bar{x}^3\left(\frac{16}{3}(1+20x \right. \right. \right. \\
& \left. \left. +x^2)H_{0,1,1}(x)+\frac{16}{3}(1+20x+x^2)H_{1,0,1}(x)-\frac{32}{3}(1+20x+x^2)H_{-1,0,1}(x) \right. \right. \\
& \left. \left. -\frac{16}{3}(1+20x+x^2)H_{-1}(x)\zeta_2\right)+\bar{x}^2\left(\frac{4}{9}(228+191x)+\frac{2}{27}(4138+961x^{-1} \right. \right. \\
& \left. \left. +961x)H_1(x)+\frac{8}{9}(322+25x^{-1}+25x)H_{1,1}(x)\right)+\bar{x}^3\left(\frac{8}{9}(37x^{-1}+3(91-8x \right. \right. \\
& \left. \left. +4x^2))H_{0,1}(x)+\left(-64\ln(2)(-9-12x+x^2)-\frac{32}{9}(90+87x+x^2)-\frac{4}{3}(87+3x^{-1} \right. \right.
\end{aligned}$$

$$\begin{aligned}
& +81x+5x^2)H_1(x))\zeta_2) + \bar{x}^4 \left(\frac{8}{3}(36+3x^{-1}+24x-124x^2-5x^3)H_{0,0,1}(x) \right. \\
& -288xH_{0,0,0,1}(x) - 192xH_{0,0,1,1}(x) - 192xH_{0,1,0,1}(x) + 384xH_{0,-1,0,1}(x) \\
& +192xH_{1,0,0,1}(x) + (192xH_{0,1}(x) + 192xH_{0,-1}(x))\zeta_2 - \frac{144}{5}x\zeta_2^2 + (-16(17+11x \\
& \left. -41x^2+2x^3) - 192xH_1(x))\zeta_3 \right) \Bigg\} \Bigg]. \tag{B.2}
\end{aligned}$$

$$\begin{aligned}
G_3^{(2)} = & C_F^2 \left[\frac{1}{\epsilon^2} \left\{ x^{-1}(-4+2f_{2,3} H_1(x)) \right\} + \frac{1}{\epsilon} \left\{ x^{-1}(-18+f_{2,3} (2H_{0,1}(x)+12H_{1,1}(x)) \right. \right. \\
& \left. \left. -35H_1(x)) + 14x^{-2}H_1(x) \right\} + \left\{ -62x^{-1}+f_{-1} \bar{x}^3(16(11-2x^{-1}-6x+3x^2)H_{-1,0,1}(x) \right. \right. \\
& +8(11-2x^{-1}-6x+3x^2)H_{-1}(x)\zeta_2) + \bar{x}^3((-111-43x^{-1}+26x^{-2}-169x \\
& -3x^2)H_{0,1}(x) + 8(-22-13x^{-1}+2x^{-2}-12x+3x^2)H_{1,0,1}(x) + (4(-117+9x^{-1} \\
& -82x+13x^2) - 2(407+3x^{-1}+10x^{-2}-27x+15x^2)H_1(x))\zeta_2) + \bar{x}^4 \left((-8+54x^{-1} \right. \\
& -4x^{-2}+96x-132x^2+30x^3)H_{0,0,1}(x) + 4(234-39x^{-1}+10x^{-2}-276x+86x^2 \\
& -24x^3)H_{0,1,1}(x) + 4(30-34x+16x^2-3x^3)H_{2,1,1}(x) + 16(4+5x)H_{0,0,0,1}(x) \\
& +96(4+3x)H_{0,0,1,1}(x) - 48(4+3x)H_{0,1,0,1}(x) + 64(2+x)H_{0,-1,0,1}(x) \\
& + (12\ln(2)(-38+58x-40x^2+11x^3) + 12(30-34x+16x^2-3x^3)H_2(x) \\
& -16(28+23x)H_{0,1}(x) + 32(2+x)H_{0,-1}(x))\zeta_2 + \frac{16}{5}(125+103x)\zeta_2^2 \\
& \left. + (30-110x+80x^2-27x^3)\zeta_3 \right) + \bar{x}(103-131x^{-1}+32x^{-2})H_1(x) \\
& \left. + \bar{x}^2(344+74x^{-1}-36x^{-2}+16x^{-3}-98x)H_{1,1}(x) + 56f_{2,3} x^{-1}H_{1,1,1}(x) \right\} \\
& + \epsilon \left\{ \bar{x} \left(193-203x^{-1} + \frac{1}{2}(551-673x^{-1}+102x^{-2})H_1(x) \right) + \bar{x}^2(2(470+103x^{-1} \right. \\
& -54x^{-2}+16x^{-3}-95x)H_{1,1}(x) + 4(348+237x^{-1}-82x^{-2}+24x^{-3}-77x)H_{1,1,1}(x)) \\
& + \bar{x}^3 \left((-206x^{-1}+98x^{-2}-2(103+232x+51x^2))H_{0,1}(x) + (-447+21x^{-1}+50x^{-2} \right. \\
& +59x-147x^2)H_{0,0,1}(x) + 2(-25+71x^{-1}-26x^{-2}+16x^{-3}-431x+65x^2)H_{0,1,1}(x) \\
& + (-298+602x^{-1}-84x^{-2}+16x^{-3}-558x+42x^2)H_{1,0,1}(x) + 4(32-8x^{-1}-24x \\
& +5x^2)H_{2,1,1}(x) + 8(-59-61x^{-1}+10x^{-2}-61x+15x^2)H_{1,1,0,1}(x) + (-874+278x^{-1} \\
& -1484x+272x^2 - (12\ln(2))(104+8x^{-1}-112x+53x^2) + (-949+903x^{-1}-114x^{-2} \\
& -235x+3x^2)H_1(x) + 12(32-8x^{-1}-24x+5x^2)H_2(x) - 4(827+15x^{-1}+18x^{-2} \\
& \left. -47x+27x^2)H_{1,1}(x))\zeta_2 + \left(68 + \frac{248x^{-1}}{3} - 852x + \frac{991x^2}{3} \right) \zeta_3 \right)
\end{aligned}$$

$$\begin{aligned}
& + f_{-1} \left(\bar{x}^3 \left((-2+11x-6x^2+3x^3)(32x^{-1}H_{1,-1,0,1}(x)+64x^{-1}H_{-1,0,0,1}(x) \right. \right. \\
& + 32x^{-1}H_{-1,0,1,1}(x)+32x^{-1}H_{-1,1,0,1}(x)-64x^{-1}H_{-1,-1,0,1}(x)+(-48x^{-1}\ln(2)H_{-1}(x) \\
& + 16x^{-1}H_{1,-1}(x)-32x^{-1}H_{-1,1}(x)-32x^{-1}H_{-1,-1}(x))\zeta_2+12x^{-1}H_{-1}(x)\zeta_3) - 32(-15 \\
& + 3x^{-1}+12x-7x^2)H_{-1,0,1}(x)-16(-15+3x^{-1}+12x-7x^2)H_{-1}(x)\zeta_2) \\
& - 288\bar{x}^4 x H_{0,1}(x)\zeta_3) + \bar{x}^4 \left(-32\text{Li}_4\left(\frac{1}{2}\right)(-42+70x-52x^2+15x^3) \right. \\
& - \frac{4}{3}\ln^4(2)(-42+70x-52x^2+15x^3) + (4+3x)(576H_{0,0,1,1,1}(x)-192H_{1,0,0,1,1}(x) \\
& + 96H_{1,0,1,0,1}(x)) + (2+x)(128H_{0,0,-1,0,1}(x)+128H_{0,1,-1,0,1}(x)+256H_{0,-1,0,0,1}(x) \\
& + 128H_{0,-1,0,1,1}(x)+128H_{0,-1,1,0,1}(x)-256H_{0,-1,-1,0,1}(x)-128H_{1,0,-1,0,1}(x) \\
& + (\ln(2)(-192H_{0,1}(x)-192H_{0,-1}(x))+64H_{0,0,-1}(x)+64H_{0,1,-1}(x)-128H_{0,-1,1}(x) \\
& - 128H_{0,-1,-1}(x)-64H_{1,0,-1}(x))\zeta_2+48H_{0,-1}(x)\zeta_3) - 2(352-141x^{-1}+14x^{-2}+254x \\
& + 334x^2-99x^3)H_{0,0,0,1}(x)+4(92-13x^{-1}+14x^{-2}-882x+38x^2-33x^3)H_{0,0,1,1}(x) \\
& + 4(402+40x^{-1}-51x+4x^2-3x^3)H_{0,1,0,1}(x)+8(654-95x^{-1}+26x^{-2}-776x+230x^2 \\
& - 66x^3)H_{0,1,1,1}(x)-32(13-11x^{-1}+2x^{-2}+9x-9x^2+6x^3)H_{0,-1,0,1}(x)-8(-19 \\
& - 23x^{-1}+2x^{-2}+25x+33x^2-9x^3)H_{1,0,0,1}(x)+8(362-83x^{-1}+18x^{-2}-416x+170x^2 \\
& - 42x^3)H_{1,0,1,1}(x)+8(-22x^{-1}+4x^{-2}-3(-6+6x-4x^2+x^3))H_{1,2,1,1}(x) \\
& - 8(-30+34x-16x^2+3x^3)H_{2,1,0,1}(x)+24(30-34x+16x^2-3x^3)H_{2,1,1,1}(x) \\
& + 32(14+13x)H_{0,0,0,0,1}(x)+32(34+29x)H_{0,0,0,1,1}(x)+48(16+13x)H_{0,0,1,0,1}(x) \\
& + 16(20+19x)H_{0,1,0,0,1}(x)+128(5+4x)H_{0,1,0,1,1}(x)-32(22+17x)H_{0,1,1,0,1}(x) \\
& - 32(4+5x)H_{1,0,0,0,1}(x)+(-8\ln^2(2)(6+38x-56x^2+21x^3)+24\ln(2)(-10+34x \\
& - 24x^2+9x^3)H_1(x)+(1728+494x^{-1}-84x^{-2}+2104x+292x^2-114x^3)H_{0,1}(x) \\
& - 16(13-11x^{-1}+2x^{-2}+9x-9x^2+6x^3)H_{0,-1}(x)+24(-22x^{-1}+4x^{-2}-3(-6+6x \\
& - 4x^2+x^3))H_{1,2}(x)+20(30-34x+16x^2-3x^3)H_{2,1}(x)+48(8+5x)H_{0,0,1}(x) \\
& - 32(58+47x)H_{0,1,1}(x)+32(28+23x)H_{1,0,1}(x)+8(458+367x)\zeta_3)\zeta_2 \\
& + \left(\frac{1}{5}(-13650-2696x-6552x^2+1689x^3) - \frac{32}{5}(125+103x)H_1(x) \right) \zeta_2^2 \\
& + \left(-\frac{2}{3}(1542-340x^{-1}+88x^{-2}-1654x+316x^2-33x^3)H_1(x)+28(30-34x+16x^2 \right. \\
& \left. - 3x^3)H_2(x) \right) \zeta_3 - 4(106+77x)\zeta_5) + 240f_{2,3} x^{-1}H_{1,1,1,1}(x) \Big\} \Big]
\end{aligned}$$

$$\begin{aligned}
& + C_F C_A \left[\left\{ f_{-1} \bar{x}^3 (-2 + 11x - 6x^2 + 3x^3) (-8x^{-1} H_{-1,0,1}(x) - 4x^{-1} H_{-1}(x) \zeta_2) \right. \right. \\
& + \bar{x} \left(\frac{2}{9} (-242 + 269x^{-1}) + \frac{1}{9} (-687 + 1255x^{-1} - 406x^{-2}) H_1(x) \right) + \bar{x}^3 \left(-\frac{2}{3} (177 \right. \\
& - 123x^{-1} + 22x^{-2} + 68x + 9x^2) H_{0,1}(x) - 2(24 + 4x^{-1} + 11x + 3x^2) H_{1,0,1}(x) \\
& \left. \left. + (-6(50 + 4x^{-1} + 5x + 8x^2) + 2(-68 - 48x^{-1} + 8x^{-2} - 69x + 3x^2) H_1(x)) \zeta_2 \right) \right. \\
& + \bar{x}^4 \left((2+x) (-32H_{0,-1,0,1}(x) - 16H_{0,-1}(x) \zeta_2) + 2(76 + 4x^{-1} - 96x + 16x^2 \right. \\
& - 9x^3) H_{0,0,1}(x) + 2(58 + 8x^{-1} - 24x - 36x^2 + 3x^3) H_{0,1,1}(x) + 2(-30 + 34x - 16x^2 \\
& + 3x^3) H_{2,1,1}(x) + 4(24 + 17x + 4x^2) H_{0,0,0,1}(x) + 8(8 + 9x + 4x^2) H_{0,0,1,1}(x) \\
& - 4(8 + 9x + 4x^2) H_{0,1,0,1}(x) + (6 \ln(2) (38 - 58x + 40x^2 - 11x^3) + 6(-30 + 34x \\
& - 16x^2 + 3x^3) H_2(x) - 4(40 + 35x + 12x^2) H_{0,1}(x)) \zeta_2 + \frac{2}{5} (364 + 317x + 108x^2) \zeta_2^2 \\
& \left. \left. + \frac{1}{2} (-30 + 110x - 80x^2 + 27x^3) \zeta_3 \right) - \frac{2\bar{x}^2}{3} (14 - 151x^{-1} + 26x^{-2} - 42x) H_{1,1}(x) \right\} \\
& + \epsilon \left\{ f_{-1} \bar{x}^3 ((-2 + 11x - 6x^2 + 3x^3) (-16x^{-1} H_{1,-1,0,1}(x) - 32x^{-1} H_{-1,0,0,1}(x) \right. \\
& - 16x^{-1} H_{-1,0,1,1}(x) - 16x^{-1} H_{-1,1,0,1}(x) + 32x^{-1} H_{-1,-1,0,1}(x) + (24x^{-1} \ln(2) H_{-1}(x) \\
& - 8x^{-1} H_{1,-1}(x) + 16x^{-1} H_{-1,1}(x) + 16x^{-1} H_{-1,-1}(x)) \zeta_2 - 6x^{-1} H_{-1}(x) \zeta_3) \\
& + 16(-15 + 3x^{-1} + 12x - 7x^2) H_{-1,0,1}(x) + 8(-15 + 3x^{-1} + 12x - 7x^2) H_{-1}(x) \zeta_2) \\
& + \bar{x} \left(\frac{13}{27} (-572 + 653x^{-1}) + \frac{1}{54} (-20559 + 35167x^{-1} - 8938x^{-2}) H_1(x) \right) \\
& + \bar{x}^2 \left(\frac{1}{9} (-7258 + 6605x^{-1} - 1402x^{-2} + 2739x) H_{1,1}(x) + (-56 + 604x^{-1} - 104x^{-2} \right. \\
& + 168x) H_{1,1,1}(x) \left. \right) + \bar{x}^3 \left(\frac{1}{9} (-7296 + 5142x^{-1} - 944x^{-2} + 3383x - 969x^2) H_{0,1}(x) \right. \\
& + (-74 + 230x^{-1} - 44x^{-2} - 160x + 40x^2) H_{0,0,1}(x) - 2(378 - 200x^{-1} + 32x^{-2} + 78x \\
& + 39x^2) H_{0,1,1}(x) - 2(127 - 200x^{-1} + 32x^{-2} - 76x + 53x^2) H_{1,0,1}(x) + 2(-32 + 8x^{-1} \\
& + 24x - 5x^2) H_{2,1,1}(x) - 8(31 + 4x^{-1} + 10x + 3x^2) H_{1,1,0,1}(x) + (-682 - 66x^{-1} + 363x \\
& - 259x^2 + 6 \ln(2) (104 + 8x^{-1} - 112x + 53x^2) + (109 + 91x^{-1} - 6x^{-2} + 67x \\
& - 101x^2) H_1(x) + 6(-32 + 8x^{-1} + 24x - 5x^2) H_2(x) + 8(-61 - 48x^{-1} + 8x^{-2} - 70x \\
& + 3x^2) H_{1,1}(x) \zeta_2 + \left(-530 - 60x^{-1} + 198x - \frac{357x^2}{2} \right) \zeta_3 \left. \right) \\
& + \bar{x}^4 \left(\left(16 \text{Li}_4\left(\frac{1}{2}\right) + \frac{2}{3} \ln^4(2) \right) (-42 + 70x - 52x^2 + 15x^3) \right. \\
& \left. + (2+x) (-64H_{0,0,-1,0,1}(x) - 64H_{0,1,-1,0,1}(x) - 128H_{0,-1,0,0,1}(x) - 64H_{0,-1,0,1,1}(x) \right)
\end{aligned}$$

$$\begin{aligned}
& -64H_{0,-1,1,0,1}(x) + 128H_{0,-1,-1,0,1}(x) + 64H_{1,0,-1,0,1}(x) + (\ln(2))(96H_{0,1}(x) \\
& + 96H_{0,-1}(x)) - 32H_{0,0,-1}(x) - 32H_{0,1,-1}(x) + 64H_{0,-1,1}(x) + 64H_{0,-1,-1}(x) \\
& + 32H_{1,0,-1}(x)\zeta_2 - 24H_{0,-1}(x)\zeta_3 + 2(134 + 16x^{-1} - 502x + 10x^2 - 51x^3)H_{0,0,0,1}(x) \\
& + 8(40 + 8x^{-1} - 185x - 39x^2 - 3x^3)H_{0,0,1,1}(x) + 4(165 + 10x^{-1} + 3x + 7x^2 \\
& - 6x^3)H_{0,1,0,1}(x) + 12(58 + 8x^{-1} - 24x - 36x^2 + 3x^3)H_{0,1,1,1}(x) + 16(13 - 11x^{-1} \\
& + 2x^{-2} + 9x - 9x^2 + 6x^3)H_{0,-1,0,1}(x) + (344 + 24x^{-1} - 306x + 16x^2 - 42x^3)H_{1,0,0,1}(x) \\
& + 4(26 + 8x^{-1} + 12x - 64x^2 + 9x^3)H_{1,0,1,1}(x) + (88x^{-1} - 16x^{-2} + 12(-6 + 6x - 4x^2 \\
& + x^3))H_{1,2,1,1}(x) + 4(-30 + 34x - 16x^2 + 3x^3)H_{2,1,0,1}(x) + 12(-30 + 34x - 16x^2 \\
& + 3x^3)H_{2,1,1,1}(x) + 32(9 + 7x + 2x^2)H_{0,0,0,0,1}(x) + 16(30 + 25x + 8x^2)H_{0,0,0,1,1}(x) \\
& + 4(64 + 57x + 20x^2)H_{0,0,1,0,1}(x) + 48(8 + 9x + 4x^2)H_{0,0,1,1,1}(x) + 4(56 + 43x \\
& + 12x^2)H_{0,1,0,0,1}(x) + 16(12 + 11x + 4x^2)H_{0,1,0,1,1}(x) - 32(5 + 5x + 2x^2)H_{0,1,1,0,1}(x) \\
& - 8(24 + 17x + 4x^2)H_{1,0,0,0,1}(x) + 8(8 + 9x + 4x^2)(H_{1,0,1,0,1}(x) - 2H_{1,0,0,1,1}(x)) \\
& + (4\ln^2(2)(6 + 38x - 56x^2 + 21x^3) - 12\ln(2)(-10 + 34x - 24x^2 + 9x^3)H_1(x) \\
& + 2(500 - 84x^{-1} + 16x^{-2} + 594x + 86x^2 + 33x^3)H_{0,1}(x) + 8(13 - 11x^{-1} + 2x^{-2} + 9x \\
& - 9x^2 + 6x^3)H_{0,-1}(x) + (264x^{-1} - 48x^{-2} + 36(-6 + 6x - 4x^2 + x^3))H_{1,2}(x) \\
& + 10(-30 + 34x - 16x^2 + 3x^3)H_{2,1}(x) + 4(-16 - 3x + 4x^2)H_{0,0,1}(x) \\
& - 32(19 + 17x + 6x^2)H_{0,1,1}(x) + 8(40 + 35x + 12x^2)H_{1,0,1}(x) + 8(139 + 127x \\
& + 46x^2)\zeta_3\zeta_2 + \left(\frac{1}{10}(-2658 - 17824x + 2880x^2 - 1689x^3) - \frac{4}{5}(364 + 317x \\
& + 108x^2)H_1(x)\right)\zeta_2^2 + ((222 - 288x^{-1} + 48x^{-2} - 284x + 296x^2 - 21x^3)H_1(x) \\
& + 14(-30 + 34x - 16x^2 + 3x^3)H_2(x) - 12(20 + 15x + 4x^2)H_{0,1}(x))\zeta_3 \\
& - 2(22 + 31x + 16x^2)\zeta_5\left.\right\} \\
& + C_{Fn_l}T_F \left[\left\{ -\frac{152x^{-1}}{9} + f_{2,3} \left(\frac{8}{3}x^{-1}H_{0,1}(x) + \frac{16}{3}x^{-1}H_{1,1}(x) \right) + \frac{4}{9}x^{-1}(-51 + 26x^{-1})H_1(x) \right\} \right. \\
& + \epsilon \left\{ -\frac{2332x^{-1}}{27} + f_{2,3} (8x^{-1}H_{0,0,1}(x) + 16x^{-1}H_{0,1,1}(x) + 16x^{-1}H_{1,0,1}(x) + 32x^{-1}H_{1,1,1}(x) \right. \\
& + 12x^{-1}H_1(x)\zeta_2) + \frac{2}{27}x^{-1}(-1527 + 566x^{-1})H_1(x) + \frac{8}{9}x^{-1}(-69 + 32x^{-1})H_{0,1}(x) \\
& \left. \left. + \frac{16}{9}x^{-1}(-69 + 32x^{-1})H_{1,1}(x) - 24x^{-1}\zeta_2 \right\} \right] \\
& + C_{Fn_h}T_F \left[\left\{ \bar{x}^4(2+x)(32H_{0,0,1}(x) - 32\zeta_3) + \bar{x}^2 \left(-\frac{8}{9}(202 + 19x^{-1} - 8x) \right. \right. \right.
\end{aligned}$$

$$\begin{aligned}
& + \frac{4}{9}(-124 - 223x^{-1} + 26x^{-2} - 51x)H_1(x) + \frac{8f_{-1}\bar{x}^3}{3}(-11 + 2x^{-1} - 10x - 3x^2)H_{0,1}(x) \\
& + \frac{32}{3}\bar{x}^3(21 - 4x + 3x^2)\zeta_2 \Big\} + \epsilon \left\{ f_{-1}\bar{x}^3 \left(\frac{16}{3}(-11 + 2x^{-1} - 10x - 3x^2)H_{0,1,1}(x) \right. \right. \\
& + \frac{16}{3}(-11 + 2x^{-1} - 10x - 3x^2)H_{1,0,1}(x) - \frac{32}{3}(-11 + 2x^{-1} - 10x - 3x^2)H_{-1,0,1}(x) \\
& - \frac{16}{3}(-11 + 2x^{-1} - 10x - 3x^2)H_{-1}(x)\zeta_2 \Big) + \bar{x}^2 \left(-\frac{4}{27}(712 + 583x^{-1} - 38x) \right. \\
& + \frac{2}{27}(848 - 5947x^{-1} + 566x^{-2} - 1527x)H_1(x) + \frac{8}{9}(-124 - 223x^{-1} + 26x^{-2} \\
& - 51x)H_{1,1}(x) \Big) + \bar{x}^3 \left(\frac{8}{9}(-75 - 261x^{-1} + 32x^{-2} + 24x - 18x^2)H_{0,1}(x) \right. \\
& + \left(-64\ln(2)(21 - 4x + 3x^2) + \frac{8}{9}(897 + 21x^{-1} - 389x + 183x^2) + (132 + 36x^{-1} \right. \\
& - 8x^{-2} + \frac{164x}{3} + 20x^2)H_1(x) \Big)\zeta_2 \Big) + \bar{x}^4 \left((2+x) \left(96H_{0,0,0,1}(x) + 64H_{0,0,1,1}(x) \right. \right. \\
& + 64H_{0,1,0,1}(x) - 128H_{0,-1,0,1}(x) - 64H_{1,0,0,1}(x) + (-64H_{0,1}(x) - 64H_{0,-1}(x))\zeta_2 \\
& + \frac{48}{5}\zeta_2^2 + 64H_1(x)\zeta_3 \Big) + \frac{8}{3}(12 - 33x^{-1} + 6x^{-2} - 8x + 74x^2 + 15x^3)H_{0,0,1}(x) \\
& \left. \left. - 16(-41 + 53x - 9x^2 + 8x^3)\zeta_3 \right) \right\} \Big] . \tag{B.3}
\end{aligned}$$

$$\begin{aligned}
S^{(2)} = & C_F^2 \left[\frac{1}{\epsilon^4} \left\{ \frac{1}{2} \right\} + \frac{1}{\epsilon^3} \left\{ \frac{5}{2} + 2H_1(x) \right\} + \frac{1}{\epsilon^2} \left\{ \frac{57}{8} + (5 + 2x^{-1})H_1(x) + 2H_{0,1}(x) + 8H_{1,1}(x) \right. \right. \\
& + \frac{1}{2}\zeta_2 \Big\} + \frac{1}{\epsilon} \left\{ \frac{141}{8} + (10 + 7x^{-1})H_1(x) + (5 + 2x^{-1})H_{0,1}(x) + 2(5 + 6x^{-1})H_{1,1}(x) \right. \\
& + 2H_{0,0,1}(x) + 12H_{0,1,1}(x) + 8H_{1,0,1}(x) + 32H_{1,1,1}(x) - \frac{19}{3}\zeta_3 + \frac{1}{2}\zeta_2(11 + 4H_1(x)) \Big\} \\
& + \left\{ \frac{831}{16} + f_{-1}^2\bar{x}(-16xH_{-1,0,1}(x) - 8xH_{-1}(x)\zeta_2) + \bar{x} \left((23 + 11x^{-1} + 8x)H_{0,1}(x) \right. \right. \\
& + 4(5 + 2x^{-1} - 4x)H_{1,0,1}(x) + \left. \left. \left(\frac{3}{8}(-85 + 37x) + (81 - 10x^{-1} - 35x)H_1(x) \right) \zeta_2 \right) \right. \\
& + \bar{x}^2 \left((13 - 2x^{-1} - 20x + 3x^2)H_{0,0,1}(x) + (-66 + 20x^{-1} + 40x + 12x^2)H_{0,1,1}(x) \right. \\
& - 6(-2 + x)^2H_{2,1,1}(x) - 2(5 - 2x + 3x^2)H_{0,0,0,1}(x) + 4(1 - 10x + 3x^2)H_{0,0,1,1}(x) \\
& + 4(4 - 4x + 3x^2)H_{0,1,0,1}(x) + (6\ln(2)(-4 + x)(-8 + 7x) - 18(-2 + x)^2H_2(x) \\
& + 2(7 + 10x + x^2)H_{0,1}(x))\zeta_2 + \frac{1}{20}(-665 + 466x - 449x^2)\zeta_2^2 + \frac{1}{6}(-232 + 308x \\
& - 49x^2)\zeta_3 \Big) + (25 + 17x^{-1})H_1(x) + 2(5 - x^{-1} + 4x^{-2})H_{1,1}(x) + 4(5 + 14x^{-1})H_{1,1,1}(x) \\
& + 56H_{0,1,1,1}(x) - 16H_{0,-1,0,1}(x) - 8H_{1,0,0,1}(x) + 48H_{1,0,1,1}(x) + 32H_{1,1,0,1}(x) \\
& \left. \left. + 128H_{1,1,1,1}(x) + (-8H_{0,-1}(x) + 8H_{1,1}(x))\zeta_2 - \frac{28}{3}H_1(x)\zeta_3 \right\} \right]
\end{aligned}$$

$$\begin{aligned}
& + \epsilon \left\{ \frac{1821}{32} + f_{-1}^2 \bar{x} (-32xH_{1,-1,0,1}(x) - 64xH_{-1,0,0,1}(x) - 32xH_{-1,0,1,1}(x) \right. \\
& - 32xH_{-1,1,0,1}(x) + 64xH_{-1,-1,0,1}(x) + (48\ln(2)xH_{-1}(x) - 16xH_{1,-1}(x) \\
& + 32xH_{-1,1}(x) + 32xH_{-1,-1}(x))\zeta_2 - 12xH_{-1}(x)\zeta_3 + \bar{x} \left((68 + 49x^{-1} - 9x)H_{0,1}(x) \right. \\
& + (72 - 34x^{-1} + 8x^{-2} - 6x)H_{1,0,1}(x) + 8(8 + 5x^{-1} - 7x)H_{1,1,0,1}(x) + \left. \left(\frac{1}{8}(-1783 + 599x) \right. \right. \\
& \left. \left. + (67 - 73x^{-1} - 82x)H_1(x) + (298 - 36x^{-1} - 118x)H_{1,1}(x) \right) \zeta_2 \right) \\
& + f_{-1} (\bar{x} (-8(7+2x)H_{-1,0,1}(x) - 4(7+2x)H_{-1}(x)\zeta_2) + 12\bar{x}^2x(5+x)H_{0,1,1}(x)\zeta_2) \\
& + \bar{x}^2 \left(-(48\text{Li}_4(\frac{1}{2}) + 2\ln^4(2))(14 - 16x + 3x^2) + (68 + 19x^{-1} - 91x)H_{0,0,1}(x) \right. \\
& + 2(38 - 7x^{-1} + 8x^{-2} - x - 32x^2)H_{0,1,1}(x) - 4(15 - 17x + 5x^2)H_{2,1,1}(x) \\
& + (77 - 14x^{-1} + 64x - 61x^2)H_{0,0,0,1}(x) + (-26 + 28x^{-1} + 144x + 22x^2)H_{0,0,1,1}(x) \\
& + 2(-43 - 2x + 3x^2)H_{0,1,0,1}(x) + 4(-101 + 26x^{-1} + 76x + 8x^2)H_{0,1,1,1}(x) \\
& - 8(-3 + 4x^{-1} + 2x - 9x^2)H_{0,-1,0,1}(x) + (40 - 8x^{-1} - 20x)H_{1,0,0,1}(x) \\
& + 4(-67 + 18x^{-1} + 40x + 6x^2)H_{1,0,1,1}(x) + 4(-2 + 4x^{-1} + 4x - 3x^2)H_{1,2,1,1}(x) \\
& - 12(-2+x)^2H_{2,1,0,1}(x) - 36(-2+x)^2H_{2,1,1,1}(x) - 2(23 - 14x + 15x^2)H_{0,0,0,0,1}(x) \\
& - 4(9 + 14x + x^2)H_{0,0,0,1,1}(x) - 20(2+x^2)H_{0,0,1,0,1}(x) + 8(1 - 26x \\
& + 7x^2)H_{0,0,1,1,1}(x) - 4(8 - 4x + 5x^2)H_{0,1,0,0,1}(x) + 8(5 - 18x + 7x^2)H_{0,1,0,1,1}(x) \\
& + 8(9 - 10x + 7x^2)H_{0,1,1,0,1}(x) - 8(13 - 30x + 14x^2)H_{1,0,0,0,1}(x) \\
& + 16(4 - 4x + 3x^2)H_{1,0,0,1,1}(x) - 8(2+x^2)H_{1,0,1,0,1}(x) + \left(-12\ln^2(2)(16 - 20x + 3x^2) \right. \\
& + \ln(2)(12(x-2)(-31+28x) - 12(-6+8x+x^2)H_1(x)) - 12(15 - 17x + 5x^2)H_2(x) \\
& - 3(25 + 14x^{-1} + 52x - 21x^2)H_{0,1}(x) + 4(3 - 4x^{-1} - 2x + 9x^2)H_{0,-1}(x) + 12(-2 \\
& + 4x^{-1} + 4x - 3x^2)H_{1,2}(x) - 30(-2+x)^2H_{2,1}(x) - 2(25 - 42x + 23x^2)H_{0,0,1}(x) \\
& - 24(1+2x)H_{1,0,1}(x) + \frac{1}{3}(-775 + 446x - 499x^2)\zeta_3 \left. \right) \zeta_2 + \left(\frac{1}{20}(9071 - 5742x \right. \\
& + 1333x^2) - \frac{3}{5}(43 - 230x + 79x^2)H_1(x) \left. \right) \zeta_2^2 + \left(\frac{1}{4}(-1059 + 1498x - 435x^2) \right. \\
& + \frac{1}{3}(286 - 88x^{-1} - 428x + 203x^2)H_1(x) - 42(-2+x)^2H_2(x) - \frac{4}{3}(4 - 44x \\
& + 13x^2)H_{0,1}(x) \left. \right) \zeta_3 + \frac{1}{5}(-601 + 1362x - 641x^2)\zeta_5 \left. \right) + 6(11 + 7x^{-1})H_1(x) \\
& + 2(25 - 3x^{-1} + 8x^{-2})H_{1,1}(x) + 4(-5 + 3x^{-1})(1 + 4x^{-1})H_{1,1,1}(x) + 40(1 + 6x^{-1})H_{1,1,1,1}(x)
\end{aligned}$$

$$\begin{aligned}
& -32H_{0,0,-1,0,1}(x) + 240H_{0,1,1,1,1}(x) + 16H_{0,1,2,1,1}(x) - 32H_{0,1,-1,0,1}(x) \\
& -64H_{0,-1,0,0,1}(x) - 32H_{0,-1,0,1,1}(x) - 32H_{0,-1,1,0,1}(x) + 64H_{0,-1,-1,0,1}(x) \\
& + 224H_{1,0,1,1,1}(x) + 32H_{1,0,-1,0,1}(x) - 48H_{1,1,0,0,1}(x) + 176H_{1,1,0,1,1}(x) \\
& + 128H_{1,1,1,0,1}(x) + 512H_{1,1,1,1,1}(x) + 16H_{1,1,2,1,1}(x) + (\ln(2)(48H_{0,-1}(x) - 48H_{1,1}(x)) \\
& - 16H_{0,0,-1}(x) + 48H_{0,1,2}(x) - 16H_{0,1,-1}(x) + 32H_{0,-1,1}(x) + 32H_{0,-1,-1}(x) \\
& + 16H_{1,0,-1}(x) + 32H_{1,1,1}(x) + 48H_{1,1,2}(x))\zeta_2 + \left(-12H_{0,-1}(x) - \frac{52}{3}H_{1,1}(x)\right)\zeta_3 \Big\} \\
& + C_F C_A \left[\frac{1}{\epsilon^3} \left\{ \frac{11}{4} \right\} + \frac{1}{\epsilon^2} \left\{ \frac{49}{18} + \frac{11}{3}H_1(x) + \frac{1}{2}\zeta_2 \right\} + \frac{1}{\epsilon} \left\{ -\frac{1549}{216} - \frac{67}{9}H_1(x) + \frac{11}{2}\zeta_3 \right. \right. \\
& \left. \left. + \frac{1}{4}\zeta_2(-7 + 8H_1(x)) \right\} + \left\{ -\frac{54589}{1296} + f_{-1}^2 \bar{x}(8xH_{-1,0,1}(x) + 4xH_{-1}(x)\zeta_2) \right. \right. \\
& \left. \left. + \bar{x} \left(\frac{1}{9}(-122 - 66x^{-1} + 89x)H_{0,1}(x) + \frac{1}{3}(-29 + 35x)H_{1,0,1}(x) + \left(\frac{1}{36}(1165 - 49x) \right. \right. \right. \right. \\
& \left. \left. \left. + \left(-\frac{71}{3} + 8x^{-1} + \frac{65x}{3} \right) H_1(x) \right) \zeta_2 \right) + \bar{x}^2 \left(\frac{1}{3}(-40 + 56x - 7x^2)H_{0,0,1}(x) \right. \right. \\
& \left. \left. + \frac{1}{3}(-44 + 88x - 53x^2)H_{0,1,1}(x) + 3(-2 + x)^2H_{2,1,1}(x) - 2H_{0,0,0,1}(x) - 4H_{0,0,1,1}(x) \right. \right. \\
& \left. \left. + 2H_{0,1,0,1}(x) + (-3\ln(2)(-4 + x)(-8 + 7x) + 9(-2 + x)^2H_2(x) + 2(7 - 8x \right. \right. \\
& \left. \left. + 4x^2)H_{0,1}(x))\zeta_2 + \frac{3}{10}(13 - 62x + 31x^2)\zeta_2^2 + \frac{1}{36}(830 - 1192x + 281x^2)\zeta_3 \right) \right. \\
& \left. - \frac{2}{27}(121 + 354x^{-1})H_1(x) + \frac{1}{9}(-223 - 78x^{-1})H_{1,1}(x) - \frac{88}{3}H_{1,1,1}(x) + 8H_{0,-1,0,1}(x) \right. \\
& \left. + 8H_{1,0,0,1}(x) + (4H_{0,-1}(x) + 8H_{1,1}(x))\zeta_2 + 14H_1(x)\zeta_3 \right\} + \epsilon \left\{ -\frac{938797}{7776} \right. \\
& \left. + (f_{-1} \bar{x})(4(7 + 2x)H_{-1,0,1}(x) + 2(7 + 2x)H_{-1}(x)\zeta_2) + f_{-1}^2 \bar{x}(16xH_{1,-1,0,1}(x) \right. \\
& \left. + 32xH_{-1,0,0,1}(x) + 16xH_{-1,0,1,1}(x) + 16xH_{-1,1,0,1}(x) - 32xH_{-1,-1,0,1}(x) \right. \\
& \left. + (-24\ln(2)xH_{-1}(x) + 8xH_{1,-1}(x) - 16xH_{-1,1}(x) - 16xH_{-1,-1}(x))\zeta_2 + 6xH_{-1}(x)\zeta_3 \right) \\
& \left. + \bar{x} \left(-\frac{2}{27}(47 + 807x^{-1} - 314x)H_{0,1}(x) + \left(-32x^{-1} + \frac{437}{9}(-1 + x) \right) H_{1,0,1}(x) \right. \right. \\
& \left. \left. + 2(-37 + 41x)H_{1,1,0,1}(x) + \left(\frac{1}{216}(19363 - 2947x) + \left(-\frac{452}{9} + x^{-1} + \frac{515x}{9} \right) H_1(x) \right. \right. \right. \\
& \left. \left. \left. + (-96 + 32x^{-1} + 88x)H_{1,1}(x) \right) \zeta_2 \right) + \bar{x}^2 \left((24\text{Li}_4(\frac{1}{2}) + \ln^4(2))(14 - 16x + 3x^2) + \frac{1}{9}(-142 \right. \right. \\
& \left. \left. - 198x^{-1} + 617x - 259x^2)H_{0,0,1}(x) + \frac{2}{9}(47 - 144x^{-1} + 239x - 169x^2)H_{0,1,1}(x) \right. \right. \\
& \left. \left. + 2(15 - 17x + 5x^2)H_{2,1,1}(x) + (-36 + 44x + 19x^2)H_{0,0,0,1}(x) - 4(12 - 32x \right. \right. \\
& \left. \left. + 11x^2)H_{0,0,1,1}(x) - 2(30 - 38x + 17x^2)H_{0,1,0,1}(x) - 2(44 - 88x + 53x^2)H_{0,1,1,1}(x) \right. \right. \\
& \left. \left. + 4(-3 + 4x^{-1} + 2x - 9x^2)H_{0,-1,0,1}(x) + (-53 + 64x - 17x^2)H_{1,0,0,1}(x) - 2(16 \right. \right.
\end{aligned}$$

$$\begin{aligned}
& -56x+37x^2)H_{1,0,1,1}(x)+(4-8x^{-1}-8x+6x^2)H_{1,2,1,1}(x)+6(-2+x)^2H_{2,1,0,1}(x) \\
& +18(-2+x)^2H_{2,1,1,1}(x)-8H_{0,0,0,0,1}(x)-16H_{0,0,0,1,1}(x)-10H_{0,0,1,0,1}(x) \\
& -24H_{0,0,1,1,1}(x)-6H_{0,1,0,0,1}(x)-8H_{0,1,0,1,1}(x)+8H_{0,1,1,0,1}(x) \\
& +4(15-28x+14x^2)H_{1,0,0,0,1}(x)+24x^2H_{1,0,0,1,1}(x)+\left(6\ln^2(2)(16-20x+3x^2)\right. \\
& +\ln(2)(-6(x-2)(-31+28x)+6(-6+8x+x^2)H_1(x))+6(15-17x+5x^2)H_2(x) \\
& +(-69+16x^{-1}+22x-44x^2)H_{0,1}(x)+(-6+8x^{-1}+4x-18x^2)H_{0,-1}(x) \\
& -6(-2+4x^{-1}+4x-3x^2)H_{1,2}(x)+15(x-2)^2H_{2,1}(x)+2(7-16x+8x^2)H_{0,0,1}(x) \\
& \left.+8(7-8x+4x^2)H_{0,1,1}(x)-12H_{1,0,1}(x)+\frac{1}{6}(-125-302x+151x^2)\zeta_3\right)\zeta_2 \\
& +\left(\frac{1}{20}(-2891+4550x-750x^2)+\frac{2}{5}(148-242x+121x^2)H_1(x)\right)\zeta_2^2+\left(\frac{1}{54}(8191\right. \\
& -11441x+3223x^2)+\frac{1}{6}(-272+144x^{-1}+376x-221x^2)H_1(x)+21(-2+x)^2H_2(x) \\
& \left.+6(5-8x+4x^2)H_{0,1}(x)\right)\zeta_3+\frac{1}{2}(223-430x+215x^2)\zeta_5)-\frac{2}{81}(1061+4254x^{-1})H_1(x) \\
& -\frac{2}{27}(655+1209x^{-1})H_{1,1}(x)-\frac{2}{9}(401+234x^{-1})H_{1,1,1}(x)-176H_{1,1,1,1}(x) \\
& +16H_{0,0,-1,0,1}(x)-8H_{0,1,2,1,1}(x)+16H_{0,1,-1,0,1}(x)+32H_{0,-1,0,0,1}(x) \\
& +16H_{0,-1,0,1,1}(x)+16H_{0,-1,1,0,1}(x)-32H_{0,-1,-1,0,1}(x)+16f_{2,3}\bar{x}^2xH_{1,0,0,1,1}(x) \\
& +4f_2\bar{x}^2(3-2x)xH_{1,0,1,0,1}(x)-16H_{1,0,-1,0,1}(x)+40H_{1,1,0,0,1}(x)+8H_{1,1,0,1,1}(x) \\
& -8H_{1,1,2,1,1}(x)+(\ln(2)(-24H_{0,-1}(x)+24H_{1,1}(x))+8H_{0,0,-1}(x)-24H_{0,1,2}(x) \\
& +8H_{0,1,-1}(x)-16H_{0,-1,1}(x)-16H_{0,-1,-1}(x)-8H_{1,0,-1}(x)+32H_{1,1,1}(x) \\
& -24H_{1,1,2}(x))\zeta_2+(6H_{0,-1}(x)+46H_{1,1}(x))\zeta_3\left. \right\} \\
& +C_{FnI}T_F\left[\frac{1}{\epsilon^3}\left\{-1\right\}+\frac{1}{\epsilon^2}\left\{-\frac{10}{9}-\frac{4}{3}H_1(x)\right\}+\frac{1}{\epsilon}\left\{\frac{125}{54}+\frac{20}{9}H_1(x)+\zeta_2\right\}+\left\{\frac{3893}{324}\right. \right. \\
& +\frac{16}{27}(7+12x^{-1})H_1(x)+\frac{8}{9}(5+3x^{-1})H_{0,1}(x)+\frac{16}{9}(5+3x^{-1})H_{1,1}(x)+\frac{8}{3}H_{0,0,1}(x) \\
& \left. +\frac{16}{3}H_{0,1,1}(x)+\frac{16}{3}H_{1,0,1}(x)+\frac{32}{3}H_{1,1,1}(x)+\frac{26}{9}\zeta_3+\frac{1}{9}\zeta_2(85+48H_1(x))\right\} \\
& +\epsilon\left\{\frac{87149}{1944}+\frac{16}{81}(77+141x^{-1})H_1(x)+\frac{8}{27}(37+57x^{-1})H_{0,1}(x)+\frac{16}{27}(37+57x^{-1})H_{1,1}(x) \right. \\
& +\frac{8}{9}(10+9x^{-1})H_{0,0,1}(x)+\frac{16}{9}(10+9x^{-1})H_{0,1,1}(x)+\frac{16}{9}(10+9x^{-1})H_{1,0,1}(x) \\
& \left. +\frac{32}{9}(10+9x^{-1})H_{1,1,1}(x)+8H_{0,0,0,1}(x)+16H_{0,0,1,1}(x)+16H_{0,1,0,1}(x)+32H_{0,1,1,1}(x) \right. \\
& \left. +16H_{1,0,0,1}(x)+32H_{1,0,1,1}(x)+32H_{1,1,0,1}(x)+64H_{1,1,1,1}(x)+\left(\frac{1921}{54}\right. \right.
\end{aligned}$$

$$\begin{aligned}
 & + \frac{4}{9} (25 + 27x^{-1}) H_1(x) + 12 H_{0,1}(x) + 24 H_{1,1}(x) \Big) \zeta_2 + \frac{49}{5} \zeta_2^2 + \frac{2}{27} \zeta_3 (235 + 144 H_1(x)) \Big] \\
 & + C_{F n_h} T_F \left[\frac{1}{\epsilon} \left\{ \frac{2}{3} \zeta_2 \right\} + \left\{ \bar{x}^2 \left(\frac{1}{162} (11407 - 17630x + 8527x^2) + \frac{32}{27} (13 + 6x^{-1} \right. \right. \right. \\
 & \left. \left. \left. - 14x + 7x^2) H_1(x) \right) + \frac{8}{9} f_{-1} \bar{x}^3 (3 + 11x - 11x^2 + 5x^3) H_{0,1}(x) + \frac{8}{3} H_{0,0,1}(x) \right. \right. \\
 & \left. \left. + \frac{1}{9} \bar{x}^3 (-409 + 747x - 651x^2 + 185x^3) \zeta_2 + \frac{4}{3} H_1(x) \zeta_2 - \frac{28}{9} \zeta_3 \right\} \right. \\
 & \left. + \epsilon \left\{ f_{-1} \bar{x}^3 \left(\frac{16}{9} (3 + 11x - 11x^2 + 5x^3) H_{0,1,1}(x) + \frac{16}{9} (3 + 11x - 11x^2 + 5x^3) H_{1,0,1}(x) \right. \right. \right. \\
 & \left. \left. \left. - \frac{32}{9} (3 + 11x - 11x^2 + 5x^3) H_{-1,0,1}(x) - \frac{16}{9} (3 + 11x - 11x^2 + 5x^3) H_{-1}(x) \zeta_2 \right) \right. \right. \\
 & \left. \left. + \bar{x}^2 \left(\frac{1}{243} (17057 - 54850x + 27425x^2) + \frac{16}{27} (-94 + 47x^{-1} + 11x + 12x^2) H_1(x) \right. \right. \right. \\
 & \left. \left. \left. + \frac{64}{27} (13 + 6x^{-1} - 14x + 7x^2) H_{1,1}(x) \right) + \bar{x}^3 \left(\frac{8}{27} (-8 + 57x^{-1} - 174x \right. \right. \right. \\
 & \left. \left. \left. + 96x^2 - 19x^3) H_{0,1}(x) + \frac{8}{9} (19 + 9x^{-1} + 57x - 51x^2 + 30x^3) H_{0,0,1}(x) \right. \right. \right. \\
 & \left. \left. \left. + \left(-\frac{16}{3} \ln(2) (-53 + 99x - 87x^2 + 25x^3) + \frac{4}{9} (-343 + 965x - 837x^2 + 247x^3) \right. \right. \right. \\
 & \left. \left. \left. - \frac{4}{9} (65 + 9x^{-1} - 9x - 21x^2 + 20x^3) H_1(x) \right) \zeta_2 - \frac{2}{9} (655 - 1173x + 1101x^2 - 295x^3) \zeta_3 \right) \right. \\
 & \left. + 8 H_{0,0,0,1}(x) + \frac{16}{3} H_{0,0,1,1}(x) + \frac{16}{3} H_{0,1,0,1}(x) - \frac{32}{3} H_{0,-1,0,1}(x) - \frac{16}{3} H_{1,0,0,1}(x) \right. \\
 & \left. + \left(-4 H_{0,1}(x) - \frac{16}{3} H_{0,-1}(x) + \frac{8}{3} H_{1,1}(x) \right) \zeta_2 + \frac{43}{30} \zeta_2^2 + \frac{40}{9} H_1(x) \zeta_3 \right] \Big]. \tag{B.4}
 \end{aligned}$$

C Three-loop form factors

The form factor $G_1^{(3)}$ in the color-planar limit, is given by

$$\begin{aligned}
 G_1^{(3)} = & N_C^3 \left[\frac{1}{\epsilon^6} \left\{ -\frac{1}{48} \right\} + \frac{1}{\epsilon^5} \left\{ -\frac{27}{32} - \frac{1}{8} H_1(x) \right\} + \frac{1}{\epsilon^4} \left\{ -\frac{37703}{5184} + \frac{1}{48} (-149 + 3x^{-1}) H_1(x) \right. \right. \\
 & \left. \left. - \frac{1}{8} H_{0,1}(x) - \frac{3}{4} H_{1,1}(x) - \frac{5}{32} \zeta_2 \right\} + \frac{1}{\epsilon^3} \left\{ -\frac{193759}{31104} + \frac{5}{864} (-2083 + 216x^{-1}) H_1(x) \right. \right. \\
 & \left. \left. + \frac{1}{16} (-35 + x^{-1}) H_{0,1}(x) + \frac{1}{24} (-259 + 15x^{-1}) H_{1,1}(x) - \frac{1}{8} H_{0,0,1}(x) - \frac{5}{4} H_{0,1,1}(x) \right. \right. \\
 & \left. \left. - \frac{3}{4} H_{1,0,1}(x) - \frac{9}{2} H_{1,1,1}(x) - \frac{29}{48} \zeta_3 + \frac{\zeta_2 (-3191 - 1620 H_1(x))}{1728} \right\} + \frac{1}{\epsilon^2} \left\{ \frac{75857}{7776} \right. \right. \\
 & \left. \left. + \bar{x}^2 \left(\frac{1}{288} (-1141 + 132x^{-1} + 3830x + 203x^2) H_{0,1}(x) + \frac{1}{48} (-251 - 9x^{-1} \right. \right. \right. \\
 & \left. \left. \left. - 179x - 65x^2) H_{0,0,1}(x) + \frac{1}{8} (-173 + 9x^{-1} + 83x - 87x^2) H_{0,1,1}(x) + \frac{1}{24} (-43 + 9x^{-1} \right. \right. \right. \\
 & \left. \left. \left. + 413x - 127x^2) H_{1,0,1}(x) + \left(\frac{1}{10368} (96451 + 185530x + 44611x^2) + \frac{1}{288} (2497 \right. \right. \right. \\
 & \left. \left. \left. + 135x^{-1} + 7345x - 905x^2) H_1(x) \right) \zeta_2 \right) + \bar{x}^3 \left(\frac{1}{8} (-9 - 65x - 3x^2 - 7x^3) H_{0,0,0,1}(x) \right. \right.
 \end{aligned}$$

$$\begin{aligned}
& + \frac{1}{4}(-21 - 29x - 39x^2 + 5x^3)H_{0,0,1,1}(x) + \frac{1}{4}(3 + 37x - 3x^2 + 5x^3)H_{0,1,0,1}(x) \\
& + \frac{3}{16}(19 + 127x + 9x^2 + 13x^3)H_{0,1}(x)\zeta_2 + \frac{1}{5760}(-31427 - 84567x - 47625x^2 \\
& + 323x^3)\zeta_2^2) + \frac{5}{5184}(6703 + 2745x^{-1})H_1(x) + \bar{x} \left(6x^{-1} + \frac{1}{48}(-1267 + 475x) \right) H_{1,1}(x) \\
& + \frac{1}{12}(-401 + 57x^{-1})H_{1,1,1}(x) - \frac{19}{2}H_{0,1,1,1}(x) - \frac{3}{4}H_{1,0,0,1}(x) - \frac{15}{2}H_{1,0,1,1}(x) \\
& - \frac{9}{2}H_{1,1,0,1}(x) - 27H_{1,1,1,1}(x) - \frac{45}{8}H_{1,1}(x)\zeta_2 + \frac{1}{864}\zeta_3(-4993 - 3132H_1(x)) \Big\} \\
& + \frac{1}{\epsilon} \left\{ \frac{965287}{17496} + \bar{x} \left(\frac{1}{96}(1850 - 473x^{-1} - 24x^{-2} - 6609x)H_{1,1}(x) + \frac{1}{24}(-1931 + 408x^{-1} \right. \right. \\
& \left. \left. - 1501x)H_{1,1,1}(x) \right) + \bar{x}^2 \left(\frac{1}{1728}(26915 - 5049x^{-1} + 9917x + 62825x^2)H_{0,1}(x) \right. \right. \\
& + \frac{1}{96}(-1043 - 192x^{-1} - 1934x + 937x^2)H_{0,0,1}(x) + \frac{1}{48}(-1655 + 272x^{-1} + 346x \\
& + 1829x^2)H_{0,1,1}(x) + \frac{1}{48}(559 - 158x^{-1} + 610x + 1617x^2)H_{1,0,1}(x) + \frac{1}{4}(-631 \\
& + 43x^{-1} - 283x - 137x^2)H_{0,1,1,1}(x) + \frac{1}{24}(-463 - 27x^{-1} - 763x - 7x^2)H_{1,0,0,1}(x) \\
& + \frac{1}{4}(-191 + 25x^{-1} + 71x - 73x^2)H_{1,0,1,1}(x) + \frac{1}{12}(337 + 33x^{-1} + 643x - 5x^2)H_{1,1,0,1}(x) \\
& + \left(\frac{1}{62208}(3029275 + 5076682x + 2111707x^2) + \frac{1}{1728}(112147 - 6696x^{-1} + 114394x \right. \\
& \left. + 63979x^2)H_1(x) + \frac{1}{48}(4921 + 201x^{-1} + 6547x + 427x^2)H_{1,1}(x) \right) \zeta_2 \\
& + \left(\frac{1}{1728}(21953 + 20030x + 12449x^2) + \frac{1}{16}(-53 + 29x^{-1} + 727x - 199x^2)H_1(x) \right) \zeta_3 \Big\} \\
& + \bar{x}^3 \left(\frac{1}{16}(-126 - 15x^{-1} - 128x + 798x^2 - 61x^3)H_{0,0,0,1}(x) \right. \\
& + \frac{1}{24}(-1346 + 15x^{-1} + 744x + 1794x^2 + 197x^3)H_{0,0,1,1}(x) \\
& + \frac{1}{24}(-754 - 15x^{-1} - 648x + 690x^2 + 25x^3)H_{0,1,0,1}(x) + \frac{1}{8}(-33 - 269x - 3x^2 \\
& - 31x^3)H_{0,0,0,0,1}(x) + \frac{1}{4}(-77 - 321x - 87x^2 - 19x^3)H_{0,0,0,1,1}(x) + \frac{1}{4}(-37 - 211x \\
& - 27x^2 - 19x^3)H_{0,0,1,0,1}(x) + \frac{1}{2}(-115 - 207x - 201x^2 + 19x^3)H_{0,0,1,1,1}(x) \\
& - \frac{1}{4}(21 + 167x + 3x^2 + 19x^3)H_{0,1,0,0,1}(x) + \frac{1}{2}(-37 + 19x - 87x^2 + 21x^3)H_{0,1,0,1,1}(x) \\
& + \frac{1}{2}(13 + 145x - 9x^2 + 19x^3)H_{0,1,1,0,1}(x) + \left(\frac{1}{32}(-386 - 17x^{-1} - 1300x - 1166x^2 \right. \\
& + 61x^3)H_{0,1}(x) + \frac{1}{16}(-7 - 163x + 27x^2 - 25x^3)H_{0,0,1}(x) + \frac{1}{8}(221 + 1545x + 87x^2 \\
& + 163x^3)H_{0,1,1}(x) + \frac{1}{288}(-10049 - 46029x - 10275x^2 - 3199x^3)\zeta_3 \Big) \zeta_2 \\
& + \frac{1}{11520}(70661 + 464529x + 367503x^2 + 7099x^3)\zeta_2^2
\end{aligned}$$

$$\begin{aligned}
& + \frac{1}{8}(7+255x-51x^2+41x^3)H_{0,1}(x)\zeta_3 \\
& + \frac{1}{240}(-3647+16461x-12381x^2+4607x^3)\zeta_5 - \frac{11}{1728}(-7422+2549x^{-1})H_1(x) \\
& + \frac{1}{6}(-451+195x^{-1})H_{1,1,1,1}(x) - 65H_{0,1,1,1,1}(x) + \frac{9}{4}H_{1,0,0,0,1}(x) - \frac{27}{2}H_{1,0,0,1,1}(x) \\
& - \frac{9}{2}H_{1,0,1,0,1}(x) - 57H_{1,0,1,1,1}(x) - \frac{9}{2}H_{1,1,0,0,1}(x) - 45H_{1,1,0,1,1}(x) - 27H_{1,1,1,0,1}(x) \\
& - 162H_{1,1,1,1,1}(x) - \left(\frac{45}{8}H_{1,0,1}(x) + \frac{135}{4}H_{1,1,1}(x)\right)\zeta_2 - \frac{8099}{960}H_1(x)\zeta_2^2 - \frac{87}{4}H_{1,1}(x)\zeta_3 \Big\} \\
& + \left\{ -\frac{1599187}{104976} + \bar{x} \left(\frac{1}{2592}(1179167 - 116877x^{-1} - 8316x^{-2} - 198614x)H_{1,1}(x) \right. \right. \\
& + \frac{1}{432}(75890 - 42393x^{-1} - 1080x^{-2} - 124433x)H_{1,1,1}(x) \\
& + \frac{1}{36}(-15937 - 21863x)H_{1,1,1,1}(x) \Big) + \bar{x}^2 \left(\frac{1}{1728}(-12720 + 22841x^{-1} - 470115x \right. \\
& - 110246x^2)H_{0,1}(x) + \frac{1}{1728}(325115 + 14319x^{-1} + 361925x + 12737x^2)H_{0,0,1}(x) \\
& + \frac{1}{864}(372647 - 27165x^{-1} - 864x^{-2} + 265385x + 107981x^2)H_{0,1,1}(x) \\
& + \frac{1}{864}(-131197 + 4647x^{-1} + 216x^{-2} - 166099x + 43601x^2)H_{1,0,1}(x) \\
& + \frac{1}{72}(-3893 + 516x^{-1} + 24046x + 24259x^2)H_{0,1,1,1}(x) + \frac{1}{144}(8777 - 1326x^{-1} \\
& + 2894x + 8195x^2)H_{1,0,0,1}(x) + \frac{1}{72}(-6397 - 1764x^{-1} - 5518x + 20447x^2)H_{1,0,1,1}(x) \\
& + \frac{1}{72}(1055 - 1464x^{-1} - 8008x + 14213x^2)H_{1,1,0,1}(x) + \frac{5}{2}(-421 + 33x^{-1} - 437x \\
& - 15x^2)H_{0,1,1,1,1}(x) + \frac{1}{8}(-729 - 57x^{-1} - 1617x + 119x^2)H_{1,0,0,0,1}(x) + \frac{1}{4}(-943 \\
& - 3x^{-1} - 1705x + 115x^2)H_{1,0,0,1,1}(x) + \frac{1}{4}(-205 - 7x^{-1} - 837x + 133x^2)H_{1,0,1,0,1}(x) \\
& + \frac{1}{6}(-2737 + 363x^{-1} - 3049x + 131x^2)H_{1,0,1,1,1}(x) + \frac{1}{12}(-923 - 75x^{-1} - 2885x \\
& + 355x^2)H_{1,1,0,0,1}(x) + \frac{1}{2}(-69 + 79x^{-1} - 335x + 157x^2)H_{1,1,0,1,1}(x) \\
& + \frac{1}{6}(1829 + 117x^{-1} + 593x + 737x^2)H_{1,1,1,0,1}(x) + \left(-\frac{x^{-1}}{2} - \frac{7}{46656}(2372659 \right. \\
& + 2558938x + 503827x^2) + \frac{1}{10368}(-5004173 + 154503x^{-1} + 5184x^{-2} - 4229915x \\
& + 178657x^2)H_1(x) + \frac{1}{96}(3471 - 2120x^{-1} - 8694x + 14975x^2)H_{1,1}(x) + \frac{1}{16}(2185 \\
& + 69x^{-1} + 1329x + 461x^2)H_{1,0,1}(x) + \frac{3}{8}(2027 + 79x^{-1} + 1845x + 417x^2)H_{1,1,1}(x) \Big) \zeta_2 \\
& + \frac{1}{640}(75207 + 897x^{-1} + 33119x + 29113x^2)H_1(x)\zeta_2^2 + \left(\frac{1}{31104}(2820391 - 2372270x \right. \\
& + 2094631x^2) + \frac{1}{864}(97687 + 1968x^{-1} + 14038x + 65803x^2)H_1(x) + \frac{1}{72}(5549
\end{aligned}$$

$$\begin{aligned}
& +1125x^{-1}+11015x+455x^2)H_{1,1}(x)\zeta_3\Big) + \bar{x}^3\left(\frac{1}{288}(24495-420x^{-1}+74003x\right. \\
& -5739x^2+1693x^3)H_{0,0,0,1}(x)+\frac{1}{144}(7963-2676x^{-1}+81911x+23097x^2 \\
& -16263x^3)H_{0,0,1,1}(x)+\frac{1}{144}(275+1578x^{-1}-31807x-5163x^2-11899x^3)H_{0,1,0,1}(x) \\
& +\frac{1}{48}(998-81x^{-1}+6208x+6162x^2-15x^3)H_{0,0,0,0,1}(x)+\frac{1}{24}(-3938-285x^{-1} \\
& +1840x+12810x^2+13x^3)H_{0,0,0,1,1}(x)+\frac{1}{24}(182+45x^{-1}+5384x+7674x^2 \\
& -7x^3)H_{0,0,1,0,1}(x)+\frac{1}{12}(-5806+201x^{-1}+8900x+14214x^2+563x^3)H_{0,0,1,1,1}(x) \\
& +\frac{1}{24}(-98-111x^{-1}+4272x+7194x^2-103x^3)H_{0,1,0,0,1}(x)+\frac{1}{12}(-4014+51x^{-1} \\
& -1772x+6990x^2-127x^3)H_{0,1,0,1,1}(x)+\frac{1}{12}(-1744+45x^{-1}-5272x+2346x^2 \\
& -457x^3)H_{0,1,1,0,1}(x)+\frac{1}{8}(-57-265x+93x^2-23x^3)H_{0,0,0,0,0,1}(x) \\
& +\frac{1}{4}(-325-1853x-87x^2-171x^3)H_{0,0,0,0,1,1}(x)+\frac{1}{4}(-93-659x-147x^2 \\
& -67x^3)H_{0,0,0,1,0,1}(x)+\frac{1}{2}(-523-1743x-705x^2-53x^3)H_{0,0,0,1,1,1}(x) \\
& +\frac{1}{4}(-101-703x-3x^2-75x^3)H_{0,0,1,0,0,1}(x)+\frac{1}{2}(-269-1073x-279x^2 \\
& -59x^3)H_{0,0,1,0,1,1}(x)-\frac{3}{2}(25+157x+27x^2+15x^3)H_{0,0,1,1,0,1}(x)+5(-93-181x \\
& -159x^2+13x^3)H_{0,0,1,1,1,1}(x)+\frac{1}{4}(-117-931x+21x^2-107x^3)H_{0,1,0,0,0,1}(x) \\
& +\frac{1}{2}(-189-853x-159x^2-59x^3)H_{0,1,0,0,1,1}(x)+\frac{1}{2}(-53-327x-51x^2 \\
& -31x^3)H_{0,1,0,1,0,1}(x)+(-247-225x-489x^2+79x^3)H_{0,1,0,1,1,1}(x)+\frac{1}{2}(-59 \\
& -467x-9x^2-53x^3)H_{0,1,1,0,0,1}(x)+(-91+181x-249x^2+75x^3)H_{0,1,1,0,1,1}(x) \\
& +13(3+37x-3x^2+5x^3)H_{0,1,1,1,0,1}(x)+\frac{1}{4}(29-271x+135x^2-61x^3)H_{1,0,0,0,0,1}(x) \\
& -\frac{1}{2}(47+227x+45x^2+17x^3)H_{1,0,0,0,1,1}(x)+\frac{1}{2}(23+23x+45x^2-7x^3)H_{1,0,0,1,0,1}(x) \\
& +\frac{1}{2}(35-13x+81x^2-19x^3)H_{1,0,1,0,0,1}(x)+(-83+157x \\
& -225x^2+67x^3)H_{1,0,1,0,1,1}(x)+(-29+133x-99x^2+37x^3)H_{1,0,1,1,0,1}(x) \\
& +\left(\frac{1}{576}(-18091+12828x^{-1}-425559x-93681x^2-39689x^3)H_{0,1}(x)\right. \\
& +\frac{1}{96}(8186+729x^{-1}+19376x+6342x^2-193x^3)H_{0,0,1}(x)+\frac{1}{48}(-4366+237x^{-1} \\
& -49656x-19866x^2-3173x^3)H_{0,1,1}(x)+\frac{3}{16}(107+251x-279x^2+5x^3)H_{0,0,0,1}(x) \\
& \left.+\frac{1}{8}(365+949x+111x^2+3x^3)H_{0,0,1,1}(x)+\frac{1}{8}(285+1547x+3x^2+139x^3)H_{0,1,0,1}(x)\right)
\end{aligned}$$

$$\begin{aligned}
 & + \frac{3}{4}(233+1693x+75x^2+183x^3)H_{0,1,1,1}(x) + \frac{3}{8}(49+221x+51x^2+15x^3)H_{1,0,0,1}(x) \\
 & + \frac{1}{4}(-217+467x-603x^2+185x^3)H_{1,0,1,1}(x) + \left(\frac{1}{192}(33561+120293x+78507x^2 \right. \\
 & \left. + 6055x^3) + \frac{1}{48}(-497-2925x-339x^2-271x^3)H_1(x) \right) \zeta_3 \zeta_2 \\
 & + \left(\frac{1}{69120}(19514155+47634495x-6311103x^2+95189x^3) + \frac{1}{320}(6639+49091x \right. \\
 & \left. + 10029x^2+5137x^3)H_{0,1}(x) \right) \zeta_2^2 + \frac{1}{241920}(-34481443-121743735x-40253097x^2 \\
 & - 4805213x^3) \zeta_2^3 + \left(\frac{1}{144}(-242+477x^{-1}+4728x+6258x^2+551x^3)H_{0,1}(x) \right. \\
 & \left. - \frac{1}{8}(41+257x+99x^2+23x^3)H_{0,0,1}(x) + \frac{1}{4}(19+1047x-231x^2+173x^3)H_{0,1,1}(x) \right. \\
 & \left. + \frac{3}{4}(-13+223x-87x^2+45x^3)H_{1,0,1}(x) \right) \zeta_3 + \frac{1}{288}(-3463+17229x-10821x^2 \\
 & + 4615x^3) \zeta_3^2 + \left(\frac{1}{96}(-13647-35195x-27189x^2+743x^3) + \frac{11}{40}(-477+511x \right. \\
 & \left. - 1191x^2+317x^3)H_1(x) \right) \zeta_5 + \frac{1}{93312}(6424586-249075x^{-1})H_1(x) + \frac{1}{3}(151 \\
 & + 633x^{-1})H_{1,1,1,1,1}(x) - 422H_{0,1,1,1,1,1}(x) - 129H_{1,0,0,1,1,1}(x) - 390H_{1,0,1,1,1,1}(x) \\
 & + \frac{27}{2}H_{1,1,0,0,0,1}(x) - 81H_{1,1,0,0,1,1}(x) - 27H_{1,1,0,1,0,1}(x) - 342H_{1,1,0,1,1,1}(x) \\
 & - 27H_{1,1,1,0,0,1}(x) - 270H_{1,1,1,0,1,1}(x) - 162H_{1,1,1,1,0,1}(x) - 972H_{1,1,1,1,1,1}(x) \\
 & - \left. \left(\frac{135}{4}H_{1,1,0,1}(x) + \frac{405}{2}H_{1,1,1,1}(x) \right) \zeta_2 - \frac{8099}{160}H_{1,1}(x)\zeta_2^2 - \frac{261}{2}H_{1,1,1}(x)\zeta_3 \right] . \quad (C.1)
 \end{aligned}$$

The form factor $G_2^{(3)}$ in the color-planar limit, is given by

$$\begin{aligned}
 G_2^{(3)} = & N_C^3 \left[\frac{1}{\epsilon^4} \left\{ -\frac{1}{8}x^{-1}H_1(x) \right\} + \frac{1}{\epsilon^3} \left\{ -\frac{5}{2}x^{-1}H_1(x) - \frac{1}{8}x^{-1}H_{0,1}(x) - \frac{5}{4}x^{-1}H_{1,1}(x) \right\} \right. \\
 & + \frac{1}{\epsilon^2} \left\{ \bar{x}^4(6+37x+20x^2) \left(2H_{0,0,1,1}(x) - H_{0,1,0,1}(x) - 3H_{0,1}(x)\zeta_2 + \frac{27}{10}\zeta_2^2 \right. \right. \\
 & \left. \left. + H_{0,0,0,1}(x) \right) + \bar{x} \left(\frac{3}{2} + \frac{1}{288}(2509-1069x^{-1})H_1(x) \right) + \bar{x}^3 \left(\frac{1}{12}(189-5x^{-1} \right. \right. \\
 & \left. \left. - 765x-175x^2)H_{0,1}(x) + \frac{1}{8}(151+3x^{-1}+333x+17x^2)H_{0,0,1}(x) + \frac{1}{4}(187-9x^{-1} \right. \right. \\
 & \left. \left. + 297x+29x^2)H_{0,1,1}(x) + \frac{1}{4}(-71-3x^{-1}-171x-7x^2)H_{1,0,1}(x) + \left(-28-138x \right. \right. \\
 & \left. \left. - 23x^2 - \frac{3}{16}(305+5x^{-1}+663x+35x^2)H_1(x) \right) \zeta_2 \right) + \bar{x}^2(73-12x^{-1}+2x)H_{1,1}(x) \\
 & \left. - \frac{19}{2}x^{-1}H_{1,1,1}(x) \right\} + \frac{1}{\epsilon} \left\{ \bar{x} \left(\frac{49}{4} + \frac{1}{864}(-2527+37519x^{-1})H_1(x) \right) \right. \\
 & \left. + \bar{x}^2 \left(\frac{1}{48}(10894+841x^{-1}+24x^{-2}+1993x)H_{1,1}(x) + (656-34x^{-1}+134x)H_{1,1,1}(x) \right) \right]
 \end{aligned}$$

$$\begin{aligned}
& + \bar{x}^4 \left((6+37x+20x^2)(4H_{0,0,0,0,1}(x)+12H_{0,0,0,1,1}(x)+7H_{0,0,1,0,1}(x) \right. \\
& + 24H_{0,0,1,1,1}(x)+5H_{0,1,0,0,1}(x)+4H_{0,1,0,1,1}(x)-8H_{0,1,1,0,1}(x) \\
& + (-24H_{0,1,1}(x)+23\zeta_3+H_{0,0,1}(x))\zeta_2-3H_{0,1}(x)\zeta_3-2\zeta_5) + \frac{1}{8}(452+15x^{-1}+94x \\
& - 2172x^2-129x^3)H_{0,0,0,1}(x) + \frac{1}{4}(852-5x^{-1}+302x-2700x^2-189x^3)H_{0,0,1,1}(x) \\
& + \frac{1}{4}(604+5x^{-1}+930x-636x^2-33x^3)H_{0,1,0,1}(x) + \frac{1}{16}(1020+17x^{-1}+4342x \\
& + 4700x^2+361x^3)H_{0,1}(x)\zeta_2 - \frac{27}{20}(32+163x+224x^2+16x^3)\zeta_2^2 \Big) \\
& + \bar{x}^3 \left(\frac{1}{96}(6429+1033x^{-1}-29133x-5833x^2)H_{0,1}(x) + \frac{1}{4}(352+22x^{-1}+171x \right. \\
& - 155x^2)H_{0,0,1}(x) + \frac{1}{6}(1632-50x^{-1}-1875x-805x^2)H_{0,1,1}(x) + \frac{1}{12}(1275+115x^{-1} \\
& - 3900x-928x^2)H_{1,0,1}(x) + \frac{1}{2}(1089-43x^{-1}+1815x+163x^2)H_{0,1,1,1}(x) \\
& + \frac{1}{4}(373+9x^{-1}+837x+41x^2)H_{1,0,0,1}(x) + \frac{1}{2}(235-25x^{-1}+249x+45x^2)H_{1,0,1,1}(x) \\
& + \frac{1}{2}(-287-11x^{-1}-681x-29x^2)H_{1,1,0,1}(x) + \left(-88 - \frac{1385x}{2} - 79x^2 + \left(-\frac{441}{4} \right. \right. \\
& \left. \left. + \frac{39x^{-1}}{4} - 688x - 71x^2 \right) H_1(x) + \frac{1}{8}(-3639-67x^{-1}-7977x-413x^2)H_{1,1}(x) \right) \zeta_2 \\
& - \left(26+141x+22x^2 + \frac{1}{8}(393+29x^{-1}+1059x+31x^2)H_1(x) \right) \zeta_3 - 65x^{-1}H_{1,1,1,1}(x) \Big) \\
& + \left\{ \bar{x} \left(-\frac{583}{12} + \frac{1}{576}(-55235-30669x^{-1})H_1(x) \right) + \bar{x}^2 \left(\frac{1}{432}(-711962+47383x^{-1} \right. \right. \\
& + 2988x^{-2}-288377x)H_{1,1}(x) + \frac{1}{72}(33346+14923x^{-1}+360x^{-2}+7099x)H_{1,1,1}(x) \\
& + 700(7+2x)H_{1,1,1,1}(x) \Big) + \bar{x}^3 \left(\frac{1}{864}(-305541-42065x^{-1}+1548981x \right. \\
& + 698561x^2)H_{0,1}(x) + \frac{1}{288}(-230689-5085x^{-1}-464655x-40451x^2)H_{0,0,1}(x) \\
& + \frac{1}{144}(-156013+13351x^{-1}+288x^{-2}-513819x-52287x^2)H_{0,1,1}(x) \\
& + \frac{1}{144}(101903-1453x^{-1}-72x^{-2}+161721x+18269x^2)H_{1,0,1}(x) + \frac{1}{3}(3395-19x^{-1} \\
& - 13653x-3979x^2)H_{0,1,1,1}(x) + \frac{1}{12}(-351+305x^{-1}-8892x-2852x^2)H_{1,0,0,1}(x) \\
& + \left(\frac{5035}{3} + 71x^{-1} - 1832x - \frac{1948x^2}{3} \right) H_{1,0,1,1}(x) + \frac{1}{6}(6040+364x^{-1}-4857x \\
& - 2429x^2)H_{1,1,0,1}(x) + (4495-165x^{-1}+7605x+665x^2)H_{0,1,1,1,1}(x) + \frac{1}{4}(2133+57x^{-1} \\
& + 4277x+97x^2)H_{1,0,0,0,1}(x) + \frac{1}{2}(2535+3x^{-1}+4601x+181x^2)H_{1,0,0,1,1}(x) + \frac{1}{2}(787 \\
& + 7x^{-1}+1937x+161x^2)H_{1,0,1,0,1}(x) + (2043-121x^{-1}+3039x+331x^2)H_{1,0,1,1,1}(x)
\end{aligned}$$

$$\begin{aligned}
& + \frac{1}{2}(1045 + 25x^{-1} + 2343x + 115x^2)H_{1,1,0,0,1}(x) + (397 - 79x^{-1} + 87x \\
& + 99x^2)H_{1,1,0,1,1}(x) - 13(71 + 3x^{-1} + 171x + 7x^2)H_{1,1,1,0,1}(x) \\
& + \left(x^{-1} + \frac{1}{36}(39067 + 117378x + 43427x^2) + \frac{1}{576}(958821 - 30967x^{-1} - 576x^{-2} \right. \\
& + 2171547x + 244855x^2)H_1(x) + \frac{1}{6}(4458 + 349x^{-1} - 555x - 1066x^2)H_{1,1}(x) \\
& + \frac{1}{8}(-4417 - 69x^{-1} - 6213x + 295x^2)H_{1,0,1}(x) - \frac{3}{4}(3923 + 79x^{-1} + 8661x \\
& + 441x^2)H_{1,1,1}(x) \Big) \zeta_2 + \frac{1}{320}(-101245 - 897x^{-1} - 334035x - 41039x^2)H_1(x)\zeta_2^2 \\
& + \left(-\frac{461}{6} - 180x - \frac{323x^2}{3} + \frac{1}{36}(-3732 + 16x^{-1} - 30489x - 6133x^2)H_1(x) \right. \\
& + \left.\frac{1}{4}(-1545 - 125x^{-1} - 4263x - 115x^2)H_{1,1}(x)\right) \zeta_3 \\
& + \bar{x}^4 \left((6 + 37x + 20x^2)(144H_{0,0,0,1,1,1}(x) + 200H_{0,0,1,1,1,1}(x) + 84H_{0,1,0,1,1,1}(x) \right. \\
& + 28H_{0,1,1,0,0,1}(x) + 8H_{0,1,1,0,1,1}(x) - 52H_{0,1,1,1,0,1}(x) + 4H_{1,0,0,0,0,1}(x) \\
& + 16H_{1,0,0,0,1,1}(x) - 4H_{1,0,0,1,0,1}(x) - 4H_{1,0,1,0,0,1}(x) + 8H_{1,0,1,0,1,1}(x) - 4H_{1,0,1,1,0,1}(x) \\
& + (-156H_{0,1,1,1}(x) - 12H_{1,0,0,1}(x) + 4H_{1,0,1,1}(x) + 8H_1(x)\zeta_3)\zeta_2 + (-24H_{0,1,1}(x) \\
& - 12H_{1,0,1}(x))\zeta_3 + 22H_1(x)\zeta_5 \Big) + \frac{1}{36}(-11772 + 159x^{-1} - 51220x - 7670x^2 \\
& + 4191x^3)H_{0,0,0,1}(x) + \frac{1}{18}(5304 + 1011x^{-1} - 76258x - 4778x^2 + 8409x^3)H_{0,0,1,1}(x) \\
& + \frac{1}{36}(-1002 - 645x^{-1} + 7879x + 49892x^2 + 10188x^3)H_{0,1,0,1}(x) + \frac{1}{24}(-708 + 81x^{-1} \\
& - 20510x - 22564x^2 - 147x^3)H_{0,0,0,0,1}(x) + \frac{1}{12}(10332 + 285x^{-1} - 5078x - 42004x^2 \\
& - 903x^3)H_{0,0,0,1,1}(x) + \left(15 - \frac{15x^{-1}}{4} - \frac{7349x}{6} - \frac{6833x^2}{3} - \frac{489x^3}{4}\right)H_{0,0,1,0,1}(x) \\
& + \frac{1}{6}(11604 - 201x^{-1} - 14878x - 53564x^2 - 3225x^3)H_{0,0,1,1,1}(x) + \frac{1}{4}(572 + 37x^{-1} \\
& - 4134x - 8124x^2 - 345x^3)H_{0,1,0,0,1}(x) + \frac{1}{6}(9852 - 51x^{-1} + 7138x - 20260x^2 \\
& - 1071x^3)H_{0,1,0,1,1}(x) + \frac{1}{6}(5484 - 45x^{-1} + 13376x - 1376x^2 - 177x^3)H_{0,1,1,0,1}(x) \\
& + (3 + 4x)(14 + 13x)H_{0,0,0,0,0,1}(x) + 2(18 + 11x)(11 + 52x)H_{0,0,0,0,1,1}(x) \\
& + (1 + 8x)(102 + 59x)H_{0,0,0,1,0,1}(x) + (138 + 769x + 416x^2)H_{0,0,1,0,0,1}(x) \\
& + 8(63 + 368x + 199x^2)H_{0,0,1,0,1,1}(x) + 24(7 + 50x + 27x^2)H_{0,0,1,1,0,1}(x) \\
& + (174 + 991x + 536x^2)H_{0,1,0,0,0,1}(x) + 4(96 + 551x + 298x^2)H_{0,1,0,0,1,1}(x) \\
& + 6(20 + 137x + 74x^2)H_{0,1,0,1,0,1}(x) + \left(\frac{1}{24}(-7086 - 1267x^{-1} + 80892x + 56850x^2 \right.
\end{aligned}$$

$$\begin{aligned}
 & + 3235x^3)H_{0,1}(x) + \frac{1}{48}(-24636 - 729x^{-1} - 47266x - 26156x^2 - 6549x^3)H_{0,0,1}(x) \\
 & + \frac{1}{8}(4476 - 79x^{-1} + 41306x + 37852x^2 + 1333x^3)H_{0,1,1}(x) \\
 & + \frac{3}{2}(6+x)(-13+4x)H_{0,0,0,1}(x) + (-174 - 581x - 316x^2)H_{0,0,1,1}(x) \\
 & + \frac{1}{2}(-354 - 1691x - 916x^2)H_{0,1,0,1}(x) - \left(748 + \frac{22003x}{6} + \frac{11428x^2}{3} + 192x^3\right)\zeta_3 \zeta_2 \\
 & - \left(\frac{1}{20}(17749 + 79906x + 10300x^2 - 8487x^3) + \frac{1}{10}(942 + 8023x + 4328x^2)H_{0,1}(x)\right)\zeta_2^2 \\
 & + \frac{1}{420}(209550 + 1224821x + 662332x^2)\zeta_2^3 + \left(\frac{1}{24}(1788 - 159x^{-1} - 2194x - 7604x^2 \right. \\
 & \left. - 579x^3)H_{0,1}(x) + (18 + 193x + 104x^2)H_{0,0,1}(x)\right)\zeta_3 + \frac{1}{2}(-18 - 193x - 104x^2)\zeta_3^2 \\
 & + \left(456 + \frac{13331x}{6} + \frac{5993x^2}{3} + 114x^3\right)\zeta_5 - 422x^{-1}H_{1,1,1,1,1}(x) \Big\}. \tag{C.2}
 \end{aligned}$$

The form factor $G_3^{(3)}$ in the color-planar limit, is given by

$$\begin{aligned}
 G_3^{(3)} = & N_C^3 \left[\frac{1}{\epsilon^4} \left\{ \frac{x^{-1}}{4} - \frac{1}{8}f_{2,3} x^{-1}H_1(x) \right\} + \frac{1}{\epsilon^3} \left\{ \frac{9x^{-1}}{2} + f_{2,3} \left(-\frac{1}{8}x^{-1}H_{0,1}(x) - \frac{5}{4}x^{-1}H_{1,1}(x) \right) \right. \right. \\
 & \left. \left. + \frac{1}{4}(31 - 17x^{-1})x^{-1}H_1(x) \right\} + \frac{1}{\epsilon^2} \left\{ \bar{x}^4(32 + 27x + 4x^2) \left(-H_{0,0,0,1}(x) - 2H_{0,0,1,1}(x) \right) \right. \right. \\
 & \left. \left. + 3H_{0,1}(x)\zeta_2 - \frac{27}{10}\zeta_2^2 + H_{0,1,0,1}(x) \right\} + \bar{x} \left(\frac{1}{144}(-445 + 229x^{-1}) + \frac{1}{288}(-3783 \right. \right. \\
 & \left. \left. + 2129x^{-1} + 214x^{-2})H_1(x) \right) + \bar{x}^3 \left(\frac{1}{12}(309 - 51x^{-1} - 25x^{-2} + 541x - 18x^2)H_{0,1}(x) \right. \right. \\
 & \left. \left. + \frac{1}{8}(-347 - 75x^{-1} + 6x^{-2} - 85x - 3x^2)H_{0,0,1}(x) + \frac{1}{4}(-527 + 33x^{-1} - 18x^{-2} + 47x \right. \right. \\
 & \left. \left. - 39x^2)H_{0,1,1}(x) + \frac{1}{4}(151 + 51x^{-1} - 6x^{-2} + 59x - 3x^2)H_{1,0,1}(x) + \left(\frac{1}{8}(1059 + 15x^{-1} \right. \right. \right. \\
 & \left. \left. \left. + 397x + 41x^2) - \frac{3}{16}(-709 - 141x^{-1} + 10x^{-2} - 159x - 9x^2)H_1(x) \right) \zeta_2 \right) \\
 & \left. + \frac{\bar{x}^2}{2}(-225 + 55x^{-1} - 17x^{-2} - 4x^{-3} + 65x)H_{1,1}(x) - \frac{19}{2}f_{2,3} x^{-1}H_{1,1,1}(x) \right\} \\
 & + \frac{1}{\epsilon} \left\{ \bar{x} \left(-\frac{49}{432}(-529 + 637x^{-1}) + \frac{1}{864}(84951 - 169535x^{-1} + 49592x^{-2})H_1(x) \right) \right. \\
 & \left. + \bar{x}^2 \left(\frac{1}{48}(6584 - 21343x^{-1} + 5562x^{-2} - 432x^{-3} - 4123x)H_{1,1}(x) \right. \right. \\
 & \left. \left. + (-505 - 373x^{-1} + 85x^{-2} - 24x^{-3} + 61x)H_{1,1,1}(x) \right) \right. \\
 & \left. + \bar{x}^4 \left((32 + 27x + 4x^2) \left(-4H_{0,0,0,0,1}(x) - 12H_{0,0,0,1,1}(x) - 7H_{0,0,1,0,1}(x) \right) \right. \right. \\
 & \left. \left. - 24H_{0,0,1,1,1}(x) - 5H_{0,1,0,0,1}(x) - 4H_{0,1,0,1,1}(x) + 8H_{0,1,1,0,1}(x) + (-H_{0,0,1}(x) \right. \right.
 \end{aligned}$$

$$\begin{aligned}
& +24H_{0,1,1}(x) - 23\zeta_3\zeta_2 + 3H_{0,1}(x)\zeta_3 + 2\zeta_5 + \frac{1}{8}(-448 - 357x^{-1} + 30x^{-2} + 1950x \\
& + 562x^2 + 3x^3)H_{0,0,0,1}(x) + \frac{1}{4}(-1616 - 233x^{-1} - 10x^{-2} + 3150x + 362x^2 \\
& + 87x^3)H_{0,0,1,1}(x) + \frac{1}{4}(-223x^{-1} + 10x^{-2} + 3(-456 + 190x + 38x^2 + 9x^3))H_{0,1,0,1}(x) \\
& + \frac{1}{16}(-3688 - 283x^{-1} + 34x^{-2} - 5642x - 834x^2 - 27x^3)H_{0,1}(x)\zeta_2 \\
& + \frac{27}{20}(2 + 3x)(71 + 16x)\zeta_2^2 + \bar{x}^3\left(\frac{1}{96}(30351 - 13793x^{-1} + 1234x^{-2} + 5909x \right. \\
& + 3803x^2)H_{0,1}(x) + \frac{1}{4}(-188 - 302x^{-1} + 19x^{-2} + 61x + 20x^2)H_{0,0,1}(x) + \left(20 - 143x^{-1} \right. \\
& + \frac{53x^{-2}}{6} - 4x^{-3} + \frac{1903x}{6} - 16x^2\left.)\right)H_{0,1,1}(x) + \frac{1}{12}(3111 - 1899x^{-1} + 236x^{-2} - 24x^{-3} \\
& + 1780x + 234x^2)H_{1,0,1}(x) + \frac{1}{2}(-2997 + 99x^{-1} - 86x^{-2} + 161x - 201x^2)H_{0,1,1,1}(x) \\
& + \frac{1}{4}(-845 - 201x^{-1} + 18x^{-2} - 229x - 3x^2)H_{1,0,0,1}(x) + \frac{1}{2}(-767 + 177x^{-1} - 50x^{-2} \\
& + 223x - 87x^2)H_{1,0,1,1}(x) + \frac{1}{2}(619 + 195x^{-1} - 22x^{-2} + 225x - 9x^2)H_{1,1,0,1}(x) \\
& + \left(\frac{1}{4}(2439 - 53x^{-1} + 879x + 173x^2) + \frac{1}{8}(5480 - 518x^{-1} + 89x^{-2} + 1520x + 305x^2)H_1(x) \right. \\
& + \frac{1}{8}(8403 + 1755x^{-1} - 134x^{-2} + 1985x + 87x^2)H_{1,1}(x)\left.)\right)\zeta_2 + \left(\frac{1}{4}(465 + 29x^{-1} + 259x \right. \\
& + 3x^2) + \frac{1}{8}(741 + 405x^{-1} - 58x^{-2} + 475x - 51x^2)H_1(x)\left.)\right)\zeta_3 - 65f_{2,3}x^{-1}H_{1,1,1,1}(x)\left.\right\} \\
& + \left\{\bar{x}\left(\frac{11}{864}(-3977 + 7793x^{-1}) + \frac{1}{576}(11973 + 126201x^{-1} - 52270x^{-2})H_1(x)\right) \right. \\
& + \bar{x}^2\left(\frac{1}{432}(869354 + 292505x^{-1} - 97804x^{-2} + 28032x^{-3} - 142119x)H_{1,1}(x) \right. \\
& + \frac{1}{72}\left(123584 - 157213x^{-1} + 29390x^{-2} + 4416x^{-3} - \frac{864}{x^4} - 55041x\right)H_{1,1,1}(x) \\
& \left. - 2(1029 + 2453x^{-1} - 595x^{-2} + 100x^{-3} + 163x)H_{1,1,1,1}(x)\right) + \bar{x}^3\left(\frac{1}{864}(-1251627 \right. \\
& + 510225x^{-1} - 5128x^{-2} - 1148309x - 5097x^2)H_{0,1}(x) + \frac{1}{288}(561509 + 88581x^{-1} \\
& - 9066x^{-2} + 91639x + 8217x^2)H_{0,0,1}(x) + \frac{1}{144}(781601 - 108303x^{-1} + 12734x^{-2} \\
& + 192x^{-3} - 36397x + 58653x^2)H_{0,1,1}(x) + \frac{1}{144}(-182059 - 55923x^{-1} + 13510x^{-2} \\
& - 1920x^{-3} - 70857x + 16881x^2)H_{1,0,1}(x) + \left(\frac{13307}{3} - 2131x^{-1} + \frac{1345x^{-2}}{3} - 64x^{-3} \right. \\
& + 1859x + 204x^2\left.)\right)H_{0,1,1,1}(x) + \frac{1}{12}(10869 - 2793x^{-1} + 304x^{-2} + 2804x \\
& + 606x^2)H_{1,0,0,1}(x) + \left(\frac{4681}{3} - 2059x^{-1} + 321x^{-2} - 36x^{-3} + \frac{2276x}{3} + 187x^2\right)H_{1,0,1,1}(x)
\end{aligned}$$

$$\begin{aligned}
& + \frac{1}{6}(4474 - 7848x^{-1} + 1142x^{-2} - 120x^{-3} + 2229x + 1005x^2)H_{1,1,0,1}(x) \\
& - 5(2455 - 57x^{-1} + 66x^{-2} - 103x + 159x^2)H_{0,1,1,1,1}(x) + \frac{1}{4}(-4357 - 1233x^{-1} \\
& + 138x^{-2} - 1133x + 21x^2)H_{1,0,0,0,1}(x) + \frac{1}{2}(-5755 - 819x^{-1} + 30x^{-2} - 617x \\
& - 159x^2)H_{1,0,0,1,1}(x) + \frac{1}{2}(-2091 - 291x^{-1} + 2x^{-2} - 461x - 51x^2)H_{1,0,1,0,1}(x) \\
& + (-5931 + 585x^{-1} - 242x^{-2} + 785x - 489x^2)H_{1,0,1,1,1}(x) + \frac{1}{2}(-2369 - 561x^{-1} \\
& + 50x^{-2} - 639x - 9x^2)H_{1,1,0,0,1}(x) + (-1577 + 663x^{-1} - 158x^{-2} + 817x \\
& - 249x^2)H_{1,1,0,1,1}(x) + 13(151 + 51x^{-1} - 6x^{-2} + 59x - 3x^2)H_{1,1,1,0,1}(x) \\
& + \left(\frac{1}{288}(-1110357 + 10591x^{-1} + 3072x^{-2} - 517555x + 14985x^2) \right. \\
& + \frac{1}{576}(-3006825 - 17217x^{-1} + 24418x^{-2} - 3840x^{-3} - 362419x + 22203x^2)H_1(x) \\
& + \frac{1}{12}(-1662 - 10002x^{-1} + 1171x^{-2} - 84x^{-3} + 1970x + 2235x^2)H_{1,1}(x) \\
& + \frac{1}{8}(7697 + 2181x^{-1} - 282x^{-2} + 805x + 3x^2)H_{1,0,1}(x) - \frac{3}{4}(-9007 - 1959x^{-1} \\
& + 158x^{-2} - 2221x - 75x^2)H_{1,1,1}(x) \Big) \zeta_2 + \frac{1}{320}(334673 + 33033x^{-1} + 3390x^{-2} \\
& + 96091x + 10029x^2)H_1(x)\zeta_2^2 + \left(\frac{1}{18}(3336 - 385x^{-1} + 72x^{-2} + 3819x - 281x^2) \right. \\
& + \frac{1}{36}(30828 - 5040x^{-1} + 1319x^{-2} - 144x^{-3} + 12193x + 1182x^2)H_1(x) \\
& + \frac{1}{4}(2829 + 1701x^{-1} - 250x^{-2} + 1999x - 231x^2)H_{1,1}(x) \Big) \zeta_3 \Big) \tag{C.3} \\
& + \bar{x}^4 \left((32 + 27x + 4x^2)(-144H_{0,0,0,1,1,1}(x) - 200H_{0,0,1,1,1,1}(x) - 84H_{0,1,0,1,1,1}(x) \right. \\
& - 28H_{0,1,1,0,0,1}(x) - 8H_{0,1,1,0,1,1}(x) + 52H_{0,1,1,1,0,1}(x) - 4H_{1,0,0,0,0,1}(x) \\
& - 16H_{1,0,0,0,1,1}(x) + 4H_{1,0,0,1,0,1}(x) + 4H_{1,0,1,0,0,1}(x) - 8H_{1,0,1,0,1,1}(x) + 4H_{1,0,1,1,0,1}(x) \\
& + (156H_{0,1,1,1}(x) + 12H_{1,0,0,1}(x) - 4H_{1,0,1,1}(x) - 8H_1(x)\zeta_3)\zeta_2 \\
& + (24H_{0,1,1}(x) + 12H_{1,0,1}(x))\zeta_3 - 22H_1(x)\zeta_5) \\
& + \frac{1}{36}(53702 - 984x^{-1} - 15x^{-2} + 16098x - 1697x^2 - 792x^3)H_{0,0,0,1}(x) \\
& + \frac{1}{18}(70190 - 17844x^{-1} + 1149x^{-2} + 20892x - 6581x^2 - 1494x^3)H_{0,0,1,1}(x) \\
& + \frac{1}{36}(11536 + 93x^{-1} + 744x^{-2} - 216x^{-3} - 63909x - 12454x^2 - 2106x^3)H_{0,1,0,1}(x) \\
& + \frac{1}{24}(16000 - 1899x^{-1} + 162x^{-2} + 25170x + 4406x^2 + 9x^3)H_{0,0,0,0,1}(x)
\end{aligned}$$

$$\begin{aligned}
& + \frac{1}{12}(-5120 - 7887x^{-1} + 714x^{-2} + 40890x + 8510x^2 + 261x^3)H_{0,0,0,1,1}(x) \\
& + \frac{1}{12}(8288 - 1161x^{-1} - 18x^{-2} + 30366x + 5590x^2 + 297x^3)H_{0,0,1,0,1}(x) \\
& + \frac{1}{6}(-12520 - 3117x^{-1} - 186x^{-2} + 68130x + 6202x^2 + 1755x^3)H_{0,0,1,1,1}(x) \\
& + \frac{1}{4}(2496 - 1007x^{-1} + 98x^{-2} + 8450x + 1954x^2 + 3x^3)H_{0,1,0,0,1}(x) \\
& + \frac{1}{6}(-20168 - 2463x^{-1} - 102x^{-2} + 24546x + 1670x^2 + 909x^3)H_{0,1,0,1,1}(x) \\
& + \frac{1}{6}(-17344 - 657x^{-1} - 162x^{-2} + 1128x - 614x^2 + 387x^3)H_{0,1,1,0,1}(x) \\
& + (-112 - 81x + 4x^2)H_{0,0,0,0,0,1}(x) - 2(944 + 783x + 100x^2)H_{0,0,0,0,1,1}(x) \\
& + (-712 - 621x - 116x^2)H_{0,0,0,1,0,1}(x) + (-680 - 567x - 76x^2)H_{0,0,1,0,0,1}(x) \\
& - 16(161 + 135x + 19x^2)H_{0,0,1,0,1,1}(x) - 144(7 + 6x + x^2)H_{0,0,1,1,0,1}(x) \\
& + (-872 - 729x - 100x^2)H_{0,1,0,0,0,1}(x) - 4(484 + 405x + 56x^2)H_{0,1,0,0,1,1}(x) \\
& - 6(116 + 99x + 16x^2)H_{0,1,0,1,0,1}(x) \\
& + \left(\frac{1}{24}(-56768 + 18482x^{-1} - 887x^{-2} - 96x^{-3} - 84230x - 8069x^2 - 1056x^3)H_{0,1}(x) \right. \\
& + \frac{1}{48}(48560 + 12483x^{-1} - 1458x^{-2} + 34830x + 10426x^2 + 495x^3)H_{0,0,1}(x) \\
& + \frac{1}{8}(-34224 + 2453x^{-1} - 446x^{-2} - 45014x - 7738x^2 + 81x^3)H_{0,1,1}(x) \\
& - \frac{3}{2}(-80 - 27x + 44x^2)H_{0,0,0,1}(x) + (592 + 459x + 20x^2)H_{0,0,1,1}(x) \\
& \left. + \frac{1}{2}(1552 + 1269x + 140x^2)H_{0,1,0,1}(x) + \left(\frac{9967}{3} + \frac{8663x}{2} + \frac{2072x^2}{3} + 72x^3 \right) \zeta_3 \right) \zeta_2 \\
& + \left(\frac{1}{160}(603140 - 1695x^{-1} + 301526x - 105172x^2 - 2055x^3) + \frac{1}{10}(6536 + 5697x \right. \\
& \left. + 1060x^2)H_{0,1}(x) \right) \zeta_2^2 + \frac{1}{420}(-1071568 - 898587x - 126548x^2)\zeta_3^2 \\
& + \left(\frac{1}{24}(-4696 + 741x^{-1} - 318x^{-2} + 12222x + 358x^2 + 441x^3)H_{0,1}(x) \right. \\
& \left. + (-152 - 135x - 28x^2)H_{0,0,1}(x) \right) \zeta_3 + \frac{1}{2}(152 + 135x + 28x^2)\zeta_3^2 \\
& \left. + \left(-\frac{5876}{3} - \frac{4707x}{2} - \frac{1342x^2}{3} - 30x^3 \right) \zeta_5 - 422f_{2,3} x^{-1}H_{1,1,1,1,1}(x) \right\}. \tag{C.4}
\end{aligned}$$

The form factor $S^{(3)}$ in the color-planar limit, is given by

$$S^{(3)} = N_C^3 \left[\frac{1}{\epsilon^6} \left\{ -\frac{1}{48} \right\} + \frac{1}{\epsilon^5} \left\{ -\frac{27}{32} - \frac{1}{8}H_1(x) \right\} + \frac{1}{\epsilon^4} \left\{ -\frac{37055}{5184} + \frac{1}{24}(-70 - 3x^{-1})H_1(x) \right\} \right].$$

$$\begin{aligned}
& -\frac{1}{8}H_{0,1}(x) - \frac{3}{4}H_{1,1}(x) - \frac{5}{32}\zeta_2 \Big\} + \frac{1}{\epsilon^3} \Big\{ -\frac{123775}{31104} + \frac{1}{864}(-7067 - 1836x^{-1})H_1(x) \\
& + \frac{1}{8}(-16 - x^{-1})H_{0,1}(x) + \frac{1}{12}(-107 - 15x^{-1})H_{1,1}(x) - \frac{1}{8}H_{0,0,1}(x) - \frac{5}{4}H_{0,1,1}(x) \\
& - \frac{3}{4}H_{1,0,1}(x) - \frac{9}{2}H_{1,1,1}(x) - \frac{29}{48}\zeta_3 + \frac{\zeta_2(-3191 - 1620H_1(x))}{1728} \Big\} \\
& + \frac{1}{\epsilon^2} \Big\{ \frac{2746}{243} + \bar{x} \Big(\frac{1}{288}(-73 - 228x^{-1} - 419x)H_{0,1}(x) + \frac{1}{24}(11 + 9x^{-1} + 28x)H_{0,0,1}(x) \\
& + \Big(\frac{1}{4} - \frac{9x^{-1}}{4} + 6x \Big) H_{0,1,1}(x) + \frac{1}{12}(-74 - 9x^{-1} + 59x)H_{1,0,1}(x) \\
& + \Big(\frac{1}{10368}(-38981 - 18043x) + \frac{1}{144}(-1303 - 135x^{-1} + 574x)H_1(x) \Big) \zeta_2 \Big) \\
& + \bar{x}^2 \Big(\frac{1}{8}(15 - 6x + 7x^2)H_{0,0,0,1}(x) + \frac{1}{4}(3 + 18x - 5x^2)H_{0,0,1,1}(x) \\
& + \frac{1}{4}(-9 + 6x - 5x^2)H_{0,1,0,1}(x) - \frac{3}{16}(29 - 10x + 13x^2)H_{0,1}(x)\zeta_2 \\
& + \frac{1}{5760}(15229 + 16198x - 323x^2)\zeta_2^2 \Big) + \frac{1}{2592}(33781 + 3015x^{-1})H_1(x) \\
& + \frac{1}{48}(305 - 300x^{-1} - 48x^{-2})H_{1,1}(x) + \frac{1}{6}(-115 - 57x^{-1})H_{1,1,1}(x) - \frac{19}{2}H_{0,1,1,1}(x) \\
& - \frac{3}{4}H_{1,0,0,1}(x) - \frac{15}{2}H_{1,0,1,1}(x) - \frac{9}{2}H_{1,1,0,1}(x) - 27H_{1,1,1,1}(x) - \frac{45}{8}H_{1,1}(x)\zeta_2 \\
& + \frac{1}{864}\zeta_3(-4993 - 3132H_1(x)) \Big\} + \frac{1}{\epsilon} \Big\{ \frac{1761547}{69984} + \bar{x} \Big(\frac{1}{864}(-1802 + 7677x^{-1} \\
& - 14299x)H_{0,1}(x) + \frac{1}{96}(349 + 300x^{-1} - 697x)H_{0,0,1}(x) + \frac{1}{48}(1449 + 92x^{-1} - 96x^{-2} \\
& - 2213x)H_{0,1,1}(x) + \frac{1}{48}(413 + 448x^{-1} - 48x^{-2} - 1149x)H_{1,0,1}(x) + \frac{1}{2}(171 - 43x^{-1} \\
& - 32x)H_{0,1,1,1}(x) + \frac{1}{12}(94 + 27x^{-1} - x)H_{1,0,0,1}(x) + \frac{1}{2}(48 - 25x^{-1} - 7x)H_{1,0,1,1}(x) \\
& + \frac{1}{6}(-52 - 33x^{-1} - 11x)H_{1,1,0,1}(x) + \Big(\frac{1}{62208}(-120005 - 766459x) \\
& + \frac{1}{1728}(-9677 + 11340x^{-1} - 31039x)H_1(x) + \frac{1}{24}(-868 - 201x^{-1} - 83x)H_{1,1}(x) \Big) \zeta_2 \\
& + \Big(\frac{1}{1728}(5753 - 11801x) + \frac{1}{8}(-93 - 29x^{-1} + 74x)H_1(x) \Big) \zeta_3 \Big) + \bar{x}^2 \Big(\frac{1}{8}(22 + 15x^{-1} \\
& - 149x + 32x^2)H_{0,0,0,1}(x) + \frac{1}{12}(218 - 15x^{-1} - 475x + 32x^2)H_{0,0,1,1}(x) \\
& + \frac{1}{12}(232 + 15x^{-1} - 155x + 28x^2)H_{0,1,0,1}(x) + \frac{1}{8}(63 - 30x + 31x^2)H_{0,0,0,0,1}(x) \\
& + \frac{1}{4}(67 + 10x + 19x^2)H_{0,0,0,1,1}(x) + \frac{1}{4}(47 - 10x + 19x^2)H_{0,0,1,0,1}(x) \\
& + \frac{1}{2}(29 + 86x - 19x^2)H_{0,0,1,1,1}(x) + \frac{1}{4}(39 - 18x + 19x^2)H_{0,1,0,0,1}(x) \\
& + \frac{1}{2}(-13 + 50x - 21x^2)H_{0,1,0,1,1}(x) + \frac{1}{2}(-35 + 22x - 19x^2)H_{0,1,1,0,1}(x)
\end{aligned}$$

$$\begin{aligned}
& + \left(\frac{1}{16} (218 + 17x^{-1} + 289x - 44x^2) H_{0,1}(x) + \frac{1}{16} (41 - 34x + 25x^2) H_{0,0,1}(x) \right. \\
& + \frac{1}{8} (-355 + 134x - 163x^2) H_{0,1,1}(x) + \frac{1}{288} (9823 + 226x + 3199x^2) \zeta_3 \Big) \zeta_2 \\
& + \frac{1}{11520} (-178171 - 125770x - 7099x^2) \zeta_2^2 + \frac{1}{8} (-65 + 58x - 41x^2) H_{0,1}(x) \zeta_3 \\
& + \frac{1}{240} (-5087 + 8734x - 4607x^2) \zeta_5 \Big) + \frac{1}{1728} (-3309 + 59072x^{-1}) H_1(x) \\
& + \frac{1}{48} (1243 + 2545x^{-1} - 216x^{-2}) H_{1,1}(x) + \frac{1}{24} (2233 + 444x^{-1} - 288x^{-2}) H_{1,1,1}(x) \\
& + \frac{1}{3} (67 - 195x^{-1}) H_{1,1,1,1}(x) - 65 H_{0,1,1,1,1}(x) + \frac{9}{4} H_{1,0,0,0,1}(x) - \frac{27}{2} H_{1,0,0,1,1}(x) \\
& - \frac{9}{2} H_{1,0,1,0,1}(x) - 57 H_{1,0,1,1,1}(x) - \frac{9}{2} H_{1,1,0,0,1}(x) - 45 H_{1,1,0,1,1}(x) - 27 H_{1,1,1,0,1}(x) \\
& - 162 H_{1,1,1,1,1}(x) - \left(\frac{45}{8} H_{1,0,1}(x) + \frac{135}{4} H_{1,1,1}(x) \right) \zeta_2 - \frac{8099}{960} H_1(x) \zeta_2^2 - \frac{87}{4} H_{1,1}(x) \zeta_3 \Big\} \\
& + \left\{ \frac{4233773}{419904} + \bar{x} \left(\frac{1}{1728} (120419 - 24352x^{-1} + 105149x) H_{0,1}(x) + \frac{1}{864} (-85898 \right. \right. \\
& - 14067x^{-1} + 5957x) H_{0,0,1}(x) + \frac{1}{432} (-143750 + 26553x^{-1} + 288x^{-2} + 33989x) H_{0,1,1}(x) \\
& + \frac{1}{432} (33010 + 14541x^{-1} - 2880x^{-2} + 3521x) H_{1,0,1}(x) + \left(\frac{985x^{-1}}{6} - 32x^{-2} \right. \\
& + \frac{1}{72} (-14441 - 16915x) \Big) H_{0,1,1,1}(x) + \frac{1}{144} (-4105 + 2328x^{-1} - 4559x) H_{1,0,0,1}(x) \\
& + \frac{1}{72} (2471 + 9756x^{-1} - 1296x^{-2} - 13715x) H_{1,0,1,1}(x) + \frac{1}{72} (4655 + 6132x^{-1} - 720x^{-2} \\
& - 8183x) H_{1,1,0,1}(x) - 5(-185 + 33x^{-1} + 72x) H_{0,1,1,1,1}(x) \\
& + \left(63 + \frac{69x^{-1}}{4} - \frac{49x}{4} \right) H_{1,0,0,0,1}(x) + \frac{1}{2} (418 + 15x^{-1} - 137x) H_{1,0,0,1,1}(x) \\
& + \frac{1}{2} (151 + x^{-1} - 92x) H_{1,0,1,0,1}(x) + \frac{1}{3} (1666 - 363x^{-1} - 799x) H_{1,0,1,1,1}(x) \\
& + \frac{1}{6} (452 + 75x^{-1} - 191x) H_{1,1,0,0,1}(x) + (298 - 79x^{-1} - 203x) H_{1,1,0,1,1}(x) \\
& + \left(\frac{232}{3} - 39x^{-1} - \frac{427x}{3} \right) H_{1,1,1,0,1}(x) + \left(\frac{1}{23328} (5042833 + 124416x^{-1} + 2370287x) \right. \\
& + \frac{1}{5184} (1696418 + 10629x^{-1} - 17280x^{-2} + 10585x) H_1(x) + \frac{1}{96} (10951 + 4684x^{-1} \\
& - 336x^{-2} - 6035x) H_{1,1}(x) + \frac{1}{8} (-342 - 141x^{-1} - 229x) H_{1,0,1}(x) \\
& - \frac{3}{4} (166 + 79x^{-1} + 171x) H_{1,1,1}(x) \Big) \zeta_2 + \frac{1}{320} (6439 + 1695x^{-1} - 9542x) H_1(x) \zeta_2^2 \\
& + \left(\frac{1}{31104} (1417255 + 62208x^{-1} - 2337415x) + \frac{1}{864} (21247 + 14532x^{-1} - 1728x^{-2} \right.
\end{aligned}$$

$$\begin{aligned}
& -51619x)H_1(x) + \frac{1}{36}(664 - 1125x^{-1} - 1267x)H_{1,1}(x) \Big) \zeta_3 \\
& + \bar{x}^2 \left(\frac{1}{288}(-25797 + 156x^{-1} + 7686x - 4861x^2)H_{0,0,0,1}(x) + \frac{1}{144}(-27593 \right. \\
& + 5964x^{-1} - 11474x + 10287x^2)H_{0,0,1,1}(x) + \frac{1}{144}(-865 + 912x^{-1} - 432x^{-2} + 4106x \\
& + 7687x^2)H_{0,1,0,1}(x) + \frac{1}{24}(-602 + 81x^{-1} - 935x + 12x^2)H_{0,0,0,0,1}(x) \\
& + \frac{1}{12}(110 + 357x^{-1} - 2347x + 124x^2)H_{0,0,0,1,1}(x) + \frac{1}{12}(-440 - 9x^{-1} - 1475x \\
& + 152x^2)H_{0,0,1,0,1}(x) + \frac{1}{6}(1054 - 93x^{-1} - 4145x + 596x^2)H_{0,0,1,1,1}(x) \\
& + \frac{1}{12}(-352 + 147x^{-1} - 1123x + 56x^2)H_{0,1,0,0,1}(x) + \frac{1}{6}(1560 - 51x^{-1} - 2223x \\
& + 518x^2)H_{0,1,0,1,1}(x) + \frac{1}{6}(1357 - 81x^{-1} - 953x + 422x^2)H_{0,1,1,0,1}(x) \\
& + \frac{1}{8}(111 - 54x + 23x^2)H_{0,0,0,0,0,1}(x) + \frac{1}{4}(467 - 142x + 171x^2)H_{0,0,0,0,1,1}(x) \\
& + \frac{1}{4}(111 - 18x + 67x^2)H_{0,0,0,1,0,1}(x) + \frac{1}{2}(341 + 182x + 53x^2)H_{0,0,0,1,1,1}(x) \\
& + \frac{1}{4}(175 - 74x + 75x^2)H_{0,0,1,0,0,1}(x) + \frac{1}{2}(235 + 34x + 59x^2)H_{0,0,1,0,1,1}(x) \\
& + \frac{3}{2}(31 - 6x + 15x^2)H_{0,0,1,1,0,1}(x) - 5(-27 - 66x + 13x^2)H_{0,0,1,1,1,1}(x) \\
& + \frac{1}{4}(231 - 114x + 107x^2)H_{0,1,0,0,0,1}(x) + \frac{1}{2}(195 - 6x + 59x^2)H_{0,1,0,0,1,1}(x) \\
& + \frac{1}{2}(67 - 14x + 31x^2)H_{0,1,0,1,0,1}(x) + (5 + 242x - 79x^2)H_{0,1,0,1,1,1}(x) \\
& + \frac{1}{2}(109 - 50x + 53x^2)H_{0,1,1,0,0,1}(x) + (-67 + 158x - 75x^2)H_{0,1,1,0,1,1}(x) \\
& - 13(9 - 6x + 5x^2)H_{0,1,1,1,0,1}(x) + \frac{1}{4}(77 - 106x + 61x^2)H_{1,0,0,0,0,1}(x) \\
& + \frac{1}{2}(49 - 2x + 17x^2)H_{1,0,0,0,1,1}(x) + \frac{1}{2}(-1 - 22x + 7x^2)H_{1,0,0,1,0,1}(x) \\
& + \frac{1}{2}(11 - 46x + 19x^2)H_{1,0,1,0,0,1}(x) + (-59 + 142x - 67x^2)H_{1,0,1,0,1,1}(x) \\
& + (-41 + 70x - 37x^2)H_{1,0,1,1,0,1}(x) + \left(\frac{1}{576}(76337 - 15324x^{-1} - 1152x^{-2} + 50018x \right. \\
& + 27017x^2)H_{0,1}(x) + \frac{1}{48}(-3806 - 729x^{-1} - 641x + 344x^2)H_{0,0,1}(x) \\
& + \frac{1}{24}(6754 - 669x^{-1} + 2155x + 1708x^2)H_{0,1,1}(x) - \frac{3}{16}(205 - 98x + 5x^2)H_{0,0,0,1}(x) \\
& + \frac{1}{8}(-331 - 34x - 3x^2)H_{0,0,1,1}(x) + \frac{1}{8}(-423 + 138x - 139x^2)H_{0,1,0,1}(x) \\
& - \frac{3}{4}(391 - 158x + 183x^2)H_{0,1,1,1}(x) - \frac{3}{8}(47 + 2x + 15x^2)H_{1,0,0,1}(x) \\
& \left. + \frac{1}{4}(-169 + 386x - 185x^2)H_{1,0,1,1}(x) + \left(\frac{1}{192}(-38247 - 22866x + 857x^2) \right. \right.
\end{aligned}$$

$$\begin{aligned}
 & + \frac{1}{48} (655 - 158x + 271x^2) H_1(x) \Big) \zeta_3 \Big) \zeta_2 + \left(\frac{1}{69120} (-11522237 - 2723462x \right. \\
 & - 539069x^2) + \frac{1}{320} (-8433 + 1794x - 5137x^2) H_{0,1}(x) \Big) \zeta_2^2 + \frac{1}{241920} (25868957 \\
 & + 8612486x + 4805213x^2) \zeta_2^3 + \left(\frac{1}{72} (2480 - 477x^{-1} - 2413x + 386x^2) H_{0,1}(x) \right. \\
 & + \frac{1}{8} (31 + 10x + 23x^2) H_{0,0,1}(x) + \frac{1}{4} (-269 + 250x - 173x^2) H_{0,1,1}(x) \\
 & - \frac{3}{4} (61 - 74x + 45x^2) H_{1,0,1}(x) \Big) \zeta_3 + \frac{1}{288} (-4759 + 8222x - 4615x^2) \zeta_3^2 \\
 & + \left(\frac{1}{96} (8241 + 7566x - 2183x^2) - \frac{11}{40} (237 - 714x + 317x^2) H_1(x) \right) \zeta_5 \Big) \\
 & + \frac{1}{93312} (5454773 - 6967134x^{-1}) H_1(x) - \frac{1}{2592} (227743 + 90336x^{-1} - 84744x^{-2}) H_{1,1}(x) \\
 & + \left(-\frac{20345}{216} + \frac{18391x^{-1}}{72} + \frac{56x^{-2}}{3} - 6x^{-3} \right) H_{1,1,1}(x) - \frac{5}{36} (-3199 - 2844x^{-1} \\
 & + 720x^{-2}) H_{1,1,1,1}(x) - \frac{2}{3} (-1025 + 633x^{-1}) H_{1,1,1,1,1}(x) - 422 H_{0,1,1,1,1,1}(x) \\
 & - 129 H_{1,0,0,1,1,1}(x) - 390 H_{1,0,1,1,1,1}(x) + \frac{27}{2} H_{1,1,0,0,0,1}(x) - 81 H_{1,1,0,0,1,1}(x) \\
 & - 27 H_{1,1,0,1,0,1}(x) - 342 H_{1,1,0,1,1,1}(x) - 27 H_{1,1,1,0,0,1}(x) - 270 H_{1,1,1,0,1,1}(x) \\
 & - 162 H_{1,1,1,1,0,1}(x) - 972 H_{1,1,1,1,1,1}(x) + \left(-\frac{135}{4} H_{1,1,0,1}(x) - \frac{405}{2} H_{1,1,1,1}(x) \right) \zeta_2 \\
 & - \frac{8099}{160} H_{1,1}(x) \zeta_2^2 - \frac{261}{2} H_{1,1,1}(x) \zeta_3 \Big] \Big\}. \tag{C.5}
 \end{aligned}$$

D Four-loop form factors in the asymptotic limit

In this section, we present partial results for the four-loop form factors in the asymptotic limit ($\tilde{G}_1^{(4)}$ and $\tilde{S}^{(4)}$). With all the available components, we have obtained up to $\frac{1}{\epsilon^3}$ poles completely, while partial results have been computed for $\frac{1}{\epsilon^2}$, $\frac{1}{\epsilon}$ and ϵ^0 coefficients. The light fermionic contributions are completely known for the $\frac{1}{\epsilon^2}$ pole, while $\mathcal{O}(L^0)$ and $\mathcal{O}(L^0, L^1)$ terms can not be predicted for the $\frac{1}{\epsilon}$ and ϵ^0 coefficients, respectively. For the non-fermionic contributions, all the higher powers of L can be predicted except for $\mathcal{O}(L^0)$ in $\frac{1}{\epsilon^2}$, $\mathcal{O}(L^0)$ and $\mathcal{O}(L^1)$ in $\frac{1}{\epsilon}$, $\mathcal{O}(L^0)$, $\mathcal{O}(L^1)$ and $\mathcal{O}(L^2)$ in ϵ^0 . In the following, we mention the Casimirs appearing in the four-loop results

$$\begin{aligned}
 N_A &= (N_C^2 - 1), \quad N_F = N_C, \\
 \frac{d_F^{abcd} d_F^{abcd}}{N_F} &= \frac{N_A (N_C^4 - 6N_C^2 + 18)}{96N_C^3}, \quad \frac{d_A^{abcd} d_F^{abcd}}{N_F} = \frac{N_A (N_C^2 + 6)}{48}. \tag{D.1}
 \end{aligned}$$

The result for $\tilde{G}_1^{(4)}$ is given below.

$$\begin{aligned}
 \tilde{G}_1^{(4)} &= \frac{1}{\epsilon^8} \left\{ C_F^4 \left[\frac{1}{24} \right] \right\} + \frac{1}{\epsilon^7} \left\{ C_F^4 \left[\frac{5}{12} - \frac{L}{3} \right] + C_A C_F^3 \left[\frac{11}{8} \right] + C_F^3 n_l T_F \left[-\frac{1}{2} \right] \right\} \\
 &+ \frac{1}{\epsilon^6} \left\{ C_F^4 \left[\frac{7}{6} L^2 - 3L + \frac{41}{16} - \frac{1}{4} \zeta_2 \right] + C_A C_F^3 \left[\frac{593}{72} - \frac{22}{3} L + \frac{1}{4} \zeta_2 \right] + C_A^2 C_F^2 \left[\frac{31097}{2592} \right] \right\}
 \end{aligned}$$

$$\begin{aligned}
& + C_F^3 n_l T_F \left[-\frac{55}{18} + \frac{8L}{3} \right] + C_A C_F^2 n_l T_F \left[-\frac{2827}{324} \right] + C_F^2 n_l^2 T_F^2 \left[\frac{257}{162} \right] \Big\} \\
& + \frac{1}{\epsilon^5} \left\{ C_F^4 \left[-\frac{43}{18} L^3 + \frac{19}{2} L^2 + L \left(-\frac{52}{3} + \frac{5}{3} \zeta_2 \right) + \frac{143}{12} - \frac{2}{3} \zeta_2 - \frac{67}{18} \zeta_3 \right] \right. \\
& + C_A C_F^3 \left[\frac{187}{12} L^2 + L \left(-\frac{296}{9} - 2\zeta_2 \right) + \frac{24463}{864} - \frac{15}{4} \zeta_2 + \frac{11}{4} \zeta_3 \right] + C_A^2 C_F^2 \left[\frac{51731}{1944} \right. \\
& - \frac{11495}{324} L + \frac{737}{216} \zeta_2 \Big] + C_A^3 C_F \left[\frac{33275}{1296} \right] + C_F^3 n_l T_F \left[-\frac{17}{3} L^2 + \frac{112}{9} L - \frac{1937}{216} + 2\zeta_2 \right] \\
& + C_A C_F^2 n_l T_F \left[-\frac{5074}{243} + \frac{2090L}{81} - \frac{67}{54} \zeta_2 \right] + C_A^2 C_F n_l T_F \left[-\frac{3025}{108} \right] \\
& + C_F^2 n_l^2 T_F^2 \left[\frac{1090}{243} - \frac{380}{81} L \right] + C_A C_F n_l^2 T_F^2 \left[\frac{275}{27} \right] + C_F n_l^3 T_F^3 \left[-\frac{100}{81} \right] \Big\} \\
& + \frac{1}{\epsilon^4} \left\{ C_F^4 \left[\frac{235}{72} L^4 - \frac{107}{6} L^3 + L^2 \left(\frac{313}{6} - \frac{29}{6} \zeta_2 \right) + L \left(-\frac{307}{4} + \zeta_2 + \frac{262}{9} \zeta_3 \right) + \frac{20317}{384} \right. \right. \\
& + \frac{367}{24} \zeta_2 - \frac{127}{15} \zeta_2^2 - \frac{685}{18} \zeta_3 - 12\zeta_2 \log(2) \Big] + C_A C_F^3 \left[-\frac{605}{36} L^3 + L^2 \left(\frac{1571}{36} + \frac{13}{2} \zeta_2 \right) \right. \\
& + L \left(-\frac{8029}{108} + \frac{44}{3} \zeta_2 - 24\zeta_3 \right) + \frac{57943}{1296} - \frac{133}{16} \zeta_2 + \frac{13}{10} \zeta_2^2 - \frac{341}{36} \zeta_3 + 6\zeta_2 \log(2) \Big] \\
& + C_A^2 C_F^2 \left[\frac{2662}{81} L^2 + L \left(-\frac{7757}{972} - \frac{440\zeta_2}{27} \right) + \frac{56797}{7776} - \frac{23677}{1296} \zeta_2 + \frac{397}{360} \zeta_2^2 + \frac{6347}{216} \zeta_3 \right] \\
& + C_A^3 C_F \left[-\frac{1331}{54} L - \frac{120241}{3888} + \frac{1573}{216} \zeta_2 \right] + C_F^3 n_l T_F \left[\frac{55}{9} L^3 - \frac{157}{9} L^2 + L \left(\frac{659}{27} \right. \right. \\
& - \left. \left. \frac{28}{3} \zeta_2 \right) - \frac{2377}{162} + \frac{9}{2} \zeta_2 + \frac{146}{9} \zeta_3 \right] + C_A C_F^2 n_l T_F \left[-\frac{1936}{81} L^2 + L \left(\frac{2966}{243} + \frac{160}{27} \zeta_2 \right) \right. \\
& + \left. \frac{379}{162} + \frac{2599}{162} \zeta_2 - \frac{673}{54} \zeta_3 \right] + C_A^2 C_F n_l T_F \left[\frac{242}{9} L + \frac{2933}{108} - \frac{143}{27} \zeta_2 \right] \\
& + C_F^2 n_l^2 T_F^2 \left[\frac{352}{81} L^2 - \frac{1172}{243} L - \frac{49}{486} - \frac{95}{27} \zeta_2 \right] + C_A C_F n_l^2 T_F^2 \left[-\frac{88}{9} L - \frac{377}{81} + \frac{26}{27} \zeta_2 \right] \\
& + C_F n_l^3 T_F^3 \left[-\frac{100}{243} + \frac{32}{27} L \right] \Big\} \\
& + \frac{1}{\epsilon^3} \left\{ C_F^4 \left[-\frac{1171}{360} L^5 + \frac{547}{24} L^4 + L^3 \left(-\frac{1699}{18} + \frac{149}{18} \zeta_2 \right) + L^2 \left(\frac{889}{4} + \frac{9}{2} \zeta_2 - \frac{845}{9} \zeta_3 \right) \right. \right. \\
& + L \left(-\frac{15247}{48} - \frac{280}{3} \zeta_2 + \frac{259}{6} \zeta_2^2 + 246\zeta_3 + 48\zeta_2 \log(2) \right) + \frac{1111}{6} + \frac{3695}{24} \zeta_2 - \frac{413}{5} \zeta_2^2 \\
& - \frac{463}{2} \zeta_3 + \frac{28}{3} \zeta_2 \zeta_3 - \frac{743}{15} \zeta_5 - 66\zeta_2 \log(2) + 2c_1 \Big] + C_A C_F^3 \left[\frac{1309}{144} L^4 + L^3 \left(-\frac{721}{108} \right. \right. \\
& - \left. \left. \frac{71}{6} \zeta_2 \right) + L^2 \left(-\frac{7061}{432} - \frac{67}{3} \zeta_2 + \frac{163}{2} \zeta_3 \right) + L \left(\frac{70241}{648} + \frac{1081}{36} \zeta_2 - 12\zeta_2^2 - \frac{557}{9} \zeta_3 \right. \right. \\
& - \left. \left. 24\zeta_2 \log(2) \right) - \frac{973909}{15552} + \frac{201}{16} \zeta_2 - \frac{9407}{720} \zeta_2^2 + \frac{39149}{432} \zeta_3 - \frac{56}{3} \zeta_2 \zeta_3 - \frac{13}{2} \zeta_5 \right. \\
& \left. - 33\zeta_2 \log(2) - c_1 \right] + C_A^2 C_F^2 \left[-\frac{8107}{972} L^3 + L^2 \left(-\frac{148915}{1944} + \frac{1331}{54} \zeta_2 \right) + L \left(\frac{34735}{243} \right. \right.
\end{aligned}$$

$$\begin{aligned}
& + \frac{6827}{108} \zeta_2 - \frac{397}{45} \zeta_2^2 - \frac{3377}{27} \zeta_3 \Big) - \frac{22884541}{139968} - \frac{7415}{243} \zeta_2 + \frac{1643}{90} \zeta_2^2 + \frac{62845}{1944} \zeta_3 \\
& + \frac{323}{36} \zeta_2 \zeta_3 + \frac{50}{3} \zeta_5 + 33 \zeta_2 \log(2) \Big] + C_A^3 C_F \left[L \left(\frac{14839}{162} - \frac{121}{9} \zeta_2 \right) - \frac{44677}{972} \right. \\
& - \frac{20695}{648} \zeta_2 + \frac{847}{180} \zeta_2^2 + \frac{8833}{216} \zeta_3 \Big] + C_F^3 n_l T_F \left[-\frac{119L^4}{36} + \frac{143L^3}{27} + L^2 \left(\frac{187}{108} + \frac{56\zeta_2}{3} \right) \right. \\
& - L \left(\frac{2395}{162} + \frac{179\zeta_2}{9} + \frac{616\zeta_3}{9} \right) - \frac{20275}{3888} - \frac{85}{6} \zeta_2 + \frac{3361}{180} \zeta_2^2 + \frac{1552}{27} \zeta_3 + 24\zeta_2 \log(2) \Big] \\
& + C_A C_F^2 n_l T_F \left[\frac{1474}{243} L^3 + L^2 \left(\frac{11405}{243} - \frac{242}{27} \zeta_2 \right) + L \left(-\frac{27212}{243} - \frac{3608}{81} \zeta_2 + \frac{1612}{27} \zeta_3 \right) \right. \\
& + \frac{1853657}{17496} + \frac{15721}{972} \zeta_2 - \frac{244}{45} \zeta_2^2 - \frac{842}{243} \zeta_3 - 12\zeta_2 \log(2) \Big] + C_A^2 C_F n_l T_F \left[L \left(-\frac{818}{9} \right. \right. \\
& + \frac{88}{9} \zeta_2 \Big) + \frac{207781}{3888} + \frac{2294}{81} \zeta_2 - \frac{77}{45} \zeta_2^2 - \frac{1034}{27} \zeta_3 \Big] + C_F^2 n_l^2 T_F^2 \left[-\frac{268}{243} L^3 - \frac{1286}{243} L^2 \right. \\
& + L \left(\frac{1472}{81} + \frac{700}{81} \zeta_2 \right) - \frac{122485}{8748} - \frac{83}{27} \zeta_2 - \frac{2554}{243} \zeta_3 \Big] + C_A C_F n_l^2 T_F^2 \left[L \left(\frac{712}{27} - \frac{16}{9} \zeta_2 \right) \right. \\
& - \frac{41801}{1944} - \frac{662}{81} \zeta_2 + \frac{230}{27} \zeta_3 \Big] + C_F n_l^3 T_F^3 \left[-\frac{160}{81} L + \frac{176}{81} + \frac{8}{9} \zeta_2 \right] \Big\} \\
& + \frac{1}{\epsilon^2} \left\{ C_F^4 \left[\frac{5467}{2160} L^6 - \frac{2603}{120} L^5 + L^4 \left(\frac{8479}{72} - \frac{701\zeta_2}{72} \right) - L^3 \left(\frac{2347}{6} + \frac{31\zeta_2}{2} - \frac{4625\zeta_3}{27} \right) \right. \right. \\
& + L^2 \left(\frac{83431}{96} + \frac{1453}{6} \zeta_2 - \frac{1171}{12} \zeta_2^2 - \frac{2042}{3} \zeta_3 - 72\zeta_2 \log(2) \right) + L \left(-\frac{13039}{12} - \frac{1609}{2} \zeta_2 \right. \\
& + \frac{3403}{10} \zeta_2^2 + \frac{12538}{9} \zeta_3 - \frac{674}{9} \zeta_2 \zeta_3 + \frac{5644}{15} \zeta_5 + 216\zeta_2 \log(2) - 8c_1 \Big) + \mathcal{O}(L^0) \Big] \\
& + C_A C_F^3 \left[-\frac{209}{720} L^5 + L^4 \left(-\frac{22123}{432} + \frac{343\zeta_2}{24} \right) + L^3 \left(\frac{395983}{1296} + \frac{142\zeta_2}{9} - \frac{303\zeta_3}{2} \right) \right. \\
& + L^2 \left(-\frac{682817}{648} - \frac{3803}{36} \zeta_2 + \frac{433}{10} \zeta_2^2 + \frac{4451}{9} \zeta_3 + 36\zeta_2 \log(2) \right) + L \left(\frac{3329587}{1944} \right. \\
& + \frac{24589}{54} \zeta_2 - \frac{7973}{72} \zeta_2^2 - \frac{43159}{27} \zeta_3 + \frac{421}{3} \zeta_2 \zeta_3 - 105\zeta_5 - 20\zeta_2 \log(2) + 4c_1 \Big) + \mathcal{O}(L^0) \Big] \\
& + C_A^2 C_F^2 \left[-\frac{4235}{3888} L^4 + L^3 \left(\frac{308023}{5832} - \frac{1793}{162} \zeta_2 \right) - L^2 \left(\frac{121387}{1944} + \frac{2483}{24} \zeta_2 - \frac{1103}{45} \zeta_2^2 \right. \right. \\
& - \frac{5555}{54} \zeta_3 \Big) + L \left(\frac{1811689}{17496} - \frac{74243}{1944} \zeta_2 - \frac{6763}{135} \zeta_2^2 + \frac{87083}{243} \zeta_3 - \frac{592}{9} \zeta_2 \zeta_3 - \frac{508}{3} \zeta_5 \right. \\
& - 44\zeta_2 \log(2) \Big) + \mathcal{O}(L^0) \Big] - C_A^3 C_F \left[L \left(\frac{287}{2} - \frac{1780}{27} \zeta_2 + \frac{242}{15} \zeta_2^2 + \frac{121}{9} \zeta_3 \right) + \mathcal{O}(L^0) \right] \\
& + \frac{d^{abcd} d^{abcd}}{N_F} \left[\mathcal{O}(L^0) \right] + C_F^3 n_l T_F \left[\frac{19}{180} L^5 + \frac{1637}{108} L^4 - L^3 \left(\frac{30161}{324} + \frac{200}{9} \zeta_2 \right) \right. \\
& + L^2 \left(\frac{22094}{81} + \frac{1115}{18} \zeta_2 + 80\zeta_3 \right) + L \left(-\frac{161435}{486} - \frac{3100}{27} \zeta_2 - \frac{4213}{90} \zeta_2^2 + \frac{262}{27} \zeta_3 \right. \\
& - 32\zeta_2 \log(2) \Big) + \frac{2870081}{23328} + \frac{3779}{24} \zeta_2 - \frac{25559}{1080} \zeta_2^2 - \frac{30797}{162} \zeta_3 - \frac{113}{9} \zeta_2 \zeta_3
\end{aligned}$$

$$\begin{aligned}
& + \frac{3217}{45} \zeta_5 - 36 \zeta_2 \log(2) - \frac{4c_1}{9} \Big] \\
& + C_A C_F^2 n_l T_F \left[\frac{385 L^4}{486} + L^3 \left(-\frac{25493}{729} + \frac{326}{81} \zeta_2 \right) + L^2 \left(\frac{17326}{243} + \frac{3574}{81} \zeta_2 - \frac{2066}{27} \zeta_3 \right) \right. \\
& + L \left(-\frac{232973}{2187} + \frac{4825}{81} \zeta_2 + \frac{2204}{135} \zeta_2^2 - \frac{4826}{243} \zeta_3 + 16 \zeta_2 \log(2) \right) + \frac{573335}{13122} \\
& - \frac{400349}{5832} \zeta_2 + \frac{10133}{1620} \zeta_2^2 - \frac{71537}{2916} \zeta_3 + \frac{2627}{81} \zeta_2 \zeta_3 - 70 \zeta_5 + 18 \zeta_2 \log(2) + \frac{2c_1}{9} \Big] \\
& + C_A^2 C_F n_l T_F \left[L \left(\frac{19313}{162} - \frac{1156}{27} \zeta_2 + \frac{88}{15} \zeta_2^2 + \frac{352}{9} \zeta_3 \right) - \frac{1631455}{23328} - \frac{21397}{486} \zeta_2 \right. \\
& - \frac{79}{5} \zeta_2^2 + \frac{8435}{81} \zeta_3 - \frac{98}{9} \zeta_2 \zeta_3 - \frac{431}{18} \zeta_5 \Big] + \frac{d_F^{abcd} d_F^{abcd}}{N_F} n_l T_F \left[-8 \zeta_2 + \frac{8}{3} \zeta_3 + \frac{40}{3} \zeta_5 \right] \\
& + C_F^2 n_l^2 T_F^2 \left[-\frac{35}{243} L^4 + \frac{3854}{729} L^3 \right. \\
& + L^2 \left(-\frac{1430}{81} - \frac{374}{81} \zeta_2 \right) + L \left(\frac{55034}{2187} - \frac{2702}{243} \zeta_2 + \frac{2312}{243} \zeta_3 \right) - \frac{352927}{26244} + \frac{3818}{243} \zeta_2 \\
& - \frac{4951}{810} \zeta_2^2 + \frac{11006}{729} \zeta_3 \Big] + C_A C_F n_l^2 T_F^2 \left[L \left(-\frac{1585}{81} + \frac{160}{27} \zeta_2 - \frac{112}{9} \zeta_3 \right) + \frac{26569}{11664} \right. \\
& + \frac{3788}{243} \zeta_2 + \frac{58}{15} \zeta_2^2 - \frac{596}{81} \zeta_3 \Big] + C_F n_l^3 T_F^3 \left[-\frac{32}{81} L + \frac{5374}{2187} - \frac{40}{27} \zeta_2 - \frac{40}{81} \zeta_3 \right] \Big\} \\
& + \frac{1}{\epsilon} \left\{ C_F^4 \left[-\frac{24403}{15120} L^7 + \frac{11779}{720} L^6 + L^5 \left(-\frac{39727}{360} + \frac{625}{72} \zeta_2 \right) + L^4 \left(\frac{11497}{24} + \frac{183}{8} \zeta_2 \right. \right. \right. \\
& - \frac{22505}{108} \zeta_3 \Big) + L^3 \left(-\frac{424135}{288} - \frac{6811}{18} \zeta_2 + \frac{25223}{180} \zeta_2^2 + \frac{10072}{9} \zeta_3 + 56 \zeta_2 \log(2) \right) \\
& + L^2 \left(\frac{71143}{24} + \frac{7559}{4} \zeta_2 - \frac{12479}{20} \zeta_2^2 - \frac{67609}{18} \zeta_3 + \frac{2221}{9} \zeta_2 \zeta_3 - \frac{15434}{15} \zeta_5 - 276 \zeta_2 \log(2) \right. \\
& + 12c_1 \Big) + \mathcal{O}(L^1) \Big] + C_A C_F^3 \left[-\frac{17963}{4320} L^6 + L^5 \left(\frac{182123}{2160} - \frac{1547}{120} \zeta_2 \right) - L^4 \left(\frac{3079943}{5184} \right. \right. \\
& + \frac{31}{36} \zeta_2 - \frac{4429}{24} \zeta_3 \Big) + L^3 \left(\frac{1284883}{486} + \frac{13051}{54} \zeta_2 - \frac{841}{10} \zeta_2^2 - \frac{33370}{27} \zeta_3 - 28 \zeta_2 \log(2) \right) \\
& + L^2 \left(-\frac{3411619}{486} - \frac{440867}{216} \zeta_2 + \frac{376693}{720} \zeta_2^2 + \frac{1307477}{216} \zeta_3 - \frac{835}{2} \zeta_2 \zeta_3 + 536 \zeta_5 \right. \\
& + 138 \zeta_2 \log(2) - 6c_1 \Big) + \mathcal{O}(L^1) \Big] + C_A^2 C_F^2 \left[-\frac{13673}{3888} L^5 + L^4 \left(\frac{1692005}{23328} - \frac{6655}{648} \zeta_2 \right) \right. \\
& + L^3 \left(-\frac{4010867}{5832} + \frac{20765}{216} \zeta_2 - \frac{1006}{27} \zeta_2^2 + \frac{29425}{162} \zeta_3 \right) + L^2 \left(\frac{24422981}{8748} + \frac{2203097}{3888} \zeta_2 \right. \\
& - \frac{20821}{540} \zeta_2^2 - \frac{605677}{243} \zeta_3 + \frac{1664}{9} \zeta_2 \zeta_3 + \frac{1478}{3} \zeta_5 \Big) + \mathcal{O}(L^1) \Big] + C_A^3 C_F \left[\mathcal{O}(L^1) \right] \\
& + \frac{d_A^{abcd} d_F^{abcd}}{N_F} \left[\mathcal{O}(L^1) \right] + C_F^3 n_l T_F \left[\frac{1633}{1080} L^6 - \frac{14869}{540} L^5 + L^4 \left(\frac{245641}{1296} + \frac{167}{9} \zeta_2 \right) \right. \\
& + L^3 \left(-\frac{368111}{486} - \frac{6755}{54} \zeta_2 + \frac{592}{27} \zeta_3 \right) + L^2 \left(\frac{406519}{243} + \frac{33601}{54} \zeta_2 + \frac{6313}{180} \zeta_2^2 \right.
\end{aligned}$$

$$\begin{aligned}
& -\frac{6001}{9}\zeta_3) + L\left(-\frac{4957289}{2916} - \frac{531185}{324}\zeta_2 + \frac{71423}{540}\zeta_2^2 + \frac{203552}{81}\zeta_3 + \frac{194}{3}\zeta_2\zeta_3\right. \\
& \left. - \frac{2908}{9}\zeta_5 + \frac{560}{3}\zeta_2\log(2) - \frac{16c_1}{9}\right) + \mathcal{O}(L^0)] + C_A C_F^2 n_l T_F \left[\frac{1243L^5}{486}\right. \\
& + L^4\left(-\frac{143155}{2916} + \frac{605}{162}\zeta_2\right) + L^3\left(\frac{303410}{729} - \frac{826}{243}\zeta_2 - \frac{550}{81}\zeta_3\right) + L^2\left(-\frac{3467426}{2187}\right. \\
& \left. - \frac{26015}{54}\zeta_2 + \frac{283}{27}\zeta_2^2 + \frac{130267}{243}\zeta_3\right) + L\left(\frac{20954098}{6561} + \frac{1233125}{729}\zeta_2 - \frac{8473}{162}\zeta_2^2\right. \\
& \left. - \frac{1307960}{729}\zeta_3 - \frac{7282}{81}\zeta_2\zeta_3 + \frac{370}{3}\zeta_5 - \frac{280}{3}\zeta_2\log(2) + \frac{8c_1}{9}\right) + \mathcal{O}(L^0)] \\
& + C_A^2 C_F n_l T_F \left[L\left(-\frac{24137}{324} + \frac{5080}{81}\zeta_2 - \frac{88}{15}\zeta_2^2 - \frac{5776}{27}\zeta_3 + \frac{112}{3}\zeta_2\zeta_3 + \frac{524}{9}\zeta_5\right)\right. \\
& \left. + \mathcal{O}(L^0)\right] + \frac{d_F^{abcd} d_F^{abcd}}{N_F} n_l T_F \left[L\left(64\zeta_2 - \frac{64}{3}\zeta_3 - \frac{320}{3}\zeta_5\right) + \mathcal{O}(L^0)\right] \\
& + C_F^2 n_l^2 T_F^2 \left[-\frac{113}{243}L^5 + \frac{11045}{1458}L^4 + L^3\left(-\frac{13030}{243} - \frac{1954}{243}\zeta_2\right) + L^2\left(\frac{405428}{2187}\right. \right. \\
& \left. \left. + \frac{21289}{243}\zeta_2 + \frac{2156}{243}\zeta_3\right) + L\left(-\frac{2183314}{6561} - \frac{2230}{9}\zeta_2 - \frac{3703}{405}\zeta_2^2 - \frac{44740}{729}\zeta_3\right)\right. \\
& \left. + \mathcal{O}(L^0)\right] + C_A C_F n_l^2 T_F^2 \left[L\left(\frac{923}{162} - \frac{304}{81}\zeta_2 - \frac{112}{15}\zeta_2^2 + \frac{1120}{27}\zeta_3\right) + \mathcal{O}(L^0)\right] \\
& + C_F n_l^3 T_F^3 \left[L\left(-\frac{32}{81} + \frac{64}{27}\zeta_3\right) + \mathcal{O}(L^0)\right] \Big\} \\
& + \epsilon^0 \left\{ C_F^4 \left[\frac{3017}{3456}L^8 - \frac{51467}{5040}L^7 + L^6\left(\frac{177943}{2160} - \frac{13469}{2160}\zeta_2\right) + L^5\left(-\frac{2217}{5} - \frac{903}{40}\zeta_2\right.\right. \right. \\
& \left. \left. + \frac{102281}{540}\zeta_3\right) + L^4\left(\frac{2033383}{1152} + \frac{30499}{72}\zeta_2 - \frac{108911}{720}\zeta_2^2 - \frac{11570}{9}\zeta_3 - 30\zeta_2\log(2)\right)\right. \\
& \left. + L^3\left(-\frac{362299}{72} - \frac{11215}{4}\zeta_2 + \frac{9107}{12}\zeta_2^2 + \frac{333091}{54}\zeta_3 - \frac{12181}{27}\zeta_2\zeta_3 + \frac{70946}{45}\zeta_5\right.\right. \\
& \left. \left. + 204\zeta_2\log(2) - \frac{28c_1}{3}\right) + \mathcal{O}(L^2)\right] + C_A C_F^3 \left[\frac{27203}{6048}L^7 + L^6\left(-\frac{1048579}{12960} + \frac{6703}{720}\zeta_2\right)\right. \\
& \left. + L^5\left(\frac{17678467}{25920} - \frac{919}{90}\zeta_2 - \frac{6683}{40}\zeta_3\right) + L^4\left(-\frac{7415381}{1944} - \frac{71359}{216}\zeta_2 + \frac{12607}{120}\zeta_2^2\right.\right. \\
& \left. \left. + \frac{94729}{54}\zeta_3 + 15\zeta_2\log(2)\right) + L^3\left(\frac{82913735}{5832} + \frac{2547647}{648}\zeta_2 - \frac{2204749}{2160}\zeta_2^2 - \frac{7392907}{648}\zeta_3\right.\right. \\
& \left. \left. + \frac{12517}{18}\zeta_2\zeta_3 - 1087\zeta_5 - \frac{394}{3}\zeta_2\log(2) + \frac{14c_1}{3}\right) + \mathcal{O}(L^2)\right] + C_A^2 C_F^2 \left[\frac{981673}{116640}L^6\right. \\
& \left. - L^5\left(\frac{20068937}{116640} - \frac{14663}{648}\zeta_2\right) + L^4\left(\frac{37365023}{23328} - \frac{60601}{864}\zeta_2 + \frac{1081}{27}\zeta_2^2 - \frac{313093}{648}\zeta_3\right)\right. \\
& \left. + L^3\left(-\frac{455621965}{52488} - \frac{16599041\zeta_2}{11664} + \frac{456247\zeta_2^2}{1620} + \frac{4225744}{729}\zeta_3 - \frac{7652}{27}\zeta_2\zeta_3 - \frac{6782}{9}\zeta_5\right.\right. \\
& \left. \left. + \frac{44}{3}\zeta_2\log(2)\right) + \mathcal{O}(L^2)\right] + C_A^3 C_F \left[\frac{1331}{270}L^5 + L^4\left(-\frac{33803}{324} + \frac{121}{9}\zeta_2\right)\right.
\end{aligned}$$

$$\begin{aligned}
 & +L^3\left(\frac{467107}{486}-\frac{694}{27}\zeta_2+\frac{484}{15}\zeta_2^2-\frac{968}{3}\zeta_3\right)+\mathcal{O}(L^2)\Bigg]+\frac{d_A^{abcd}d_F^{abcd}}{N_F}\left[\mathcal{O}(L^2)\right] \\
 & +C_F^3n_lT_F\left[-\frac{2473}{1512}L^7+\frac{88013}{3240}L^6+L^5\left(-\frac{1441757}{6480}-\frac{536}{45}\zeta_2\right)+L^4\left(\frac{2227459}{1944}\right.\right. \\
 & \left.\left.+\frac{34811}{216}\zeta_2-\frac{1354}{9}\zeta_3\right)+L^3\left(-\frac{5433259}{1458}-\frac{203281}{162}\zeta_2+\frac{2947}{108}\zeta_2^2+\frac{136283}{81}\zeta_3\right.\right. \\
 & \left.\left.+\frac{32}{3}\zeta_2\log(2)\right)+L^2\left(\frac{10100863}{1458}+\frac{3339869}{648}\zeta_2-\frac{220163}{1080}\zeta_2^2-\frac{78317}{9}\zeta_3+\frac{23}{3}\zeta_2\zeta_3\right.\right. \\
 & \left.\left.+\frac{16444}{45}\zeta_5-176\zeta_2\log(2)+\frac{32c_1}{9}\right)+\mathcal{O}(L^1)\right]+C_AC_F^2n_lT_F\left[-\frac{89243}{14580}L^6\right. \\
 & \left.+L^5\left(\frac{1717963}{14580}-\frac{1333}{162}\zeta_2\right)+L^4\left(-\frac{1509865}{1458}-\frac{16243}{486}\zeta_2+\frac{18143}{162}\zeta_3\right)\right. \\
 & \left.+L^3\left(\frac{34895519}{6561}+\frac{20443}{18}\zeta_2-\frac{37877}{405}\zeta_2^2-\frac{1211155}{729}\zeta_3-\frac{16}{3}\zeta_2\log(2)\right)\right. \\
 & \left.+L^2\left(-\frac{109811354}{6561}-\frac{5123911}{729}\zeta_2+\frac{529751}{1620}\zeta_2^2+\frac{6970225}{729}\zeta_3-\frac{5161}{81}\zeta_2\zeta_3+464\zeta_5\right.\right. \\
 & \left.\left.+88\zeta_2\log(2)-\frac{16c_1}{9}\right)+\mathcal{O}(L^1)\right]+C_A^2C_Fn_lT_F\left[-\frac{242}{45}L^5+L^4\left(\frac{2920}{27}-\frac{88}{9}\zeta_2\right)\right. \\
 & \left.+L^3\left(-\frac{25553}{27}-\frac{712}{27}\zeta_2-\frac{176}{15}\zeta_2^2+176\zeta_3\right)+L^2\left(\frac{1090982}{243}+\frac{31828}{27}\zeta_2-\frac{416}{5}\zeta_2^2\right.\right. \\
 & \left.\left.-1924\zeta_3-16\zeta_2\zeta_3+\frac{1400}{9}\zeta_5\right)+\mathcal{O}(L^1)\right]+\frac{d_F^{abcd}d_F^{abcd}}{N_F}n_lT_F\left[L^2\left(-128\zeta_2+\frac{128}{3}\zeta_3\right.\right. \\
 & \left.\left.+\frac{640}{3}\zeta_5\right)+\mathcal{O}(L^1)\right]+C_F^2n_l^2T_F^2\left[\frac{8113}{7290}L^6-\frac{138713}{7290}L^5+L^4\left(\frac{74807}{486}+\frac{8621}{486}\zeta_2\right)\right. \\
 & \left.+L^3\left(-\frac{4816646}{6561}-\frac{150841}{729}\zeta_2+\frac{17380}{729}\zeta_3\right)+L^2\left(\frac{13737251}{6561}+\frac{83497}{81}\zeta_2+\frac{56809}{810}\zeta_2^2\right.\right. \\
 & \left.\left.-\frac{200866}{729}\zeta_3\right)+\mathcal{O}(L^1)\right]+C_AC_Fn_l^2T_F^2\left[\frac{88}{45}L^5+L^4\left(-\frac{968}{27}+\frac{16}{9}\zeta_2\right)+L^3\left(\frac{23302}{81}\right.\right. \\
 & \left.\left.+\frac{736}{27}\zeta_2-\frac{64}{3}\zeta_3\right)+L^2\left(-\frac{308686}{243}-\frac{11440}{27}\zeta_2+\frac{80}{3}\zeta_2^2+\frac{2032}{9}\zeta_3\right)+\mathcal{O}(L^1)\right] \\
 & \left.+C_Fn_l^3T_F^3\left[-\frac{32}{135}L^5+\frac{304}{81}L^4+L^3\left(-\frac{6496}{243}-\frac{128}{27}\zeta_2\right)+L^2\left(\frac{79280}{729}+\frac{1216}{27}\zeta_2\right)\right.\right. \\
 & \left.\left.+\mathcal{O}(L^1)\right]\right\}. \tag{D.2}
 \end{aligned}$$

The result for $\tilde{S}^{(4)}$ is given below.

$$\begin{aligned}
 \tilde{S}^{(4)} & =\frac{1}{\epsilon^8}\left\{\frac{1}{24}C_F^4\right\}+\frac{1}{\epsilon^7}\left\{\frac{11}{8}C_AC_F^3+\frac{1}{12}C_F^4(5-4L)-\frac{1}{2}C_F^3n_lT_F\right\} \\
 & +\frac{1}{\epsilon^6}\left\{\frac{31097}{2592}C_A^2C_F^2-\frac{2827}{324}C_AC_F^2n_lT_F+\frac{1}{18}(-55+48L)C_F^3n_lT_F+\frac{257}{162}C_F^2n_l^2T_F^2\right. \\
 & \left.+C_AC_F^3\left[-\frac{22}{3}L+\frac{593}{72}+\frac{1}{4}\zeta_2\right]+C_F^4\left[\frac{7}{6}L^2-\frac{5}{2}L+\frac{107}{48}-\frac{1}{4}\zeta_2\right]\right\}
 \end{aligned}$$

$$\begin{aligned}
& + \frac{1}{\epsilon^5} \left\{ \frac{33275 C_A^3 C_F}{1296} - \frac{3025}{108} C_A^2 C_F n_l T_F + \frac{275}{27} C_A C_F n_l^2 T_F^2 - \frac{100}{81} C_F n_l^3 T_F^3 \right. \\
& - \frac{10}{243} (-109 + 114L) C_F^2 n_l^2 T_F^2 + C_A C_F^2 n_l T_F \left[\frac{2090}{81} L - \frac{5074}{243} - \frac{67}{54} \zeta_2 \right] \\
& + C_A^2 C_F^2 \left[-\frac{11495}{324} L + \frac{51731}{1944} + \frac{737}{216} \zeta_2 \right] + C_F^3 n_l T_F \left[-\frac{17}{3} L^2 + \frac{85}{9} L - \frac{1505}{216} + 2\zeta_2 \right] \\
& + C_A C_F^3 \left[\frac{187}{12} L^2 + L \left(-\frac{887}{36} - 2\zeta_2 \right) + \frac{19711}{864} - \frac{15}{4} \zeta_2 + \frac{11}{4} \zeta_3 \right] \\
& + C_F^4 \left[-\frac{43}{18} L^3 + \frac{25}{4} L^2 + L \left(-\frac{127}{12} + \frac{5}{3} \zeta_2 \right) + \frac{35}{4} - \frac{1}{6} \zeta_2 - \frac{67}{18} \zeta_3 \right] \left. \right\} \\
& + \frac{1}{\epsilon^4} \left\{ \frac{4}{243} (-25 + 72L) C_F n_l^3 T_F^3 + C_A^2 C_F n_l T_F \left[\frac{242}{9} L + \frac{2933}{108} - \frac{143}{27} \zeta_2 \right] \right. \\
& + C_A C_F n_l^2 T_F^2 \left[-\frac{88}{9} L - \frac{377}{81} + \frac{26}{27} \zeta_2 \right] + C_A^3 C_F \left[-\frac{1331}{54} L - \frac{120241}{3888} + \frac{1573}{216} \zeta_2 \right] \\
& + C_F^2 n_l^2 T_F^2 \left[\frac{352}{81} L^2 - \frac{380}{243} L - \frac{1105}{486} - \frac{95}{27} \zeta_2 \right] + C_A C_F^2 n_l T_F \left[-\frac{1936}{81} L^2 + L \left(-\frac{1390}{243} \right. \right. \\
& + \left. \left. \frac{160}{27} \zeta_2 \right) + \frac{2315}{162} + \frac{2599}{162} \zeta_2 - \frac{673}{54} \zeta_3 \right] + C_F^3 n_l T_F \left[\frac{55}{9} L^3 - \frac{125}{18} L^2 + L \left(\frac{355}{54} - \frac{28}{3} \zeta_2 \right) \right. \\
& - \left. \frac{1243}{162} + \frac{7}{2} \zeta_2 + \frac{146}{9} \zeta_3 \right] + C_A^2 C_F^2 \left[\frac{2662}{81} L^2 + L \left(\frac{16201}{972} - \frac{440}{27} \zeta_2 \right) - \frac{70979}{7776} \right. \\
& - \left. \frac{23677}{1296} \zeta_2 + \frac{397}{360} \zeta_2^2 + \frac{6347}{216} \zeta_3 \right] + C_A C_F^3 \left[-\frac{605}{36} L^3 + L^2 \left(\frac{1063}{72} + \frac{13}{2} \zeta_2 \right) \right. \\
& + \left. L \left(-\frac{6437}{216} + \frac{97}{6} \zeta_2 - 24\zeta_3 \right) + \frac{36235}{1296} + \frac{151}{16} \zeta_2 + \frac{13}{10} \zeta_2^2 - \frac{557}{36} \zeta_3 - 6\zeta_2 \log(2) \right] \\
& + C_F^4 \left[\frac{235}{72} L^4 - \frac{35}{4} L^3 + L^2 \left(\frac{517}{24} - \frac{29}{6} \zeta_2 \right) + L \left(-\frac{285}{8} - \frac{9}{2} \zeta_2 + \frac{262}{9} \zeta_3 \right) \right. \\
& + \left. \frac{12989}{384} - \frac{1}{8} \zeta_2 - \frac{127}{15} \zeta_2^2 - \frac{775}{18} \zeta_3 + 12\zeta_2 \log(2) \right] \left. \right\} \\
& + \frac{1}{\epsilon^3} \left\{ C_F n_l^3 T_F^3 \left[-\frac{160}{81} L + \frac{176}{81} + \frac{8}{9} \zeta_2 \right] + C_A^2 C_F n_l T_F \left[L \left(-\frac{818}{9} + \frac{88}{9} \zeta_2 \right) + \frac{207781}{3888} \right. \right. \\
& + \left. \frac{2294}{81} \zeta_2 - \frac{77}{45} \zeta_2^2 - \frac{1034}{27} \zeta_3 \right] + C_F^2 n_l^2 T_F^2 \left[-\frac{268}{243} L^3 - \frac{2060}{243} L^2 + L \left(\frac{478}{27} + \frac{700}{81} \zeta_2 \right) \right. \\
& - \left. \frac{98149}{8748} - \frac{103}{27} \zeta_2 - \frac{2554}{243} \zeta_3 \right] + C_A C_F n_l^2 T_F^2 \left[L \left(\frac{712}{27} - \frac{16}{9} \zeta_2 \right) - \frac{41801}{1944} - \frac{662}{81} \zeta_2 \right. \\
& + \left. \frac{230}{27} \zeta_3 \right] + C_A^3 C_F \left[L \left(\frac{14839}{162} - \frac{121}{9} \zeta_2 \right) - \frac{44677}{972} - \frac{20695}{648} \zeta_2 + \frac{847}{180} \zeta_2^2 + \frac{8833}{216} \zeta_3 \right] \\
& + C_A^2 C_F^2 \left[-\frac{8107}{972} L^3 + L^2 \left(-\frac{97871}{972} + \frac{1331}{54} \zeta_2 \right) + L \left(\frac{196265}{1944} + \frac{7487}{108} \zeta_2 - \frac{397}{45} \zeta_2^2 \right. \right. \\
& - \left. \left. \frac{3377}{27} \zeta_3 \right) - \frac{16738333}{139968} + \frac{46471}{972} \zeta_2 + \frac{1643}{90} \zeta_2^2 - \frac{1307}{1944} \zeta_3 + \frac{323}{36} \zeta_2 \zeta_3 + \frac{50}{3} \zeta_5 \right. \\
& - \left. 33\zeta_2 \log(2) \right] + C_F^3 n_l T_F \left[-\frac{119}{36} L^4 - \frac{335}{54} L^3 + L^2 \left(\frac{899}{54} + \frac{56}{3} \zeta_2 \right) \right.
\end{aligned}$$

$$\begin{aligned}
 & + L \left(-\frac{608}{81} - \frac{53}{9} \zeta_2 - \frac{616}{9} \zeta_3 \right) - \frac{58723}{3888} + \frac{82}{3} \zeta_2 + \frac{3361}{180} \zeta_2^2 + \frac{2038}{27} \zeta_3 - 24 \zeta_2 \log(2) \Big] \\
 & + C_A C_F^2 n_l T_F \left[\frac{1474}{243} L^3 + L^2 \left(\frac{15662}{243} - \frac{242}{27} \zeta_2 \right) + L \left(-\frac{22364}{243} - \frac{3788}{81} \zeta_2 + \frac{1612}{27} \zeta_3 \right) \right. \\
 & + \frac{1400849}{17496} - \frac{9983}{972} \zeta_2 - \frac{244}{45} \zeta_2^2 + \frac{2074}{243} \zeta_3 + 12 \zeta_2 \log(2) \Big] + C_A C_F^3 \left[\frac{1309}{144} L^4 \right. \\
 & + L^3 \left(\frac{5389}{216} - \frac{71}{6} \zeta_2 \right) + L^2 \left(-\frac{7207}{216} - \frac{385}{12} \zeta_2 + \frac{163}{2} \zeta_3 \right) + L \left(\frac{8081}{162} - \frac{1057}{18} \zeta_2 - 12 \zeta_2^2 \right. \\
 & - \frac{61}{18} \zeta_3 + 24 \zeta_2 \log(2) \Big) - \frac{341461}{15552} + \frac{551}{16} \zeta_2 - \frac{30791}{720} \zeta_2^2 + \frac{1781}{432} \zeta_3 - \frac{56}{3} \zeta_2 \zeta_3 - \frac{13}{2} \zeta_5 \\
 & - 33 \zeta_2 \log(2) + c_1 \Big] + C_F^4 \left[-\frac{1171}{360} L^5 + \frac{385}{48} L^4 + L^3 \left(-\frac{1969}{72} + \frac{149}{18} \zeta_2 \right) + L^2 \left(\frac{1073}{16} \right. \right. \\
 & + \frac{101}{4} \zeta_2 - \frac{845}{9} \zeta_3 \Big) + L \left(-\frac{1579}{12} - \frac{397}{12} \zeta_2 + \frac{259}{6} \zeta_2^2 + \frac{715}{3} \zeta_3 - 48 \zeta_2 \log(2) \Big) \right. \\
 & + \left. \frac{2227}{24} - \frac{79}{2} \zeta_2 - \frac{651}{20} \zeta_2^2 - \frac{2408}{9} \zeta_3 + \frac{28}{3} \zeta_2 \zeta_3 - \frac{743}{15} \zeta_5 + 198 \zeta_2 \log(2) - 2c_1 \right] \Big\} \\
 & + \frac{1}{\epsilon^2} \left\{ C_A C_F n_l^2 T_F^2 \left[L \left(-\frac{1585}{81} + \frac{160}{27} \zeta_2 - \frac{112}{9} \zeta_3 \right) + \frac{26569}{11664} + \frac{3788}{243} \zeta_2 + \frac{58}{15} \zeta_2^2 - \frac{596}{81} \zeta_3 \right] \right. \\
 & + C_F n_l^3 T_F^3 \left[-\frac{32L}{81} + \frac{5374}{2187} - \frac{40}{27} \zeta_2 - \frac{40}{81} \zeta_3 \right] + C_F^2 n_l^2 T_F^2 \left[-\frac{35}{243} L^4 + \frac{3440}{729} L^3 \right. \\
 & + L^2 \left(-\frac{448}{81} - \frac{374}{81} \zeta_2 \right) + L \left(\frac{11051}{2187} - \frac{2180}{243} \zeta_2 + \frac{2312}{243} \zeta_3 \right) - \frac{211447}{26244} + \frac{4322}{243} \zeta_2 \\
 & - \frac{4951}{810} \zeta_2^2 + \frac{13814}{729} \zeta_3 \Big] + C_A^2 C_F n_l T_F \left[L \left(\frac{19313}{162} - \frac{1156}{27} \zeta_2 + \frac{88}{15} \zeta_2^2 + \frac{352}{9} \zeta_3 \right) \right. \\
 & - \frac{1631455}{23328} - \frac{21397}{486} \zeta_2 - \frac{79}{5} \zeta_2^2 + \frac{8435}{81} \zeta_3 - \frac{98}{9} \zeta_2 \zeta_3 - \frac{431}{18} \zeta_5 \Big] \\
 & + \frac{d_F^{abcd} d_F^{abcd}}{N_F} n_l T_F \left[-8 \zeta_2 + \frac{8}{3} \zeta_3 + \frac{40}{3} \zeta_5 \right] \\
 & + C_A C_F^2 n_l T_F \left[\frac{385}{486} L^4 + L^3 \left(-\frac{23216}{729} + \frac{326}{81} \zeta_2 \right) + L^2 \left(-\frac{3350}{243} + \frac{4015}{81} \zeta_2 - \frac{2066}{27} \zeta_3 \right) \right. \\
 & + L \left(-\frac{94436}{2187} + \frac{7051}{81} \zeta_2 + \frac{2204}{135} \zeta_2^2 - \frac{22538}{243} \zeta_3 - 16 \zeta_2 \log(2) \right) + \frac{378616}{6561} \\
 & - \frac{447941}{5832} \zeta_2 + \frac{89693}{1620} \zeta_2^2 - \frac{158801}{2916} \zeta_3 + \frac{2627}{81} \zeta_2 \zeta_3 - 70 \zeta_5 - 46 \zeta_2 \log(2) - \frac{2c_1}{9} \Big] \\
 & + C_F^3 n_l T_F \left[\frac{19}{180} L^5 + \frac{3355}{216} L^4 + L^3 \left(-\frac{3056}{81} - \frac{200}{9} \zeta_2 \right) + L^2 \left(\frac{7891}{162} + \frac{341}{18} \zeta_2 + 80 \zeta_3 \right) \right. \\
 & + L \left(-\frac{16915}{972} - \frac{7181}{54} \zeta_2 - \frac{4213}{90} \zeta_2^2 + \frac{946}{27} \zeta_3 + 32 \zeta_2 \log(2) \right) - \frac{1331119}{23328} + \frac{2155}{24} \zeta_2 \\
 & + \left. \frac{1073}{216} \zeta_2^2 - \frac{26027}{162} \zeta_3 - \frac{113}{9} \zeta_2 \zeta_3 + \frac{3217}{45} \zeta_5 + 92 \zeta_2 \log(2) + \frac{4c_1}{9} \right] \\
 & + C_A^3 C_F \left[L \left(-\frac{287}{2} + \frac{1780}{27} \zeta_2 - \frac{242}{15} \zeta_2^2 - \frac{121}{9} \zeta_3 \right) + \mathcal{O}(L^0) \right] + C_A^2 C_F^2 \left[-\frac{4235}{3888} L^4 \right.
 \end{aligned}$$

$$\begin{aligned}
& +L^3\left(\frac{35372}{729}-\frac{1793}{162}\zeta_2\right)+L^2\left(\frac{17422}{243}-\frac{8527}{72}\zeta_2+\frac{1103}{45}\zeta_2^2+\frac{5555}{54}\zeta_3\right) \\
& +L\left(\frac{3325325}{34992}-\frac{32875}{243}\zeta_2-\frac{6367}{135}\zeta_2^2+\frac{100151}{243}\zeta_3-\frac{592}{9}\zeta_2\zeta_3-\frac{508}{3}\zeta_5+44\zeta_2\log(2)\right) \\
& +\mathcal{O}(L^0)]+C_A C_F^3\left[-\frac{209}{720}L^5+L^4\left(-\frac{45137}{864}+\frac{343}{24}\zeta_2\right)+L^3\left(\frac{32335}{324}+\frac{1441}{36}\zeta_2\right.\right. \\
& \left.\left.-\frac{303}{2}\zeta_3\right)+L^2\left(-\frac{159215}{648}+\frac{4283}{72}\zeta_2+\frac{433}{10}\zeta_2^2+\frac{8975}{36}\zeta_3-36\zeta_2\log(2)\right)\right. \\
& \left.+L\left(\frac{1278065}{3888}+\frac{26905}{216}\zeta_2+\frac{9491}{360}\zeta_2^2-\frac{113641}{108}\zeta_3+\frac{421}{3}\zeta_2\zeta_3-105\zeta_5+248\zeta_2\log(2)\right.\right. \\
& \left.\left.-4c_1\right)+\mathcal{O}(L^0)\right]+C_F^4\left[\frac{5467}{2160}L^6-\frac{87}{16}L^5+L^4\left(\frac{7657}{288}-\frac{701\zeta_2}{72}\right)+L^3\left(-\frac{4025}{48}\right.\right. \\
& \left.\left.-\frac{677}{12}\zeta_2+\frac{4625}{27}\zeta_3\right)+L^2\left(\frac{1471}{6}+\frac{3109}{24}\zeta_2-\frac{1171}{12}\zeta_2^2-\frac{3245}{6}\zeta_3+72\zeta_2\log(2)\right)\right. \\
& \left.+L\left(-\frac{6551}{24}-\frac{261}{8}\zeta_2+\frac{345}{4}\zeta_2^2+\frac{20333}{18}\zeta_3-\frac{674}{9}\zeta_2\zeta_3+\frac{5644}{15}\zeta_5\right.\right. \\
& \left.\left.-672\zeta_2\log(2)+8c_1\right)+\mathcal{O}(L^0)\right]+\mathcal{O}(L^0)\} \\
& +\frac{1}{\epsilon}\left\{C_F n_l^3 T_F^3\left[L\left(-\frac{32}{81}+\frac{64}{27}\zeta_3\right)+\mathcal{O}(L^0)\right]+C_F^2 n_l^2 T_F^2\left[-\frac{113}{243}L^5+\frac{3250}{729}L^4\right.\right. \\
& \left.+L^3\left(-\frac{4370}{243}-\frac{1954}{243}\zeta_2\right)+L^2\left(\frac{47624}{2187}+\frac{13900}{243}\zeta_2+\frac{2156}{243}\zeta_3\right)+L\left(\frac{216415}{13122}\right.\right. \\
& \left.\left.-\frac{10838}{81}\zeta_2-\frac{3703}{405}\zeta_2^2-\frac{52120}{729}\zeta_3\right)+\mathcal{O}(L^0)\right]+C_A C_F n_l^2 T_F^2\left[L\left(\frac{923}{162}-\frac{304}{81}\zeta_2\right.\right. \\
& \left.\left.-\frac{112}{15}\zeta_2^2+\frac{1120}{27}\zeta_3\right)+\mathcal{O}(L^0)\right]+C_F^3 n_l T_F\left[\frac{1633}{1080}L^6-\frac{3523}{216}L^5+L^4\left(\frac{15643}{324}+\frac{167}{9}\zeta_2\right)\right. \\
& \left.+L^3\left(-\frac{53741}{486}-\frac{3281}{54}\zeta_2+\frac{592}{27}\zeta_3\right)+L^2\left(\frac{172009}{972}+\frac{43775}{108}\zeta_2+\frac{6313}{180}\zeta_2^2-\frac{6943}{9}\zeta_3\right)\right. \\
& \left.+L\left(-\frac{394171}{5832}-\frac{106243}{162}\zeta_2-\frac{862}{135}\zeta_2^2+\frac{174905}{81}\zeta_3+\frac{194}{3}\zeta_2\zeta_3-\frac{2908}{9}\zeta_5\right.\right. \\
& \left.\left.-\frac{1424}{3}\zeta_2\log(2)+\frac{16c_1}{9}\right)+\mathcal{O}(L^0)\right]+C_A C_F^2 n_l T_F\left[\frac{1243}{486}L^5+L^4\left(-\frac{23290}{729}+\frac{605}{162}\zeta_2\right)\right. \\
& \left.+L^3\left(\frac{126464}{729}-\frac{349}{243}\zeta_2-\frac{550}{81}\zeta_3\right)+L^2\left(-\frac{352193}{2187}-\frac{3035}{9}\zeta_2+\frac{283}{27}\zeta_2^2+\frac{147952}{243}\zeta_3\right)\right. \\
& \left.+L\left(-\frac{941651}{6561}+\frac{1001743\zeta_2}{1458}-\frac{105563}{810}\zeta_2^2-\frac{906461}{729}\zeta_3-\frac{7282}{81}\zeta_2\zeta_3+\frac{370}{3}\zeta_5\right.\right. \\
& \left.\left.+\frac{712}{3}\zeta_2\log(2)-\frac{8c_1}{9}\right)+\mathcal{O}(L^0)\right]+C_A^2 C_F n_l T_F\left[L\left(-\frac{24137}{324}+\frac{5080}{81}\zeta_2-\frac{88}{15}\zeta_2^2\right.\right. \\
& \left.\left.-\frac{5776}{27}\zeta_3+\frac{112}{3}\zeta_2\zeta_3+\frac{524}{9}\zeta_5\right)+\mathcal{O}(L^0)\right]+\frac{d_F^{abcd} d_F^{abcd}}{N_F} n_l T_F\left[L\left(64\zeta_2-\frac{64}{3}\zeta_3\right.\right. \\
& \left.\left.-\frac{320}{3}\zeta_5\right)+\mathcal{O}(L^0)\right]+\frac{d_A^{abcd} d_F^{abcd}}{N_F}\left[\mathcal{O}(L)\right]+C_A^3 C_F\left[\mathcal{O}(L)\right]+C_A^2 C_F^2\left[-\frac{13673}{3888}L^5\right.
\end{aligned}$$

$$\begin{aligned}
& +L^4\left(\frac{285515}{5832}-\frac{6655}{648}\zeta_2\right)+L^3\left(-\frac{1844069}{5832}+\frac{6533}{72}\zeta_2-\frac{1006}{27}\zeta_2^2+\frac{29425}{162}\zeta_3\right) \\
& +L^2\left(\frac{994975}{4374}+\frac{208093}{486}\zeta_2-\frac{31117}{540}\zeta_2^2-\frac{2075515}{972}\zeta_3+\frac{1664}{9}\zeta_2\zeta_3+\frac{1478}{3}\zeta_5\right)+\mathcal{O}(L) \\
& +C_A C_F^3\left[-\frac{17963}{4320}L^6+L^5\left(\frac{230893}{4320}-\frac{1547}{120}\zeta_2\right)-L^4\left(\frac{43835}{324}+\frac{4993}{144}\zeta_2-\frac{4429}{24}\zeta_3\right)\right. \\
& +L^3\left(\frac{868141}{1944}+\frac{15799}{216}\zeta_2-\frac{841}{10}\zeta_2^2-\frac{76375}{108}\zeta_3+28\zeta_2\log(2)\right)+L^2\left(-\frac{3385973}{3888}\right. \\
& \left.-\frac{449617}{432}\zeta_2+\frac{164473}{720}\zeta_2^2+\frac{106873}{27}\zeta_3-\frac{835}{2}\zeta_2\zeta_3+536\zeta_5-444\zeta_2\log(2)+6c_1\right) \\
& \left.+\mathcal{O}(L)\right]+C_F^4\left[-\frac{24403}{15120}L^7+\frac{845}{288}L^6+L^5\left(-\frac{30457}{1440}+\frac{625}{72}\zeta_2\right)+L^4\left(\frac{5027}{64}\right.\right. \\
& \left.+\frac{3581}{48}\zeta_2-\frac{22505}{108}\zeta_3\right)+L^3\left(-\frac{10895}{36}-\frac{16165}{72}\zeta_2+\frac{25223}{180}\zeta_2^2+\frac{4355}{6}\zeta_3\right. \\
& \left.-56\zeta_2\log(2)\right)+L^2\left(\frac{10819}{24}+\frac{6465}{16}\zeta_2-\frac{4973}{40}\zeta_2^2-\frac{77327}{36}\zeta_3+\frac{2221}{9}\zeta_2\zeta_3-\frac{15434}{15}\zeta_5\right. \\
& \left.+888\zeta_2\log(2)-12c_1\right)+\mathcal{O}(L)\left.\right\} \\
& +\epsilon^0\left\{C_F n_l^3 T_F^3\left[-\frac{32}{135}L^5+\frac{160}{81}L^4+L^3\left(-\frac{1600}{243}-\frac{128}{27}\zeta_2\right)+L^2\left(\frac{8000}{729}+\frac{640}{27}\zeta_2\right)\right.\right. \\
& \left.+\mathcal{O}(L)\right]+C_F^2 n_l^2 T_F^2\left[\frac{8113}{7290}L^6-\frac{7142}{729}L^5+L^4\left(\frac{19387}{486}+\frac{8621}{486}\zeta_2\right)+L^3\left(-\frac{621143}{6561}\right.\right. \\
& \left.-\frac{85672}{729}\zeta_2+\frac{17380}{729}\zeta_3\right)+L^2\left(\frac{761960}{6561}+\frac{32291}{81}\zeta_2+\frac{56809}{810}\zeta_2^2-\frac{242968}{729}\zeta_3\right)+\mathcal{O}(L)\left.\right] \\
& +C_A C_F n_l^2 T_F^2\left[\frac{88}{45}L^5+L^4\left(-\frac{572}{27}+\frac{16}{9}\zeta_2\right)+L^3\left(\frac{7030}{81}+\frac{736}{27}\zeta_2-\frac{64}{3}\zeta_3\right)\right. \\
& \left.+L^2\left(-\frac{26293}{243}-\frac{6400}{27}\zeta_2+\frac{80}{3}\zeta_2^2+\frac{2032}{9}\zeta_3\right)+\mathcal{O}(L)\right]+C_F^3 n_l T_F\left[-\frac{2473}{1512}L^7\right. \\
& \left.+\frac{15695}{1296}L^6+L^5\left(-\frac{14815}{324}-\frac{536}{45}\zeta_2\right)+L^4\left(\frac{282397}{1944}+\frac{21725}{216}\zeta_2-\frac{1354}{9}\zeta_3\right)\right. \\
& \left.+L^3\left(-\frac{262199}{729}-\frac{229451}{324}\zeta_2+\frac{2947}{108}\zeta_2^2+\frac{132305}{81}\zeta_3-\frac{32}{3}\zeta_2\log(2)\right)+L^2\left(\frac{3055585}{5832}\right.\right. \\
& \left.+\frac{663595}{324}\zeta_2-\frac{6731}{270}\zeta_2^2-\frac{106351}{18}\zeta_3+\frac{23}{3}\zeta_2\zeta_3+\frac{16444}{45}\zeta_5+448\zeta_2\log(2)-\frac{32c_1}{9}\right) \\
& \left.+\mathcal{O}(L)\right]+C_A C_F^2 n_l T_F\left[-\frac{89243}{14580}L^6+L^5\left(\frac{48887}{729}-\frac{1333}{162}\zeta_2\right)+L^4\left(-\frac{435091}{1458}\right.\right. \\
& \left.-\frac{45059}{972}\zeta_2+\frac{18143}{162}\zeta_3\right)+L^3\left(\frac{3901220}{6561}+\frac{55334}{81}\zeta_2-\frac{37877}{405}\zeta_2^2-\frac{1066678}{729}\zeta_3\right. \\
& \left.+\frac{16}{3}\zeta_2\log(2)\right)+L^2\left(-\frac{1419355}{13122}-\frac{3940811\zeta_2}{1458}+\frac{438077\zeta_2^2}{1620}+\frac{4760419}{729}\zeta_3\right. \\
& \left.-\frac{5161}{81}\zeta_2\zeta_3+464\zeta_5-224\zeta_2\log(2)+\frac{16c_1}{9}\right)+\mathcal{O}(L)\left.\right]+C_A^2 C_F n_l T_F\left[-\frac{242}{45}L^5\right.
\end{aligned}$$

$$\begin{aligned}
& +L^4\left(\frac{1831}{27}-\frac{88}{9}\zeta_2\right)+L^3\left(-\frac{8693}{27}-\frac{712}{27}\zeta_2-\frac{176}{15}\zeta_2^2+176\zeta_3\right)+L^2\left(\frac{186151}{486}\right. \\
& \left.+\frac{17176}{27}\zeta_2-\frac{416}{5}\zeta_2^2-1660\zeta_3-16\zeta_2\zeta_3+\frac{1400}{9}\zeta_5\right)+\mathcal{O}(L)\Big] \\
& +\frac{d_F^{abcd}d_F^{abcd}}{N_F}n_lT_F\left[L^2\left(-128\zeta_2+\frac{128}{3}\zeta_3+\frac{640}{3}\zeta_5\right)+\mathcal{O}(L)\right] \\
& +C_A^3C_F\left[\frac{1331}{270}L^5+L^4\left(-\frac{5456}{81}+\frac{121}{9}\zeta_2\right)+L^3\left(\frac{83618}{243}-\frac{694}{27}\zeta_2+\frac{484}{15}\zeta_2^2-\frac{968}{3}\zeta_3\right)\right. \\
& \left.+\mathcal{O}(L^2)\right]+C_AC_F^3\left[\frac{27203}{6048}L^7-L^6\left(\frac{1024097}{25920}-\frac{6703}{720}\zeta_2\right)+L^5\left(\frac{105059}{810}+\frac{16417}{720}\zeta_2\right.\right. \\
& \left.\left.-\frac{6683}{40}\zeta_3\right)+L^4\left(-\frac{4102037}{7776}-\frac{189415}{864}\zeta_2+\frac{12607}{120}\zeta_2^2+\frac{456755}{432}\zeta_3-15\zeta_2\log(2)\right)\right. \\
& \left.+L^3\left(\frac{8235587}{5832}+\frac{2810329}{1296}\zeta_2-\frac{1278001}{2160}\zeta_2^2-\frac{2231015}{324}\zeta_3+\frac{12517}{18}\zeta_2\zeta_3-1087\zeta_5\right.\right. \\
& \left.\left.+\frac{1084}{3}\zeta_2\log(2)-\frac{14c_1}{3}\right)+\mathcal{O}(L^2)\right]+C_A^2C_F^2\left[\frac{981673}{116640}L^6+L^5\left(-\frac{2981621}{29160}\right.\right. \\
& \left.\left.+\frac{14663}{648}\zeta_2\right)+L^4\left(\frac{11455703}{23328}-\frac{29867}{864}\zeta_2+\frac{1081}{27}\zeta_2^2-\frac{313093}{648}\zeta_3\right)\right. \\
& \left.+L^3\left(-\frac{86965493}{104976}-\frac{660839}{729}\zeta_2+\frac{514063\zeta_2^2}{1620}+\frac{12676369\zeta_3}{2916}-\frac{7652}{27}\zeta_2\zeta_3-\frac{6782}{9}\zeta_5\right.\right. \\
& \left.\left.-\frac{44}{3}\zeta_2\log(2)\right)+\mathcal{O}(L^2)\right]+\frac{d_A^{abcd}d_F^{abcd}}{N_F}\left[\mathcal{O}(L^2)\right]+C_F^4\left[\frac{3017}{3456}L^8-\frac{887}{672}L^7\right. \\
& \left.+L^6\left(\frac{122617}{8640}-\frac{13469}{2160}\zeta_2\right)+L^5\left(-\frac{3783}{64}-\frac{16949}{240}\zeta_2+\frac{102281}{540}\zeta_3\right)+L^4\left(\frac{41009}{144}\right.\right. \\
& \left.\left.+\frac{72853}{288}\zeta_2-\frac{108911}{720}\zeta_2^2-\frac{51305}{72}\zeta_3+30\zeta_2\log(2)\right)+L^3\left(-\frac{22025}{36}-\frac{13395}{16}\zeta_2\right.\right. \\
& \left.\left.+\frac{1435}{8}\zeta_2^2+\frac{298571}{108}\zeta_3-\frac{12181}{27}\zeta_2\zeta_3+\frac{70946}{45}\zeta_5-664\zeta_2\log(2)+\frac{28c_1}{3}\right)+\mathcal{O}(L^2)\right] \\
& \left.+\mathcal{O}(L^2)\right\}. \tag{D.3}
\end{aligned}$$

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY 4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] V. Ravindran, J. Smith and W.L. van Neerven, *Two-loop corrections to Higgs boson production*, *Nucl. Phys. B* **704** (2005) 332 [[hep-ph/0408315](https://arxiv.org/abs/hep-ph/0408315)] [[INSPIRE](https://arxiv.org/abs/hep-ph/0408315)].
- [2] D. de Florian et al., *Quark and gluon spin-2 form factors to two-loops in QCD*, *JHEP* **02** (2014) 035 [[arXiv:1312.6528](https://arxiv.org/abs/1312.6528)] [[INSPIRE](https://arxiv.org/abs/1312.6528)].
- [3] S. Moch, J.A.M. Vermaseren and A. Vogt, *Three-loop results for quark and gluon form-factors*, *Phys. Lett. B* **625** (2005) 245 [[hep-ph/0508055](https://arxiv.org/abs/hep-ph/0508055)] [[INSPIRE](https://arxiv.org/abs/hep-ph/0508055)].

- [4] S. Moch, J.A.M. Vermaseren and A. Vogt, *The quark form-factor at higher orders*, *JHEP* **08** (2005) 049 [[hep-ph/0507039](#)] [[INSPIRE](#)].
- [5] P.A. Baikov et al., *Quark and gluon form factors to three loops*, *Phys. Rev. Lett.* **102** (2009) 212002 [[arXiv:0902.3519](#)] [[INSPIRE](#)].
- [6] T. Gehrmann et al., *Calculation of the quark and gluon form factors to three loops in QCD*, *JHEP* **06** (2010) 094 [[arXiv:1004.3653](#)] [[INSPIRE](#)].
- [7] T. Gehrmann and D. Kara, *The $Hb\bar{b}$ form factor to three loops in QCD*, *JHEP* **09** (2014) 174 [[arXiv:1407.8114](#)] [[INSPIRE](#)].
- [8] T. Ahmed et al., *Spin-2 Form Factors at Three Loop in QCD*, *JHEP* **12** (2015) 084 [[arXiv:1508.05043](#)] [[INSPIRE](#)].
- [9] T. Ahmed et al., *Pseudo-scalar Form Factors at Three Loops in QCD*, *JHEP* **11** (2015) 169 [[arXiv:1510.01715](#)] [[INSPIRE](#)].
- [10] T. Ahmed et al., *Konishi form factor at three loops in $\mathcal{N} = 4$ supersymmetric Yang-Mills theory*, *Phys. Rev. D* **95** (2017) 085019 [[arXiv:1610.05317](#)] [[INSPIRE](#)].
- [11] T. Ahmed et al., *Three loop form factors of a massive spin-2 particle with nonuniversal coupling*, *Phys. Rev. D* **95** (2017) 034035 [[arXiv:1612.00024](#)] [[INSPIRE](#)].
- [12] T. Ahmed et al., *Form factors with two operator insertions and the principle of maximal transcendentality*, *Phys. Rev. D* **102** (2020) 061701 [[arXiv:1911.11886](#)] [[INSPIRE](#)].
- [13] R.N. Lee et al., *The four-loop $\mathcal{N} = 4$ SYM Sudakov form factor*, *JHEP* **01** (2022) 091 [[arXiv:2110.13166](#)] [[INSPIRE](#)].
- [14] R.N. Lee et al., *Quark and Gluon Form Factors in Four-Loop QCD*, *Phys. Rev. Lett.* **128** (2022) 212002 [[arXiv:2202.04660](#)] [[INSPIRE](#)].
- [15] A. Chakraborty et al., *$Hb\bar{b}$ vertex at four loops and hard matching coefficients in SCET for various currents*, *Phys. Rev. D* **106** (2022) 074009 [[arXiv:2204.02422](#)] [[INSPIRE](#)].
- [16] W. Bernreuther et al., *Two-loop QCD corrections to the heavy quark form-factors: The vector contributions*, *Nucl. Phys. B* **706** (2005) 245 [[hep-ph/0406046](#)] [[INSPIRE](#)].
- [17] W. Bernreuther et al., *Two-loop QCD corrections to the heavy quark form-factors: Axial vector contributions*, *Nucl. Phys. B* **712** (2005) 229 [[hep-ph/0412259](#)] [[INSPIRE](#)].
- [18] W. Bernreuther et al., *Two-loop QCD corrections to the heavy quark form-factors: Anomaly contributions*, *Nucl. Phys. B* **723** (2005) 91 [[hep-ph/0504190](#)] [[INSPIRE](#)].
- [19] W. Bernreuther et al., *Decays of scalar and pseudoscalar Higgs bosons into fermions: Two-loop QCD corrections to the Higgs-quark-antiquark amplitude*, *Phys. Rev. D* **72** (2005) 096002 [[hep-ph/0508254](#)] [[INSPIRE](#)].
- [20] J. Gluza, A. Mitov, S. Moch and T. Riemann, *The QCD form factor of heavy quarks at NNLO*, *JHEP* **07** (2009) 001 [[arXiv:0905.1137](#)] [[INSPIRE](#)].
- [21] J. Ablinger et al., *Heavy quark form factors at two loops*, *Phys. Rev. D* **97** (2018) 094022 [[arXiv:1712.09889](#)] [[INSPIRE](#)].
- [22] J. Henn, A.V. Smirnov, V.A. Smirnov and M. Steinhauser, *Massive three-loop form factor in the planar limit*, *JHEP* **01** (2017) 074 [[arXiv:1611.07535](#)] [[INSPIRE](#)].
- [23] R.N. Lee, A.V. Smirnov, V.A. Smirnov and M. Steinhauser, *Three-loop massive form factors: complete light-fermion corrections for the vector current*, *JHEP* **03** (2018) 136 [[arXiv:1801.08151](#)] [[INSPIRE](#)].

- [24] J. Ablinger et al., *Heavy quark form factors at three loops in the planar limit*, *Phys. Lett. B* **782** (2018) 528 [[arXiv:1804.07313](#)] [[INSPIRE](#)].
- [25] R.N. Lee, A.V. Smirnov, V.A. Smirnov and M. Steinhauser, *Three-loop massive form factors: complete light-fermion and large- N_c corrections for vector, axial-vector, scalar and pseudo-scalar currents*, *JHEP* **05** (2018) 187 [[arXiv:1804.07310](#)] [[INSPIRE](#)].
- [26] J. Ablinger et al., *Automated Solution of First Order Factorizable Systems of Differential Equations in One Variable*, *Nucl. Phys. B* **939** (2019) 253 [[arXiv:1810.12261](#)] [[INSPIRE](#)].
- [27] J. Blümlein, P. Marquard, N. Rana and C. Schneider, *The Heavy Fermion Contributions to the Massive Three Loop Form Factors*, *Nucl. Phys. B* **949** (2019) 114751 [[arXiv:1908.00357](#)] [[INSPIRE](#)].
- [28] M. Fael, F. Lange, K. Schönwald and M. Steinhauser, *Massive Vector Form Factors to Three Loops*, *Phys. Rev. Lett.* **128** (2022) 172003 [[arXiv:2202.05276](#)] [[INSPIRE](#)].
- [29] M. Fael, F. Lange, K. Schönwald and M. Steinhauser, *Singlet and nonsinglet three-loop massive form factors*, *Phys. Rev. D* **106** (2022) 034029 [[arXiv:2207.00027](#)] [[INSPIRE](#)].
- [30] M. Fael, F. Lange, K. Schönwald and M. Steinhauser, *Massive three-loop form factors: Anomaly contribution*, *Phys. Rev. D* **107** (2023) 094017 [[arXiv:2302.00693](#)] [[INSPIRE](#)].
- [31] J. Blümlein et al., *Analytic results on the massive three-loop form factors: Quarkonic contributions*, *Phys. Rev. D* **108** (2023) 094003 [[arXiv:2307.02983](#)] [[INSPIRE](#)].
- [32] K.G. Chetyrkin, R. Harlander, T. Seidensticker and M. Steinhauser, *Second order QCD corrections to $\Gamma(\bar{t} \rightarrow Wb)$* , *Phys. Rev. D* **60** (1999) 114015 [[hep-ph/9906273](#)] [[INSPIRE](#)].
- [33] I.R. Blokland, A. Czarnecki, M. Slusarczyk and F. Tkachov, *Heavy to light decays with a two loop accuracy*, *Phys. Rev. Lett.* **93** (2004) 062001 [[hep-ph/0403221](#)] [[INSPIRE](#)].
- [34] J. Gao, C.S. Li and H.X. Zhu, *Top Quark Decay at Next-to-Next-to Leading Order in QCD*, *Phys. Rev. Lett.* **110** (2013) 042001 [[arXiv:1210.2808](#)] [[INSPIRE](#)].
- [35] M. Brucherseifer, F. Caola and K. Melnikov, *$\mathcal{O}(\alpha_s^2)$ corrections to fully-differential top quark decays*, *JHEP* **04** (2013) 059 [[arXiv:1301.7133](#)] [[INSPIRE](#)].
- [36] S.W. Bosch, B.O. Lange, M. Neubert and G. Paz, *Factorization and shape function effects in inclusive B meson decays*, *Nucl. Phys. B* **699** (2004) 335 [[hep-ph/0402094](#)] [[INSPIRE](#)].
- [37] B.O. Lange, M. Neubert and G. Paz, *Theory of charmless inclusive B decays and the extraction of V_{ub}* , *Phys. Rev. D* **72** (2005) 073006 [[hep-ph/0504071](#)] [[INSPIRE](#)].
- [38] T. Becher and M. Neubert, *Toward a NNLO calculation of the $\bar{B} \rightarrow X_s \gamma$ decay rate with a cut on photon energy: I. Two-loop result for the soft function*, *Phys. Lett. B* **633** (2006) 739 [[hep-ph/0512208](#)] [[INSPIRE](#)].
- [39] T. Becher and M. Neubert, *Toward a NNLO calculation of the $\bar{B} \rightarrow X_s \gamma$ decay rate with a cut on photon energy. II. Two-loop result for the jet function*, *Phys. Lett. B* **637** (2006) 251 [[hep-ph/0603140](#)] [[INSPIRE](#)].
- [40] H.M. Asatrian, C. Greub and B.D. Pecjak, *NNLO corrections to $\bar{B} \rightarrow X_u \ell \bar{\nu}$ in the shape-function region*, *Phys. Rev. D* **78** (2008) 114028 [[arXiv:0810.0987](#)] [[INSPIRE](#)].
- [41] M. Beneke, T. Huber and X.-Q. Li, *Two-loop QCD correction to differential semi-leptonic $b \rightarrow u$ decays in the shape-function region*, *Nucl. Phys. B* **811** (2009) 77 [[arXiv:0810.1230](#)] [[INSPIRE](#)].

- [42] G. Bell, *NNLO corrections to inclusive semileptonic B decays in the shape-function region*, *Nucl. Phys. B* **812** (2009) 264 [[arXiv:0810.5695](#)] [[INSPIRE](#)].
- [43] R. Bonciani and A. Ferroglia, *Two-Loop QCD Corrections to the Heavy-to-Light Quark Decay*, *JHEP* **11** (2008) 065 [[arXiv:0809.4687](#)] [[INSPIRE](#)].
- [44] T. Huber, *On a two-loop crossed six-line master integral with two massive lines*, *JHEP* **03** (2009) 024 [[arXiv:0901.2133](#)] [[INSPIRE](#)].
- [45] G. Bell, *Higher order QCD corrections in exclusive charmless B decays*, Ph.D. thesis, Fakultät für Physik, Ludwig-Maximilians-Universität (LMU) München, Munich, Germany (2006) [[arXiv:0705.3133](#)] [[INSPIRE](#)].
- [46] L.-B. Chen, H.T. Li, J. Wang and Y. Wang, *Analytic result for the top-quark width at next-to-next-to-leading order in QCD*, *Phys. Rev. D* **108** (2023) 054003 [[arXiv:2212.06341](#)] [[INSPIRE](#)].
- [47] L.-B. Chen et al., *Analytic three-loop QCD corrections to top-quark and semileptonic $b \rightarrow u$ decays*, [arXiv:2309.00762](#) [[INSPIRE](#)].
- [48] L. Chen, X. Chen, X. Guan and Y.-Q. Ma, *Top-Quark Decay at Next-to-Next-to-Next-to-Leading Order in QCD*, [arXiv:2309.01937](#) [[INSPIRE](#)].
- [49] L.-B. Chen and J. Wang, *Three-loop planar master integrals for heavy-to-light form factors*, *Phys. Lett. B* **786** (2018) 453 [[arXiv:1810.04328](#)] [[INSPIRE](#)].
- [50] K.G. Chetyrkin and F.V. Tkachov, *Integration by Parts: The algorithm to Calculate β Functions in 4 Loops*, *Nucl. Phys. B* **192** (1981) 159 [[INSPIRE](#)].
- [51] S. Laporta, *High precision calculation of multiloop Feynman integrals by difference equations*, *Int. J. Mod. Phys. A* **15** (2000) 5087 [[hep-ph/0102033](#)] [[INSPIRE](#)].
- [52] A.V. Kotikov, *Differential equations method: New technique for massive Feynman diagrams calculation*, *Phys. Lett. B* **254** (1991) 158 [[INSPIRE](#)].
- [53] M. Argeri and P. Mastrolia, *Feynman Diagrams and Differential Equations*, *Int. J. Mod. Phys. A* **22** (2007) 4375 [[arXiv:0707.4037](#)] [[INSPIRE](#)].
- [54] E. Remiddi, *Differential equations for Feynman graph amplitudes*, *Nuovo Cim. A* **110** (1997) 1435 [[hep-th/9711188](#)] [[INSPIRE](#)].
- [55] J.M. Henn, *Multiloop integrals in dimensional regularization made simple*, *Phys. Rev. Lett.* **110** (2013) 251601 [[arXiv:1304.1806](#)] [[INSPIRE](#)].
- [56] J. Ablinger et al., *Calculating Three Loop Ladder and V-Topologies for Massive Operator Matrix Elements by Computer Algebra*, *Comput. Phys. Commun.* **202** (2016) 33 [[arXiv:1509.08324](#)] [[INSPIRE](#)].
- [57] T. Becher and M. Neubert, *Infrared singularities of QCD amplitudes with massive partons*, *Phys. Rev. D* **79** (2009) 125004 [*Erratum ibid.* **80** (2009) 109901] [[arXiv:0904.1021](#)] [[INSPIRE](#)].
- [58] V.V. Sudakov, *Vertex parts at very high-energies in quantum electrodynamics*, *Sov. Phys. JETP* **3** (1956) 65 [[INSPIRE](#)].
- [59] A.H. Mueller, *On the Asymptotic Behavior of the Sudakov Form-factor*, *Phys. Rev. D* **20** (1979) 2037 [[INSPIRE](#)].
- [60] J.C. Collins, *Algorithm to Compute Corrections to the Sudakov Form-factor*, *Phys. Rev. D* **22** (1980) 1478 [[INSPIRE](#)].

- [61] A. Sen, *Asymptotic Behavior of the Sudakov Form-Factor in QCD*, *Phys. Rev. D* **24** (1981) 3281 [INSPIRE].
- [62] V. Ravindran, *On Sudakov and soft resummations in QCD*, *Nucl. Phys. B* **746** (2006) 58 [hep-ph/0512249] [INSPIRE].
- [63] V. Ravindran, *Higher-order threshold effects to inclusive processes in QCD*, *Nucl. Phys. B* **752** (2006) 173 [hep-ph/0603041] [INSPIRE].
- [64] A. A. H., P. Mukherjee and V. Ravindran, *Infrared structure of $SU(N) \times U(1)$ gauge theory to three loops*, *JHEP* **08** (2020) 156 [arXiv:1912.13386] [INSPIRE].
- [65] A. Mitov and S. Moch, *The singular behavior of massive QCD amplitudes*, *JHEP* **05** (2007) 001 [hep-ph/0612149] [INSPIRE].
- [66] T. Ahmed, J.M. Henn and M. Steinhauser, *High energy behaviour of form factors*, *JHEP* **06** (2017) 125 [arXiv:1704.07846] [INSPIRE].
- [67] J. Blümlein, P. Marquard and N. Rana, *Asymptotic behavior of the heavy quark form factors at higher order*, *Phys. Rev. D* **99** (2019) 016013 [arXiv:1810.08943] [INSPIRE].
- [68] D. Kreimer, *The γ_5 Problem and Anomalies: A Clifford Algebra Approach*, *Phys. Lett. B* **237** (1990) 59 [INSPIRE].
- [69] J.G. Korner, D. Kreimer and K. Schilcher, *A practicable γ_5 scheme in dimensional regularization*, *Z. Phys. C* **54** (1992) 503 [INSPIRE].
- [70] G. 't Hooft, *Dimensional regularization and the renormalization group*, *Nucl. Phys. B* **61** (1973) 455 [INSPIRE].
- [71] W.A. Bardeen, A.J. Buras, D.W. Duke and T. Muta, *Deep Inelastic Scattering Beyond the Leading Order in Asymptotically Free Gauge Theories*, *Phys. Rev. D* **18** (1978) 3998 [INSPIRE].
- [72] D.J. Broadhurst, N. Gray and K. Schilcher, *Gauge invariant on-shell Z_2 in QED, QCD and the effective field theory of a static quark*, *Z. Phys. C* **52** (1991) 111 [INSPIRE].
- [73] K. Melnikov and T. van Ritbergen, *The three loop on-shell renormalization of QCD and QED*, *Nucl. Phys. B* **591** (2000) 515 [hep-ph/0005131] [INSPIRE].
- [74] P. Marquard, L. Mihaila, J.H. Piclum and M. Steinhauser, *Relation between the pole and the minimally subtracted mass in dimensional regularization and dimensional reduction to three-loop order*, *Nucl. Phys. B* **773** (2007) 1 [hep-ph/0702185] [INSPIRE].
- [75] P. Marquard, A.V. Smirnov, V.A. Smirnov and M. Steinhauser, *Quark Mass Relations to Four-Loop Order in Perturbative QCD*, *Phys. Rev. Lett.* **114** (2015) 142002 [arXiv:1502.01030] [INSPIRE].
- [76] P. Marquard et al., *$\overline{\text{MS}}$ -on-shell quark mass relation up to four loops in QCD and a general $SU(N)$ gauge group*, *Phys. Rev. D* **94** (2016) 074025 [arXiv:1606.06754] [INSPIRE].
- [77] P. Marquard, A.V. Smirnov, V.A. Smirnov and M. Steinhauser, *Four-loop wave function renormalization in QCD and QED*, *Phys. Rev. D* **97** (2018) 054032 [arXiv:1801.08292] [INSPIRE].
- [78] O.V. Tarasov, A.A. Vladimirov and A.Y. Zharkov, *The Gell-Mann-Low Function of QCD in the Three Loop Approximation*, *Phys. Lett. B* **93** (1980) 429 [INSPIRE].
- [79] S.A. Larin and J.A.M. Vermaseren, *The three loop QCD β function and anomalous dimensions*, *Phys. Lett. B* **303** (1993) 334 [hep-ph/9302208] [INSPIRE].

- [80] T. van Ritbergen, J.A.M. Vermaseren and S.A. Larin, *The four loop β function in quantum chromodynamics*, *Phys. Lett. B* **400** (1997) 379 [[hep-ph/9701390](#)] [[INSPIRE](#)].
- [81] M. Czakon, *The Four-loop QCD β -function and anomalous dimensions*, *Nucl. Phys. B* **710** (2005) 485 [[hep-ph/0411261](#)] [[INSPIRE](#)].
- [82] P.A. Baikov, K.G. Chetyrkin and J.H. Kühn, *Five-Loop Running of the QCD coupling constant*, *Phys. Rev. Lett.* **118** (2017) 082002 [[arXiv:1606.08659](#)] [[INSPIRE](#)].
- [83] F. Herzog et al., *The five-loop β function of Yang-Mills theory with fermions*, *JHEP* **02** (2017) 090 [[arXiv:1701.01404](#)] [[INSPIRE](#)].
- [84] T. Luthe, A. Maier, P. Marquard and Y. Schröder, *The five-loop β function for a general gauge group and anomalous dimensions beyond Feynman gauge*, *JHEP* **10** (2017) 166 [[arXiv:1709.07718](#)] [[INSPIRE](#)].
- [85] S. Catani, *The singular behavior of QCD amplitudes at two loop order*, *Phys. Lett. B* **427** (1998) 161 [[hep-ph/9802439](#)] [[INSPIRE](#)].
- [86] G.F. Sterman and M.E. Tejeda-Yeomans, *Multiloop amplitudes and resummation*, *Phys. Lett. B* **552** (2003) 48 [[hep-ph/0210130](#)] [[INSPIRE](#)].
- [87] T. Becher and M. Neubert, *Infrared singularities of scattering amplitudes in perturbative QCD*, *Phys. Rev. Lett.* **102** (2009) 162001 [*Erratum ibid.* **111** (2013) 199905] [[arXiv:0901.0722](#)] [[INSPIRE](#)].
- [88] E. Gardi and L. Magnea, *Factorization constraints for soft anomalous dimensions in QCD scattering amplitudes*, *JHEP* **03** (2009) 079 [[arXiv:0901.1091](#)] [[INSPIRE](#)].
- [89] G.P. Korchemsky and A.V. Radyushkin, *Renormalization of the Wilson Loops Beyond the Leading Order*, *Nucl. Phys. B* **283** (1987) 342 [[INSPIRE](#)].
- [90] G.P. Korchemsky and A.V. Radyushkin, *Infrared factorization, Wilson lines and the heavy quark limit*, *Phys. Lett. B* **279** (1992) 359 [[hep-ph/9203222](#)] [[INSPIRE](#)].
- [91] N. Kidonakis, *Two-loop soft anomalous dimensions and NNLL resummation for heavy quark production*, *Phys. Rev. Lett.* **102** (2009) 232003 [[arXiv:0903.2561](#)] [[INSPIRE](#)].
- [92] A. Grozin, J.M. Henn, G.P. Korchemsky and P. Marquard, *Three Loop Cusp Anomalous Dimension in QCD*, *Phys. Rev. Lett.* **114** (2015) 062006 [[arXiv:1409.0023](#)] [[INSPIRE](#)].
- [93] A. Grozin, J.M. Henn, G.P. Korchemsky and P. Marquard, *The three-loop cusp anomalous dimension in QCD and its supersymmetric extensions*, *JHEP* **01** (2016) 140 [[arXiv:1510.07803](#)] [[INSPIRE](#)].
- [94] K.G. Chetyrkin, B.A. Kniehl and M. Steinhauser, *Decoupling relations to $O(\alpha_s^3)$ and their connection to low-energy theorems*, *Nucl. Phys. B* **510** (1998) 61 [[hep-ph/9708255](#)] [[INSPIRE](#)].
- [95] A.G. Grozin, P. Marquard, J.H. Piclum and M. Steinhauser, *Three-Loop Chromomagnetic Interaction in HQET*, *Nucl. Phys. B* **789** (2008) 277 [[arXiv:0707.1388](#)] [[INSPIRE](#)].
- [96] A.G. Grozin et al., *Simultaneous decoupling of bottom and charm quarks*, *JHEP* **09** (2011) 066 [[arXiv:1107.5970](#)] [[INSPIRE](#)].
- [97] P. Nogueira, *Automatic Feynman graph generation*, *J. Comput. Phys.* **105** (1993) 279 [[INSPIRE](#)].
- [98] M. Tentyukov and J.A.M. Vermaseren, *The multithreaded version of FORM*, *Comput. Phys. Commun.* **181** (2010) 1419 [[hep-ph/0702279](#)] [[INSPIRE](#)].

- [99] T. van Ritbergen, A.N. Schellekens and J.A.M. Vermaseren, *Group theory factors for Feynman diagrams*, *Int. J. Mod. Phys. A* **14** (1999) 41 [[hep-ph/9802376](#)] [[INSPIRE](#)].
- [100] T. Hahn, *Generating Feynman diagrams and amplitudes with FeynArts 3*, *Comput. Phys. Commun.* **140** (2001) 418 [[hep-ph/0012260](#)] [[INSPIRE](#)].
- [101] V. Shtabovenko, R. Mertig and F. Orellana, *FeynCalc 9.3: New features and improvements*, *Comput. Phys. Commun.* **256** (2020) 107478 [[arXiv:2001.04407](#)] [[INSPIRE](#)].
- [102] J. Klappert, F. Lange, P. Maierhöfer and J. Usovitsch, *Integral reduction with Kira 2.0 and finite field methods*, *Comput. Phys. Commun.* **266** (2021) 108024 [[arXiv:2008.06494](#)] [[INSPIRE](#)].
- [103] R.N. Lee, *LiteRed 1.4: a powerful tool for reduction of multiloop integrals*, *J. Phys. Conf. Ser.* **523** (2014) 012059 [[arXiv:1310.1145](#)] [[INSPIRE](#)].
- [104] E. Remiddi and J.A.M. Vermaseren, *Harmonic polylogarithms*, *Int. J. Mod. Phys. A* **15** (2000) 725 [[hep-ph/9905237](#)] [[INSPIRE](#)].
- [105] J. Ablinger, J. Blümlein and C. Schneider, *Analytic and Algorithmic Aspects of Generalized Harmonic Sums and Polylogarithms*, *J. Math. Phys.* **54** (2013) 082301 [[arXiv:1302.0378](#)] [[INSPIRE](#)].
- [106] B. Ananthanarayan, S. Banik, S. Friot and S. Ghosh, *Multiple Series Representations of N-fold Mellin-Barnes Integrals*, *Phys. Rev. Lett.* **127** (2021) 151601 [[arXiv:2012.15108](#)] [[INSPIRE](#)].
- [107] S. Banik and S. Friot, *Multiple Mellin-Barnes integrals with straight contours*, *Phys. Rev. D* **107** (2023) 016007 [[arXiv:2212.11839](#)] [[INSPIRE](#)].
- [108] J. Gluza, K. Kajda and T. Riemann, *AMBRE: A Mathematica package for the construction of Mellin-Barnes representations for Feynman integrals*, *Comput. Phys. Commun.* **177** (2007) 879 [[arXiv:0704.2423](#)] [[INSPIRE](#)].
- [109] T. Huber and D. Maitre, *HypExp: A Mathematica package for expanding hypergeometric functions around integer-valued parameters*, *Comput. Phys. Commun.* **175** (2006) 122 [[hep-ph/0507094](#)] [[INSPIRE](#)].
- [110] J. Ablinger, *A Computer Algebra Toolbox for Harmonic Sums Related to Particle Physics*, M.Sc. thesis, Johannes Kepler University of Linz (JKU), A-4040 Linz, Austria (2009) [[arXiv:1011.1176](#)] [[INSPIRE](#)].
- [111] J. Ablinger, J. Blümlein and C. Schneider, *Harmonic Sums and Polylogarithms Generated by Cyclotomic Polynomials*, *J. Math. Phys.* **52** (2011) 102301 [[arXiv:1105.6063](#)] [[INSPIRE](#)].
- [112] J. Ablinger, *The package HarmonicSums: Computer Algebra and Analytic aspects of Nested Sums*, *PoS LL2014* (2014) 019 [[arXiv:1407.6180](#)] [[INSPIRE](#)].
- [113] C. Duhr and F. Dulat, *PolyLogTools — polylogs for the masses*, *JHEP* **08** (2019) 135 [[arXiv:1904.07279](#)] [[INSPIRE](#)].
- [114] A.V. Smirnov and M.N. Tentyukov, *Feynman Integral Evaluation by a Sector decomposition Approach (FIESTA)*, *Comput. Phys. Commun.* **180** (2009) 735 [[arXiv:0807.4129](#)] [[INSPIRE](#)].
- [115] A.V. Smirnov, N.D. Shapurov and L.I. Vysotsky, *FIESTA5: Numerical high-performance Feynman integral evaluation*, *Comput. Phys. Commun.* **277** (2022) 108386 [[arXiv:2110.11660](#)] [[INSPIRE](#)].

- [116] X. Liu and Y.-Q. Ma, *AMFlow: A Mathematica package for Feynman integrals computation via auxiliary mass flow*, *Comput. Phys. Commun.* **283** (2023) 108565 [[arXiv:2201.11669](#)] [[INSPIRE](#)].
- [117] X. Liu, Y.-Q. Ma and C.-Y. Wang, *A Systematic and Efficient Method to Compute Multi-loop Master Integrals*, *Phys. Lett. B* **779** (2018) 353 [[arXiv:1711.09572](#)] [[INSPIRE](#)].
- [118] X. Liu and Y.-Q. Ma, *Multiloop corrections for collider processes using auxiliary mass flow*, *Phys. Rev. D* **105** (2022) L051503 [[arXiv:2107.01864](#)] [[INSPIRE](#)].
- [119] J. Blümlein, D.J. Broadhurst and J.A.M. Vermaseren, *The Multiple Zeta Value Data Mine*, *Comput. Phys. Commun.* **181** (2010) 582 [[arXiv:0907.2557](#)] [[INSPIRE](#)].
- [120] H. Ferguson and D. Bailey, *A Polynomial Time, Numerically Stable Integer Relation Algorithm*, RNR-91-032 (1992).
- [121] S. Moch, J.A.M. Vermaseren and A. Vogt, *The three loop splitting functions in QCD: The nonsinglet case*, *Nucl. Phys. B* **688** (2004) 101 [[hep-ph/0403192](#)] [[INSPIRE](#)].
- [122] A. Vogt, S. Moch and J.A.M. Vermaseren, *The Three-loop splitting functions in QCD: The singlet case*, *Nucl. Phys. B* **691** (2004) 129 [[hep-ph/0404111](#)] [[INSPIRE](#)].
- [123] J.M. Henn, G.P. Korchemsky and B. Mistlberger, *The full four-loop cusp anomalous dimension in $\mathcal{N} = 4$ super Yang-Mills and QCD*, *JHEP* **04** (2020) 018 [[arXiv:1911.10174](#)] [[INSPIRE](#)].
- [124] A. von Manteuffel, E. Panzer and R.M. Schabinger, *Cusp and collinear anomalous dimensions in four-loop QCD from form factors*, *Phys. Rev. Lett.* **124** (2020) 162001 [[arXiv:2002.04617](#)] [[INSPIRE](#)].
- [125] J.A.M. Vermaseren, S.A. Larin and T. van Ritbergen, *The four loop quark mass anomalous dimension and the invariant quark mass*, *Phys. Lett. B* **405** (1997) 327 [[hep-ph/9703284](#)] [[INSPIRE](#)].
- [126] T. Luthe, A. Maier, P. Marquard and Y. Schröder, *Five-loop quark mass and field anomalous dimensions for a general gauge group*, *JHEP* **01** (2017) 081 [[arXiv:1612.05512](#)] [[INSPIRE](#)].
- [127] P.A. Baikov, K.G. Chetyrkin and J.H. Kühn, *Five-loop fermion anomalous dimension for a general gauge group from four-loop massless propagators*, *JHEP* **04** (2017) 119 [[arXiv:1702.01458](#)] [[INSPIRE](#)].