

## Corrigendum to “Impact of shock waves on the physical and chemical properties of aligned zinc oxide structures grown over metal-sheets” [Mater. Today Chem. 24 (2022) 100921]

R.M.R. Lingandhinne<sup>a</sup>, D. Mudusu<sup>b,\*</sup>, K.R. Nandanapalli<sup>c,d</sup>, K.P.J. Reddy<sup>b</sup>, S. Lee<sup>d,\*\*</sup>

<sup>a</sup> Department of Physics, Loyola Degree College, Pulivendula, 516390, Andhra Pradesh, India


<sup>b</sup> Department of Aerospace Engineering, Indian Institute of Science, Bangalore, 560012, India

<sup>c</sup> Center for Nanoscience and Engineering, Indian Institute of Science, Bangalore, 560012, India

<sup>d</sup> Department of Emerging Materials Science, Daegu Gyeongbuk Institute of Science & Technology (DGIST), 333 Techno Jungang-daero, Hyeonpung-myeon, Dalseong-gun, Daegu, 711-873, South Korea

The authors regret that there is an error in Fig. 3b and c from the original publication, which may lead to misunderstanding the readers. The TEM and SAED images presented at Fig. 3b and c, related to pristine ZnO nanorods, were wrongly selected. The corrections with appropriate images are presented in Fig. 3, as given below. Replacement of these figures does not impact on the original text as well as other figures. The authors would like to apologize for any inconvenience caused.

Fig. 3. Crystal structure and phase purity of as-grown ZnO nanorods: (a) XRD profiles (y-axis is in log scale) of ZnO nanorods grown over the glass and stainless-steel substrates. (b) TEM and (c) SAED images of single ZnO nanorod.



DOI of original article: <https://doi.org/10.1016/j.mtchem.2022.100921>.

\* Corresponding author.

\*\* Corresponding author.

E-mail addresses: [devikareddy@gmail.com](mailto:devikareddy@gmail.com) (D. Mudusu), [swlee@dgist.ac.kr](mailto:swlee@dgist.ac.kr) (S. Lee).

<https://doi.org/10.1016/j.mtchem.2024.101954>

Available online 10 February 2024

2468-5194/© 2024 Elsevier Ltd. All rights reserved.